



**C2G**  
**6ft (1.8m) Cat6 Non-Booted Unshielded (UTP) Ethernet Network Patch Cable - White**  
Part No. CG-04237

For fast Ethernet and Gigabit computer networks that require bandwidth-intensive voice, data, or video distribution applications. Meets all Cat6 TIA/EIA standards, and drastically reduces both impedance and structural return loss (SRL). Each of the individual pairs is bonded together to help maintain the twist-spacing throughout the line right up to the termination point. Constructed from high quality copper cable, this design minimizes Near-End Crosstalk (NEXT) levels. Available in a variety of colors to easily color-code your network installation.



## Features & Benefits

Designed for network adapters, hubs, switches, routers, HDBaseT applications and more

Supports 10 Gigabit networks up to 180ft for fast data transmission and maximum performance and supports 1 Gigabit up to 328ft

Meets all Cat6 TIA/EIA requirements for supporting a wide variety of applications

Constructed with unshielded twisted pair (UTP) wires, designed to counter EMI, RFI, and crosstalk

Available in a variety of colors to color-code a network

## Specifications

### General Info

Product Line	C2G	Color	White
UPC Number	757120042372	Country Of Origin	Vietnam
Features	PoE (Power Over Ethernet)	Application Sector	Residential, Commercial, Industrial
Type	Cable		

### Dimensions

Cable Length	6 ft
--------------	------

### Additional Information

---

Prop 65 Warning Required Yes

Prop 65 Warning Language

Cancer and  
Reproductive Harm

---

## Technical Information

---

Jacket Material

PVC (Polyvinyl Chloride)

Wire Gauge

24 AWG

---

Cable Type

Ethernet Patch Cable, Unbooted,  
Unshielded (UTP)

Jacket Rating

Standard Non-Rated

---

Adapter Rear

RJ-45 Male

Adapter Front

RJ-45 Male

---