Detailed Specifications & Technical Data



ENGLISH MEASUREMENT VERSION

AX103249 Faceplates and Panels - AngleFlex Patch Panel - KeyConnect

	No. of the second secon	For more Information please call
		1-800-Belden1
General Description:		
AngleFlex Patch Panel, 48-port, 2U, Black (Empty)	
Usage (Overall)		
Suitable Applications:	 Compatible with a variety of modules that are suitable for use with Belde 3600, 2400 and 1200 	n IBDN Systems 10GX, 4800,
Related Parts:	- Compatible with 10GX, CAT6+ and CAT5E KeyConnect Modular Jacks Multimedia Modules.	as well as KeyConnect
Physical Characteristics (Connectivity)		
Capacity	40 consisten	
Max. Capacity:	48 connectors	
Access Front Connection:	Angled	
Termination Area:	Rear	
Dimensions		
Height (in.) Width (in.) Depth (in.) 3.500 19.000 3.100		
Materials Materials: Description Material Panel Steel		
Color		
Color:	Black	
Weight Weight:	4.450 lbs.	
Included Parts	4.450 lb5.	
Included Parts	4 Screws (10x32); 4 Screws (12x24); 1 Printable LabelFlex Half-Sheet; 4 Velcro Straps; 4 Rear Cable Management Bracket, 1 Installation Guide	
Packaging Packaging:	Individually packaged in a cardboard box.	
Mechanical Characteristics (Connectivity)		
Storage Temperature Range:	-40°C To +70°C	
Installation Temperature Range:	-10°C To +60°C	
Operating Temperature Range:	-10°C To +60°C	
Applicable Specifications and Agency Compliance Applicable Standards & Environmental Programs	(Overall)	
EU Directive 2002/95/EC (RoHS):	Yes	
EU RoHS Compliance Date (mm/dd/yyyy):	01/10/2008	
MII Order #39 (China RoHS):	Yes	
Safety Listing:	Bi-national Standard Listed	
Suitability Suitability - Indoor:	Yes	
Transmission Characteristics (Connectivity)		

Notes (Overall)

Notes: For proper installation refer to Installation Guide PX104673 included with the product or visit our web site at http://www.belden.com/pdfs/Techpprs/InstallationGuide.pdf

Detailed Specifications & Technical Data



AX103249 Faceplates and Panels - AngleFlex Patch Panel - KeyConnect

Product Family ----P

а	art Numbers:				
	Description	Item Number			
	AngleFlex PP 1U24P, Black	AX103248			
	AngleFlex PP 2U48P, Black	AX103249			
	Flex PP 1U24P, Black	AX101456			
	Flex PP 2U48P, Black	AX101458			
	AngleFlex PP 1U24P CAT6+ Coupler, Black	AX104568			
	AngleFlex PP 1U24P 10GX Coupler, Black	AX104569			
	AngleFlex PP 2U48P CAT6+ Coupler, Black	AX104570			
	AngleFlex PP 2U48P 10GX Coupler, Black	AX104571			
	AngleFlex PP 1U24P 10GX Coupler, Black AngleFlex PP 2U48P CAT6+ Coupler, Black	AX104569 AX104570			

Put Ups and Colors:

Item #	Putup	Ship Weight	Color	Notes	Item Desc
AX103249	1 EA	4.453 LB			ANGLEFLEX PATCH PANEL 48-P 2U

Revision Number: 1 Revision Date: 11-07-2011

© 2016 Belden, Inc All Rights Reserved.

All Rights Reserved. Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described herein are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability. Belden provides the information and specifications herein on an "AS IS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein. All sales of Belden products are subject to Belden's standard terms and conditions of sale. Belden believes this product to be in compliance with EU RoHS (Directive 2002/95/EC, 27-Jan-2003). Material manufactured prior to the compliance date may be in stock at Belden facilities and in our Distributor's inventory. The information, and belief at the date of its publication. The information provided in this Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.