

# Capture

PRODUCT SPEC SHEET  
0E-32LEDMON2

## 32" FULL HD LED MONITOR WITH BNC

24/7/365 Operating Capability



The 32" LED monitor with BNC is designed to excel in 24/7 video surveillance applications. Delivering full HD resolution and 16.7 million colors, the monitor displays every detail with precision. It includes HDMI, VGA and BNC inputs, as well as a BNC looping output for greater flexibility and seamless integration with existing surveillance systems. With superior image quality and reliable performance, this monitor is an excellent choice for any professional video surveillance application.

### FEATURES

- 31.5" Diagonal Viewing Size
- 1920x1080P Full HD Resolution
- 178° Ultra-Wide Viewing Angle
- Source Auto Detection
- Quick Touch Scalability 16:9/4:3
- VGA, BNC and HDMI Inputs
- Includes Audio, VGA, HDMI and Power Cables
- Two Built-In Speakers
- 30-Month Warranty
- Part #: 0E-32LEDMON2
- UPC: 811914029809
- Length: 29" (736.6mm)
- Width: 6.3" (160mm)
- Height: 20.3" (515.6mm)
- Weight: 22.9 lbs. (10.3kg)
- UL Listed



SELECT SERIES

FOR MORE INFORMATION, CONTACT YOUR ADI SALES PERSON.

# Capture

FICHE SIGNALÉTIQUE  
0E-32LEDMON2

## MONITEUR DEL HD INTÉGRAL 32 PO ET CONNECTEURS BNC

Capacité de fonctionnement 24/7/365



Cet écran à DEL de 32 po est parfait pour les applications de vidéosurveillance en permanence. Doté d'une résolution HD intégrale et de 16,7 millions de couleurs, il saura afficher tous les détails avec précision. L'écran comprend des entrées HDMI, VGA et BNC ainsi qu'une sortie de bouclage BNC pour une meilleure polyvalence et une intégration transparente aux systèmes de surveillance existants. Il offre une image de qualité supérieure et une performance fiable. Il s'agit d'un excellent choix pour toute application de vidéosurveillance professionnelle.

### CARACTÉRISTIQUES

- Dimensions d'a chage diagonales de 31,5 po
- Résolution Full HD 1920x1080 p
- Technologie IPS - angle de vue de 178°
- Détection automatique de la source
- Mise à l'échelle Quick Touch 16:9/4:3
- Entrées VGA, BNC et HDMI
- Comprend des câbles audio, VGA, HDMI et d'alimentation
- Deux haut-parleurs intégrés
- Garantie de 30 mois
- N° de pièce: 0E-32LEDMON2
- UPC: 811914029809
- Longueur: 29 po (736,6 mm)
- Largeur: 6,3 po (160 mm)
- Hauteur: 20,3 po (515,6 mm)
- Poids: 22,9 lb (10,3 kg)
- Homologué UL



TECHNICAL SPECIFICATIONS	
Model	OE-32LEDMON2
Screen Diagonal Dimension (inches)	31.5"
Viewable Area W x H	27.5" x 15.47" (698.5mm x 392.9mm)
LED Type	Edge LED
Pixel Pitch (mm)	0.36mm x 0.36mm
Screen Maximum Resolution	1920x1080
Display Resolutions	640x480; 800x600; 1024x768; 1280x1024; 1920x1080
Supported Input Resolutions	640x480; 800x600; 1024x768; 1280x1024; 1920x1080
Refresh Rate (hertz)	60Hz
Color Depth (millions)	16.7 million colors
Brightness	250 nits (250cd/m <sup>2</sup> )
Auto Adjust	Yes
Monitor Aspect Ratio	16:9
Display Aspect Ratio	OSD selectable 16:9 or 4:3
Horizontal TV Lines	1080
Contrast Ratio	3000:1SCR
Response Time (ms)	5 ms (GTG)
View Angle H/V (degrees)	178° x 178°/CR>10
Digital Video Inputs	HDMI up to 1920x1080
Analog Video In/Out	VGA up to 1920x1080, BNC CVBS looping
Connectors	HDMI x 1 , VGA x 1 , AUDIO IN x 1 , BNC IN x 1 , BNC OUT x 1
Audio Inputs (stereo)	1 x 3.5mm mini-jack
Speakers (watts)	2 x 5 watts
Stand-by (watts)	<0.5 watt
Power Consumption (watts)	50 watts typical
Monitor Body Dimensions	29" x 2.1" x 17.4" (736.6mm x 53.3mm x 441.9mm)
Dimensions Monitor+Stand	29" x 6.3" x 20.3" (736.6mm x 160mm x 515.6mm)
Panel Surface	Matte black
Case and Stand Material	Metal + Aluminum (removable stand)
VESA Mounting Pattern (mm)	200mm x 200mm
Base/Stand Included	Yes
Base Tilt Angle	-5°-15°
Weight Cabinet Only	21.1 lbs. (9.5kg)
Weight Cabinet+Base Stand	22.9 lbs. (10.3kg)
Power Supply (internal)	AC 100-240V-50/60Hz 1.1A
Operating Temperature	0°C-40°C / 32°F-104°F
Storage Temperature	-20°C-50°C / -4°F-122°F
Operating Humidity	10-90%
Accessories Included in the Box	Power cable/HDMI cable/VGA cable/Audio cable/IR Remote/Batteries Allen wrench/Screws/Base of stand/Stand support/User manuals
Mounting Screw Size (mm)	Screws for Mounting Monitor, Screw Type: HMø6.0x10mm/4pcs Screws for Securing Base of Stand, Screw Type: KMø4.0x10mm/6pcs Screws for Installing Monitor Stand, Screw Type: HMø6.0x10mm/4pcs
Certifications	CE/FCC/RoHS/HDMI/UL/WEEE/REACH
Warranty	30 Months