



# kramer

## TBUS-5xl

Table Mount Modular Multi-Connection  
Solution – Manually Retracting Lid

---



The TBUS-5xl is the enclosure of a new modular system with a retractable lid. A complete TBUS system requires the enclosure, an inner frame, a power socket, inserts and a power cord.

NOTE: The TBUS enclosure, power socket, power cord & inserts are purchased separately



## FEATURES

---

**Inner Frame** - 2 different "T5F" inner frame options are available that can accommodate a combination of up to 4 power sockets, 6 cable pass-through or connector inserts, 1 long insert and up to 3 Kramer TOOLS

**Power Sockets** - 8 different "TS" single power socket options are available to accommodate the power requirements worldwide

**Power Cord** - 8 different "C-AC" single power cords for each power socket

**Optional Accessories** - TBUS Brackets, K-Able Box Cable Reels, Step-In Modules and Controllers are available

**Retractable Lid** - Manually slides into unit

**Connector Depth** - Adjustable

**Installation Requirement** - Table cutout of 158mm x 123mm (6.23" x 4.85")

**Dimensions** - Top plate: 17.6cm x 14.04cm (6.9" x 5.5") W, D; Enclosure: 15.4cm x 10.2cm x 13.0cm (6.1" x 4.0" x 5.1") W, D, H

**Weight** - 0.9kg (2.0lbs) approx.; table clamps: 0.25kg (0.55lbs) approx



# kramer

## TECHNICAL SPECIFICATIONS

---

INCLUDED ACCESSORIES: 6 self-locking ties, cut out template, template screws

OPTIONS: Inner frames, passive wall plates and interfaces, T-2INSERT kit, power socket kits, power cord, Kramer K-Able Box (furniture-mounted cable extension)



# kramer

## CONFIGURATIONS

---

TBUS-5xl(B)	Enclosure - Black Sand Blasted Anodized Aluminum Top
-------------	--

---

TBUS-5xl(BC)	Enclosure - Silver Sand Blasted Anodized Aluminum Top
--------------	---

---