C-HM/RA2

High–Speed HDMI Right Angle Cable with Ethernet

C−HM/RA2 is a high−speed, 4K@60Hz (4:4:4) HDMI, cable that supports Ethernet over the HDMI line. Both ends of the cable are right angle connectors

FEATURES

- **Max. Resolution** - 4K@60Hz (4:4:4)
- **High–Quality Connectors** - 24K gold–plated connectors resist corrosion, and offer the best possible connectivity
- **Minimizes Installation Depth** - The right angle design makes it the perfect cable for connecting a flat panel display to a Kramer low profile wall−plate extender when the extender is installed behind the display
- Supports HDCP 2.2, HDR, deep color, x.v.Color™, Lip Sync, 7.1 PCM, Dolby TrueHD, DTS−HD, and CEC
- **Available Lengths** - 0.9m (3ft) and 1.8 (6ft)

TECHNICAL SPECIFICATIONS

Video	Max Resolution 4K@60Hz (4:4:4)
	Max Data Rate 18 Gbps
	Supported Color Spaces: RGB, YCbCr, xvYCC, Adobe sRGB, sYCC601, BT.2020
	HDMI Compliance: HDR,HDCP 2.2, EDID and CEC
Audio	Supported Audio Formats: Dolby Digital Plus™, Dolby TrueHD™, DTS–HD Master Audio™, DVD Audio, SA–CD
PHYSICAL	HDMI Source: On a male HDMI type A, 24K gold–plated K–Lock connector
	HDMI Display: On a male HDMI type A, 24K gold–plated K–Lock connector
CONDUCTORS	Material: Tinned Copper/Bare Copper
	Size: 30AWG (7/0.100)
SCREENING	Type: Triple shielding
JACKET	Material: PVC
	Color: Gray
	Diameter 7 ± 0.15mm
MECHANICAL	Cable Bending Radius 60mm
ELECTRICAL	Temperature Rating: 80°C
	Voltage Rating: 30V
	Conductor Resistance: 381Ω/km MAX. at 20°C (68°F)
STANDARDS COMPLIANCE	Safety: Flammability Rating — VW−1
	Environmental: RoHS 2.0

CONFIGURATIONS

C-HM/RA2-3	High–Speed HDMI Right Angle Cable with Ethernet
C-HM/RA2-6	High–Speed HDMI Right Angle Cable with Ethernet