



kramer

HDCP-IN2-F16

2-Channel DVI (HDCP) Input Card

| DVI | HDCP Compliant | Kramer Core



HDCP-IN2-F16 is a two-channel HDMI over DVI (HDCP) input card for the VS-1616 Series Modular Multi-Format Digital Matrix Switchers. The HDCP-IN2-F16 inputs two HDMI/HDCP signals into the chassis

FEATURES

- Max. Data Rate - 6.75Gbps (2.25Gbps per graphic channel)
- HDCP Compliant
- HDMI Support
- 3D Pass-Through
- DVI Connectors



kramer

TECHNICAL SPECIFICATIONS

| | |
|--------------------------------------|--------------------------------------------------------------|
| PORTS: | 2 DVI-D on DVI Molex 24-pin (F) connectors |
| BANDWIDTH PER CHANNEL: | 2.25Gbps |
| TOTAL BANDWIDTH: | 6.75Gbps |
| 3D PASS THROUGH: | Supported |
| POWER CONSUMPTION: | 5W |
| OPERATING TEMPERATURE: | 0° to +40°C (32° to 104°F) |
| STORAGE TEMPERATURE: | -40° to +70°C (-40° to 158°F) |
| HUMIDITY: | 10% to 90%, RHL non-condensing |
| STANDARD COMPLIANCE: | HDCP, HDMI |
| SAFETY REGULATORY COMPLIANCE: | CE, FCC |
| ENVIRONMENTAL REGULATORY COMPLIANCE: | Complies with appropriate requirements of RoHs and WEEE |
| Product Dimensions | 19.00cm x 13.00cm x 2.00cm (7.48" x 5.12" x 0.79") W, D, H |
| Product Weight | 0.2kg (0.4lbs) approx |
| Shipping Dimensions | 34.50cm x 16.50cm x 5.20cm (13.58" x 6.50" x 2.05") W, D, H |
| Shipping Weight | 0.3kg (0.6lbs) approx |