


# Product data sheet

Specifications



## UPS Network Management Card 2 with Environmental Monitoring

AP9631

! Discontinued on: Sep 13, 2022

! End-of-service on: Jun 18, 2024

! Discontinued

### Overview

Lead time Usually in Stock

### Main

Provided Equipment CD with software  
Temperature Sensor  
User Manual

### Physical

Color Black

Height 1.5 in (3.8 cm)

Width 4.8 in (12.1 cm)

Depth 4.5 in (11.4 cm)

Net Weight 0.20 lb(US) (0.09 kg)

Mounting preference No preference

Mounting Mode Not rack-mountable

### Conformance

Standards EN 55022 Class A  
EN 55024  
FCC Part 15 class A  
ICES-003

Product Certifications AS/NZS 3548 (C-Tick) Class A  
GOST  
VCCI Class A

### Environmental

Ambient Air Temperature for Operation 32...113 °F (0...45 °C)

Operating altitude 0...10000 ft

Relative Humidity 0...95 %

Ambient Air Temperature for Storage 23...113 °F (-5...45 °C)

Storage altitude 0...50000 ft (0.0000000000...15240.0000000000 m)

Storage Relative Humidity 0...95 %

### Communications & Management

Authentication Radius

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

## Ordering and shipping details

Category	09305 - INDUSTRIAL UPS
GTIN	731304267423
Returnability	No
Country of origin	PH

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.008 in (5.1 cm)
Package 1 Width	9.3 in (23.5 cm)
Package 1 Length	6.3 in (15.9 cm)
Package 1 Weight	0.747 lb(US) (0.339 kg)
Unit Type of Package 2	S03
Number of Units in Package 2	4
Package 2 Height	11.8 in (30 cm)
Package 2 Width	11.8 in (30 cm)
Package 2 Length	15.7 in (40 cm)
Package 2 Weight	5.11 lb(US) (2.32 kg)
Unit Type of Package 3	PAM
Number of Units in Package 3	600
Package 3 Height	54.4 in (138.2 cm)
Package 3 Width	39.4 in (100 cm)
Package 3 Length	47.2 in (120 cm)
Package 3 Weight	665.62 lb(US) (301.92 kg)

## Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Energy Efficient Take-back Transparency RoHS/REACH

## Resource performance

Energy Efficient Product

Take-Back Program Available

## Well-being performance

Lead Free

Mercury Free

Rohs Exemption Information Yes

## Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

Environmental Disclosure [Product Environmental Profile](#)

Weee The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Circularity Profile [End of Life Information](#)