

Product datasheet

Specifications



CDU Flexible Fluid Piping Couplings (4 per pack)

ACAC20006

Overview

Lead time Usually Ships within 4 Weeks

General

Provided equipment Installation guide

Physical

Depth	7.6 cm
Height	3.8 cm
Net weight	0.68 kg
Width	7.6 cm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	16.5 cm
Package 1 Width	16 cm
Package 1 Length	16 cm
Package 1 Weight	0.91 kg
Number of Units in Package 3	378

Contractual warranty

Warranty 1 year (parts only)

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Eu Rohs Directive

Not applicable, out of EU RoHS legal scope

Image of product / Alternate images

Alternative

