

Product data sheet

Specifications



InfraStruxure PDU 60kW 208V/208V Transformerless

PDRPPNX10

Overview

Lead time Usually Ships within 3 Weeks

Main

Main Input Voltage 208 V 3 phase

Main Output Voltage 120 V
208 V 3 phase

Number of cables 1

Provided Equipment Installation guide
User Manual

Physical

Color Black

Height 81.0 in (205.7 cm)

Width 24.02 in (61 cm)

Depth 36.0 in (91.4 cm)

Net Weight 418.9 lb(US) (190 kg)

mounting location Front

Mounting preference No preference

Mounting Mode Not rack-mountable

Input

Input Frequency 60 Hz +/- 3 Hz

Ordering and shipping details

GTIN 731304205791

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 86.0 in (218.4 cm)

Package 1 Width 48.0 in (121.9 cm)

Package 1 Length 36.0 in (91.4 cm)

Package 1 Weight 440.9 lb(US) (200 kg)

Contractual warranty

Warranty

1 year repair or replace

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)

Eu Rohs Directive

Under investigation

Image of product / Alternate images

Alternative

