Product data sheet

Specifications





APC 100kVA Modular Power Distribution Unit, Isolation Transformer, 208:208V, 72 Pole, MBP, 1 Subfeed

PDPM100F6F-M

Overview

Presentation	A fully scalable power distribution system that cost-effectively provides high levels of availability and enables the quick addition of circuits and cord-sets.
Lead time	Usually Ships within 3 Weeks
Main	
Main Input Voltage	208 V 3 phase
Main Output Voltage	120 V 208 V 3 phase
Output connector type	Hard Wire 4-wire (3PH + N) 1
Provided Equipment	Installation guide
Physical	
Height	79.02 in (200.7 cm)
Width	23.6 in (60 cm)
Depth	42.1 in (107 cm)
Net Weight	1803.78 lb(US) (818.18 kg)
mounting location	Front
Mounting preference	No preference
Mounting Mode	Not rack-mountable
Input	
Input Frequency	60 Hz
Number of input connectors	1 Hard Wire 4-wire (3PH + G)

Number of input connectors	1 Hard Wire 4-wire (3PH + G)
Max line current	366 A
Input current limits	337 A
Load Capacity	100000 VA
Maximum Crest Factor	1.4

Output

Maximum Total Current Draw per Phase	278 A
Protection Type	Circuit breaker
Efficiency	98 %



Conformance

Standards

CSA C22.2 No. 60950-1-03 FCC Part 15 class B OSHPD UL 60950-1

Environmental

Ambient Air Temperature for Operation	32104 °F (040 °C)	
Relative Humidity	095 %	
Operating altitude	010000 ft	
Ambient Air Temperature for Storage	5104 °F (-1540 °C)	
Storage Relative Humidity	095 %	
Storage altitude	015000 ft (0.0000000004572.000000000 m)	

Ordering and shipping details

731304280873

Packing Units

GTIN

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	84.6 in (215 cm)
Package 1 Width	48.03 in (122 cm)
Package 1 Length	40.000000000 in (101.6 cm)
Package 1 Weight	1904.002 lb(US) (863.64 kg)

Contractual warranty

Warranty

1 year repair or replace

Sustainability Screen

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.





Transparency RoHS/REACh

Well-being performance

Mercury Free

Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information.
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

Yes



Image of product / Alternate images

Alternative

Product data sheet

PDPM100F6F-M









Product data sheet

PDPM100F6F-M

