Capture

PRODUCT SPEC SHEET

0E-24VGHDMI3

24" HDMI FRAMELESS LED MONITOR

24/7/365 Operating Capability

The 24" frameless LED monitor is designed to excel in 24/7 video surveillance applications. Delivering full HD resolution and 16.7 million colors, the monitor displays every detail with precision, while HDMI and VGA inputs, source auto detection and quick touch scalability help to ensure easy installation. Offering exceptional value with uncompromising quality and reliability, this monitor is an excellent choice for any video surveillance application.

FEATURES

- 23.8" Diagonal Viewing Size
- 1920x1080P Full HD Resolution
- 178° Ultra-Wide Viewing Angle
- Source Auto Detection
- Low Blue Light Technology
- Quick Touch Scalability 16:9/4:3
- VGA, HDMI and Audio Inputs
- Includes HDMI, VGA, Audio and Power Cables
- Two Built-In Speakers
- 30-Month Warranty

- Part #: 0E-24VGHDMI3
- UPC: 840049310476
- Length: 21.3" (541mm)
- Width: 8.6" (218.4mm)
- Height: 15.8" (401.3mm)
- Weight: 5.95 lbs. (2.7kg)
- UL Listed

RoHS COMPLIANT

E505978 LISTED 5MH7

SELECT SERIES

FOR MORE INFORMATION, CONTACT YOUR ADI SALES PERSON.

Capture

FICHE SIGNALÉTIQUE

0E-24VGHDMI3

MONITEUR HDMI À DEL SANS CADRE DE 24 PO

Capacité de fonctionnement 24/7/365

Le moniteur à DEL sans cadre de 24 po est parfait pour les applications de vidéosurveillance en permanence. Grâce à une résolution HD intégrale et à ses 16,7 milliens de couleurs, ce moniteur saura afficher tous les détails avec précision. De plus, il est doté d'entrées HDMI et VGA et de fonctionnalités de détection automatique de la source et de mise à l'échelle pour assurer une installation facile. Il offre une valeur exceptionnelle, sans compromis sur la qualite et la fiabilité. Il s'agit d'un excellent choix pour toute application devidéo surveillance.

CARACTÉRISTIQUES

- Dimensions d'achage diagonales de 23,8 po
- Résolution HD intégrale 1920x1080 p
- Grand angle de vue de 178°
- Détection automatique de la source
- Technologie à faible lumière bleue
- Mise à l'échelle Quick Touch 16:9/4:3
- Entrées VGA, HDMI et audio
- Comprend des câbles audio, VGA, HDMI et d'alimentation
- Deux haut-parleurs intégrés
- Garantie de 30 mois

- N° de pièce : 0E-24VGHDMI3
- UPC : 840049310476
- Longueur : 21,3 po (541 mm)
- Largeur : 8,6 po (218,4 mm)
- Hauteur : 15,8 po (401,3 mm)
- Poids : 5,95 lb (2,7 kg)
- Homologué UL

E505978 LISTED 5MH7

SÉRIE SELECT

POUR DE PLUS AMPLES RENSEIGNEMENTS, COMMUNIQUEZ AVEC UN REPRÉSENTANT ADI.

Capture

PRODUCT SPEC SHEET

0E-24VGHDMI3

TECHNICAL SPECIFICATIONS	
Model	0E-24VGHDMI3
Screen Diagonal Dimension (inches)	23.8"
Viewable Area W x H	20.7" x 11.6" (525.7mm x 294.6mm)
LED Type	Edge LED
Pixel Pitch (mm)	0.2745mm x 0.2745mm
Screen Maximum Resolution	1920x1080
Display Resolutions	720x400; 640x480; 800x600; 1024x768; 1280x1024; 1366x768; 1920x1080
Supported Input Resolutions	720x400; 640x480; 800x600; 1024x768; 1280x1024; 1366x768; 1920x1080
Refresh Rate (hertz)	75Hz
Color Depth (millions)	16.7 million colors
Brightness	250 nits (250 cd/m^2)
Auto Adjust	Yes
Monitor Aspect Ratio	16:9
Display Aspect Ratio	OSD options: Full/4:3/Over Scan
Horizontal TV Lines	1080
Contrast Ratio	4000:1SCR
Response Time (ms)	5 ms (GTG)
View Angle H/V (degrees)	178° x 178°/CR＞10
Digital Video Inputs	HDMI up to 1920x1080
Analog Video In/Out	VGA up to 1920x1080
Connectors	HDMI x 1 , VGA x 1 , AUDIO IN x 1
Audio Inputs (stereo)	1 x 3.5mm mini-jack
Speakers (watts)	2 x 2 watts
Stand-by (watts)	＜0.5 watt
Power Consumption (watts)	19 watts typical
Monitor Body Dimensions	21.3" x 1.6" x 12.6" (541mm x 38.1mm x 320mm)
Dimensions Monitor+Stand	21.3" x 8.6" x 15.8" (541mm x 218.4mm x 401.3mm)
Panel Surface	Matte black
Case and Stand Material	Plastic
VESA Mounting Pattern (mm)	100mm x 100mm
Base/Stand Included	Yes
Base Tilt Angle	-5°~15°
Weight Cabinet Only	5.18 lbs. (2.34kg)
Weight Cabinet+Base Stand	5.59 lbs. (2.7kg)
Power Supply (internal)	AC 100-240V~50/60Hz 1.1A
Operating Temperature	0°C~40°C / 32°F~104°F
Storage Temperature	-20°C~50°C / -4°F~122°F
Operating Humidity	10~90%
Accessories Included in the Box	Power cable/HDMI cable/VGA cable/Audio cable/Stand support/Screws/ Base of stand/User manuals
Mounting Screw Size (mm)	M4-L8 mm/4pcs
Certifications	CE/FCC/RoHS/HDMI/UL/WEEE/REACH
Warranty	30 Months

SELECT SERIES

FOR MORE INFORMATION, CONTACT YOUR ADI SALES PERSON.