


PRODUCT CATALOGUE

2024 detectortesters.com











100 100 007

100+Staff

Staff working in the UK, USA, Europe, Middle East & India.



Global Leader

Products distributed to 130+ countries and counting.



25 Years of Solo

The complete range for detector testing, access and removal.



15 Years of Testifire

The world's leading all-in-one tool for smoke, heat & CO detectors.



Partnerships

Approved by leading detector manufacturers and third parties.

No Climb Products Ltd

Edison House 163 Dixons Hill Road Welham Green, Hertfordshire AL9 7JE. United Kingdom

Phone

+44 (0) 1707 282760

Online

sales@detectortesters.com marketing@detectortesters.com support@detectortesters.com www.detectortesters.com

Connect with us









3



INDUSTRY STANDARD

Functional testing of fire detectors should be carried out as described in BS5839-1.







Smoke Detector Testing

"Point smoke detectors should be functionally tested by a method that confirms that smoke can enter the detector chamber and produce a fire alarm signal (e.g. By use of apparatus that generates simulated smoke or suitable aerosols around the detector). It should be ensured that the material used does not cause damage to, or affect the subsequent performance of the detector...."

BS:5839-1: 2017 Clause 45.4 (d) - Smoke

What this means

- Approved by detector manufacturers
- Safe to use on the detector
- Considerate of the immediate environment
- Free from harmful contents

Multi-Sensor Detector Testing

"The guidance of the manufacturer on the manner in which the detector can be functionally tested effectively should

"..multisensor fire detectors should be physically tested by a method that confirms that products of combustion in the vicinity of the detector can reach the sensors and that the appropriate response is confirmed at the CIE."

BS:5839-1: 2017 Clause 45.4 (j)

What this means

- Approved by detector manufacturers
- Capable of delivering stimuli simultaneously
- Deliver a fast effective means of testing
- Safe for the detector and immediate environment

Testing Hard-to-Access Detectors

"For remotely situated or hard-to-access detection equipment, consideration needs to be given to the feasibility of testing and maintenance at the design stage."

BS:5839-1: 2017 Clause 22.1

What this means

- Detectors should be tested regardless of position
- The test method should be approved by detector manufacturers




TEST REPORT SHARE

If you're looking to take your testing to the next level, you need a solution engineered for maximum productivity, as well as meeting the growing demand for proof of testing.

It's time to outfit your team with a connected test solution that not only delivers on smoke and heat testing, but auto generates a digital test report proving the status of each detector - providing valuable insight and boosting productivity.

During testing, Testifire XTR2 senses the detector LED to confirm the test result automating the recording of results and pushing the data into a digital report.





- Rapid smoke generation and built in clearing mode to eliminate repeat alarms
- App connectivity for test job creation, reporting and added functionality
- Up to 50% faster heat testing compared to the previous generation of Testifire





DT CONNECT

Testifire XTR2 alongside DT Connect equips you with advanced features to streamline your testing process, easily manage site assets and optimise your reporting capability.

- Job Creation
- Log addressable panel time to synchronise test and panel event timestamps *
- **◆ Test result capture**
- Asset Identification *
- Panel Reconciliation *
- **Job Summary**
- **◆►** Shareable Reports *

* Premium DT Connect Features





- The Cloud Portal gives an instant overview of work carried out, making it easy to share test reports with clients
- Review and manage reports from all test jobs
- Share reports with clients (PDF or CSV) *
- Manage engineer accounts and Testifire XTR2 registrations
- Upload your logo to appear on all reports
- Check Testifire XTR2 health Smoke levels, battery charge and generator life

^{*} Premium DT Connect Features

ENGINEERED FOR PROOF OF TESTING

Our latest test solution automatically generates digital reports, providing testing insights and boosting productivity. Get all that and more with Testifire XTR2.



Accessories

Testifire XTR2 uses non-hazardous, nonpressurised, environmentally-friendly cartridges to generate smoke.

All consumbales, spares and accessories can be ordered using the following codes:

Replacement Smoke Cartridge

TES3-001

Replacement Smoke Generator

TESTIFIRE-GEN-1PK-001

Lithium Ion Battery Pack

TESTIFIRE-BP-001

ASD Adaptor

TESTIFIRE-ADAP-001

Large Membrane

TESTIFIRE-MEML-001

Vehicle Power Supply Unit

TESTIFIRE-CPSU-001

Charger Cradle

TESTIFIRE-CHA-001

Charger Kit

TESTIFIRE-CHAK-001

Cup Membrane

TESTIFIRE-MEM-001

TESTIFIRE XTR2 TEST & MAINTENANCE KITS

6M

TESTIFIRE XTR2 SMOKE / HEAT TEST KIT

TESTIFIRE-XTR2-6M-001

Includes

Testifire-XTR2-001 Smoke / Heat Test Kit Solo 100-001 4.5m 4-Section Telescopic Pole Solo 200-001 Detector Removal Tool Solo 610-001 Protective Storage Bag











TESTIFIRE XTR2 SMOKE / HEAT TEST KIT

TESTIFIRE-XTR2-9M-001

Includes

Testifire-XTR2-001 Smoke / Heat Test Kit Solo 100-001 4.5m 4-Section Telescopic Pole 3 x Solo 101-001 1.13m Extension Pole Solo 200-001 Detector Removal Tool Solo 610-001 Protective Storage Bag







URBAN XTR2 SMOKE / HEAT TEST KIT

TESTIFIRE-XTR2-URBAN-001

Includes

Testifire-XTR2-001 Smoke / Heat Test Kit 1.75m Urban 4-Section Telescopic Pole 3 x Urban 0.5m Extension Poles Urban Backpack & Pole Bag



TESTIFIRE XTR2 & DT CONNECT

DT Connect * unlocks the test reports - plus detaile device inventory.

ne features of test result capture, ed views of your job history and		(f) testifire	testifire DT CONNECT	DT CONNECT PREMIUM
Key	CONSUMABLE STATUS			
Features	ASD COMPATIBILITY			
	AUTO-ALARM RECOGNITION			
	LED RECOGNITION MODES			
	AUTO TORCH			
Support	WARRANTY	1 YEAR	2 YEARS	2 YEARS
	FIRMWARE UPDATES			
	MANUAL PURGE			
DT Connect	DEVICE MANAGEMENT			
	JOB CREATION			
	TEST RESULT CAPTURE			
	VIEW ALL JOB HISTORY			
	PANEL SETUP			
	ASSET CREATION			
	PANEL RECONCILIATION			
	CLIENT SIGNATURE CAPTURE			
	JOB REPORT PDF			
	REPORT SHARING & DOWNLOAD			

 * DT Connect Premium features, including the sharable test report PDF, are free for the first 90 days after you register a new Testifire XTR2 . A subscription to DT Connect charged at £19.99 per month per device is required to keep using them beyond the 90 day trial period.

90 Day Free Trial*

ONLINE TRAINING




PROVING COMPLIANCE

Testifire XTR2, combines a powerful smoke and heat test tool with an App to enable rapid functional testing and provide immediate details of all test results in an auto-generated report. This webinar will run through all elements of Testifire XTR2.

Register for the webinar

detectortesters.com/webinar





> ANY DETECTOR > ANY TIME

Testifire is the world's leading all-in-one tester. One tool for testing smoke, heat and CO allows testing of any detector regardless of type.

As an all-in-one tester, Testifire not only delivers on convenience - it is also the leading solution for compliant testing of multi-sensor detectors, which are becoming more and more widespread.

Testifire offers a built-in clearing mode to eliminate repeat alarms and its high heat setting allows for testing of heat sensors up to 100°C.

YOUR TESTIFIRE SOLUTIONS

Step 1

Do you mainly test smoke and heat, or do you test smoke, heat & CO?

Choosing the right Testifire solution for you couldn't be easier.



Accessories

Testifire uses non-hazardous, nonpressurised, environmentally -friendly capsules to generate smoke and CO.

To make sure you do not run out of capsules, the following capsule replacement packs are available:

Smoke Capsules Replacement Smoke Capsule TS3-6PACK-001 Replacement Smoke TS3-3PACK-001 Capsule **CO Capsules** Replacement CO Capsule TC3-6PACK-001 Replacement CO Capsule TC3-3PACK-001





Multi-Detector Test Apparatus as to Verification of Detector Functional Operation Only

HOW HIGH ARE YOU TESTING?

Step 2

Do you require an access pole for your Testifire?



4 SECTION TELESCOPIC FIBREGLASS POLE

SOLO 100-<u>001</u>

Specification

Collapsed

length:

1.3m

Test up to 6 metres (including height of user) 4.5m extended pole length





NEED TO GO HIGHER?

Add up to 3 extension poles to reach up to 9 metres.*

Extension Pole

Fibreglass Extension Pole 1.13m

SOLO 101-001

*A maximum of 3 x Solo 101 extension poles is advised.



Collapsed length:

1.3m



2 SECTION TELESCOPIC FIBREGLASS POLE

SOLO 108-<u>001</u>

Specification

Test up to 4 metres (including height of user) 2.2m extended pole length







NEED TO GO HIGHER?

Add up to 3 extension poles to reach up to 7 metres.*

Extension Pole

Fibreglass Extension Pole 1.13m

SOLO 101-001

*A maximum of 3 x Solo 101 extension poles is advised.

Accessories

To keep your Testifire and poles protected, add the Solo 610 protective carrying and storage bag.



Carry Bag

Protective Storage & Pole Bag

SOLO 610-001





URBAN BACKPACK & POLES KIT

SOLO 613-001

Includes

1.75m Urban 4-Section Telescopic Pole 3 x Urban 0.5m Extension Poles Urban Backpack & Pole Bag



Alternatively, choose from one of our all encompassing test kits.

URBAN SMOKE / HEAT TEST KIT

URBAN 1001-1-001

Urban 1001 is not available in all regions, please contact us for more information

Includes

Testifire 1001-1-001 Smoke / Heat Test Kit 1.75m Urban 4-Section Telescopic Pole



URBAN SMOKE / HEAT / CO TEST KIT

URBAN 2001-1-001

Includes

Testifire 2001-1-001 Smoke / Heat / CO Test Kit 1.75m Urban 4-Section Telescopic Pole 3 x Urban 0.5m Extension Poles Urban Backpack & Pole Bag





Testing up to 5 metres (including height of user)

TEST & MAINTENANCE KITS

Our Test & Maintenance Kits are solutions that bundle all the products you might need in one kit, including a removal tool for detectors.

TESTIFIRE SMOKE / **HEAT TEST KIT**

TESTIFIRE 6001-001

Testifire 6001 is not available in all regions, please contact us for more information

Includes

Testifire 1001-001 Smoke / Heat Test Kit Solo 100-001 4.5m 4-Section Telescopic Pole Solo 200-001 Detector Removal Tool Solo 610-001 Protective Storage Bag



Testing up to 6 metres (including height of user)





TESTIFIRE SMOKE / **HEAT / TEST KIT**

6M

Reach

TESTIFIRE 9001-001

Testifire 9001 is not available in all regions, please contact us for more information

Includes

Testifire 1001-001 Smoke / Heat Test Kit Solo 100-001 4.5m 4-Section Telescopic Pole 3 x Solo 101-001 1.13m Extension Pole Solo 200-001 Detector Removal Tool Solo 610-001 Protective Storage Bag







Testing up to 9 metres (including height of user)

Reach

TESTIFIRE SMOKE / **HEAT / CO TEST KIT**

TESTIFIRE 6201-001

Includes

Testifire 2001-001 Smoke / Heat / CO Test Kit Solo 100-001 4.5m 4-Section Telescopic Pole Solo 200-001 Detector Removal Tool

Solo 610-001 Protective Storage Bag









Testing up to 6 metres (including height of user)



TESTIFIRE SMOKE / **HEAT / CO TEST KIT**

TESTIFIRE 9201-001

Includes

Testifire 2001-001 Smoke / Heat / CO Test Kit Solo 100-001 4.5m 4-Section Telescopic Pole 3 x Solo 101-001 1.13m Extension Pole Solo 200-001 Detector Removal Tool Solo 610-001 Protective Storage Bag










Testing up to 9 metres (including height of user)







INDUSTRY LEADING TEST EQUIPMENT

For over 25 years, Solo has been the industry's most popular range of detector test equipment. Used and approved worldwide, the comprehensive Solo range allows you to choose the right solution for your needs.

Solo 365 is the latest addition to the Solo range. Similar to Testifire, Solo 365 uses non-hazardous, non-pressurised, environmentally-friendly cartridges to generate smoke. Smoke testing has never been this easy.

A proximity sensor allows automatic generation of smoke as the detector enters the cup. Repeat alarms are all but eliminated with the clearing mode with remaining smoke cleared away from the detector after testing.

YOUR SOLO SOLUTIONS

Step

What do you need, a smoke tester, or a heat tester?

Accessories

To make sure you do not run out of cartridges, the following replacement packs are available:

Smoke Cartridges

Replacement Solo 365 Smoke Cartridge

ES3-12PACK-001





SOLO 365 SMOKE TEST KIT

SOLO 365-001



Includes

1x Solo 365-001 Smoke Detector Tester 1x Solo ES3-001 Smoke Cartridge 1x Solo 371-001 Smoke Generator 1x Solo 370-001 Li-ion Battery Pack 1x USB Universal Charger







Automatic **Fire Detector** Accessory 77TL





SOLO 365 ASD ADAPTOR



SOLO 372-001



If you are testing ASD systems, the Solo372-001 is the accessory for you. It is an adapter for your Solo 365 that's easily fitted to allow functional testing of ASD systems.

DISPENSERS & **AEROSOLS**

The most widely used system for the last 20 years. The dispenser works with Solo A5, Solo A10s and Solo A10 smoke detector test aerosols.

Used with Solo C3, it also delivers fast and effective functional testing of CO detectors.

Available in two sizes:



SUITS DETECTORS UP TO 100 MM / 4" DIAMETER



SIGNALING

Fire Alarm Equipment



SOLO 332 AEROSOL DISPENSER

SOLO 332-001

SUITS DETECTORS UP TO 177 MM / 7" DIAMETER

The Solo 332 is ideal for detectors with a larger diameter thanks to its increased cup size.

You will need one of our detector manufacturer approved smoke aerosols for your Solo 330/332 dispensers. You have two types of smoke aerosol:



SOLO A5 SMOKE AEROSOL

SOLO A5-001

Smoke aerosol for the functional testing of smoke detectors.

Supplied in boxes of 12.





SOLO A10S SMOKE AEROSOL

SOLO A105-001

HFC-Free, non-flammable smoke aerosol for the functional testing of smoke detectors.

Supplied in boxes of 12.

Alternative size

150ml

SOLO A10-001



You can test CO detectors with our Solo 330/332 dispenser. To do this you need:



SOLO C3 **CO AEROSOL**

SOLO C3-001

Non-flammable CO aerosol for the functional testing of CO detectors.

Supplied in boxes of 12.



ONLINE TRAINING

FIA CPD Certified

Our training sessions provide the perfect opportunity to keep up to date with industry codes and standards and understand the options available for carrying out functional testing of detectors.

www.detectortesters.com/training

•Live **Webinars** **Product Training**

Access Pole Training







What type of detectors are you testing?

How high are you testing?

Get the solution that's right for you with our new kit selector.

detectortesters.com/kitselector

How the kit selector works



You Answer

Tell us about the detectors you are testing





Choose

We'll recommend a test kit matched to your needs





We Quote

Our team will contact you with pricing and availability

If a cordless heat tester is not suitable for you, we offer two different Solo mains-powered heat detector testers:





SOLO 423 110/120V HEAT TESTER

SOLO 423-001

Specification

Solo 423-001 Mains Heat Head Unit Supplied with 5m / 16ft cable







SOLO 424 220/240V HEAT TESTER

SOLO 424-001

Specification

Solo 424-001 Mains Heat Head Unit Supplied with 5m / 16ft cable



Accessories

For extra reach, Solo 425-001 is a 5m additional extension cable.

Extension Cable

5m Additional Cable

SOLO 425-001



HOW HIGH ARE YOU TESTING?

Step 2

Do you require an access pole for your Solo equipment?



4 SECTION TELESCOPIC FIBREGLASS POLE

SOLO 100-001

Specification

Collapsed

length:

1.3m

Test up to 6 metres (including height of user) 4.5m extended pole length





NEED TO GO HIGHER?

Add up to 3 extension poles to reach up to 9 metres.*

Extension Pole

Fibreglass Extension Pole 1.13m

SOLO 101-001

*A maximum of 3 x Solo 101 extension poles is advised.







FIBREGLASS POLE

SOLO 108-001

Specification

2 SECTION TELESCOPIC





NEED TO GO HIGHER?

Add up to 3 extension poles to reach up to 7 metres.*

Extension Pole

Fibreglass Extension Pole 1.13m

SOLO 101-001

*A maximum of 3 x Solo 101 extension poles is advised.

Accessories

To keep your Testifire and poles protected, add the Solo 610 protective carrying and storage bag.



Carry Bag

Protective Storage & Pole Bag

SOLO 610-001



URBAN KITS

For engineers on the go

URBAN SMOKE TEST KIT

URBAN 365-001

Includes

Solo 365 Smoke Test Kit 1.75m Urban 4-Section Telescopic Pole 3 x Urban 0.5m Extension Poles Urban Backpack & Pole Bag



Testing up to 5 metres (including height of user)



TEST & MAINTENANCE KITS



Alternatively, choose from one of our all encompassing Solo test kits.

SOLO SMOKE TEST & REMOVAL KIT

SOLO 811-001

Includes

Solo 330-001 Aerosol Dispenser Solo A10-001 150ml Smoke Aerosol Solo 100-001 4.5m 4-Section Telescopic Pole Solo 200-001 Detector Removal Tool Solo 610-001 Protective Storage Bag



Testing up to 6 metres (including height of user)





SOLO SMOKE TEST & REMOVAL KIT

SOLO 812-001

Includes

Solo 330-001 Aerosol Dispenser Solo A10-001 150ml Smoke Aerosol Solo 100-001 4.5m 4-Section Telescopic Pole 2 x Solo 101-001 1.13m Extension Pole Solo 200-001 Detector Removal Tool Solo 610-001 Protective Storage Bag



Testing up to 8.2 metres (including height of user)

ALL PURPOSE SOLO KITS

Our range of Testifire kits are the most practical solutions from ensuring you have a solution for testing smoke, heat and CO.

However, if Solo is your preferred solution we recommend the following kits:

SOLO SMOKE / HEAT / CO TEST & REMOVAL KIT

SOLO 822-001

Includes

Solo 330-001 Aerosol Dispenser Solo A10-001 150ml Smoke Aerosol Solo 461-001 Cordless Heat Detector Tester Solo 100-001 4.5m 4-Section Telescopic Pole Solo 200-001 Detector Removal Tool Solo 610-001 Protective Storage Bag









Testing up to 6 metres (including height of user)





SOLO SMOKE / HEAT / CO TEST & REMOVAL KIT

SOLO 823-001

Includes

Solo 330-001 Aerosol Dispenser Solo A10-001 150ml Smoke Aerosol Solo 461-001 Cordless Heat Detector Tester Solo 100-001 4.5m 4-Section Telescopic Pole 3 x Solo 101-001 1.13m Extension Pole Solo 200-001 Detector Removal Tool Solo 610-001 Protective Storage Bag









Testing up to 9 metres (including height of user)





SMOKESABRE HAND-HELD AEROSOL

SMOKESABRE-01-001

The ultimate hand-held smoke detector tester.

The built in 'Sabre' makes the product unique compared to other hand-held smoke test sprays - preventing use too close to the detector, that could lead to damage and nuisance alarms.

SmokeSabre is the ideal back-up for your complete test and maintenance kit or perfect as a test solution for small jobs or infrequent testing.





Supplied in boxes of 12

Alternative size

100ml

Smokesabre-100-001

PERFECT FOR **SMALLER JOBS**



Fire Alarm Equipment 77TL Aerosol Smoke



Fire Detector Accessory 77TL






TESTING HARD-TO-ACCESS SMOKE **DETECTORS?**

Scorpion is the solution for buildings with hard-to-access detectors. Suitable for both Point and Aspirating Smoke Detection (ASD) systems, Scorpion ensures all smoke detectors can be tested - regardless of location.

Detectors in hard-to-access locations still need to be tested, and this can take not only additional time, but incur additional costs and personnel downtime. Scorpion suits a wide range of applications.



SOLUTIONS FOR TESTING POINT & ASD SYSTEMS



SCORPION POINT SMOKE DETECTOR TESTER

SCORP 1011-001

The Scorpion head unit is permanently installed alongside the smoke detector.


Includes

1 x Scorp 1001-001 Point Head Unit & Mounting Bracket 1 x Scorp 25-001 Access Point





The Scorpion head unit is permanently mounted adjacent to a sampling point on an ASD system pipe - typically at the end of the run. Just one head unit is required for each pipe run regardless of the number of sampling points.



SCORP 7000-001

Portable controller connects to a Scorpion Access Point to enable smoke generation and testing.

Powered via a Solo 770 Battery Baton.*

*Available separately





On-site with Testifire & **Choice Fire & Security**

We joined David and the team from Choice Fire & Security on site at Dolphin Square in Pimlico, London to witness their use of Testifire as part of a large project installing Hochiki multi-sensor detectors.

The 13 month project, which has recently been completed, involved installing a multi-sensor detector in each of the site's 1064 luxury apartments.

This scale of task required careful planning and management, with Testifire playing a crucial role during commissioning - ensuring that the detectors were working as they should - ready to protect the residents and the luxury surroundings.



Dave King - Choice Fire & Security







University of Southampton - Lift Shaft & Void Install

We joined Detect Fire and Security engineers to have a look at a few of their buildings. The first was the Estates Department which housed a lift shaft with a point detector installed.

Testing of this detector not only required the presence of a fire engineer but also a lift engineer and facilities staff from the university. As well as adding additional cost to the testing – this also took a significant amount of time and effort to arrange.

On the day of the testing, the lift had to be put out of action, causing disruption to the running of department. In addition to normal safety practice, a member of staff was required to label each lift button over the five floors of the building to promote the lift being out of use.


The second building, a Chemistry Department, housed a number of lecture theatres and high hallways. These contained a concealed ASD system which spanned across a secure area. The pipes path, linking the ASD panel to the fire panel, had a security door in-between – meaning it required significant time and effort to access the area and carry out testing.

As the contracted fire and safety maintainer, Detect Fire and Security, typically tested the university's detectors using Testifire. However, those in hard-to-access locations, such as those identified above required a different approach and it was here that they considered Scorpion.

The justification for installing Scorpion saw the installers and building manager analyse the cost of installation against the cost of accessing the detector by other means. They considered cost areas such as access equipment and additional personnel and also looked at the amount of time it would take to organise. In many cases it was very easy to justify installing Scorpion. In the case of the lift shaft, the lifecycle of Scorpion means that once installed in will be capable of 240 tests of 15 seconds. Which should be long enough to outlast the life of the detector itself.

With everyone on site, the installation of Scorpion in the lift shaft and the ceiling void was quick and simple.

Future tests of these detectors can now be easily achieved from ground level – crucially at the same time as all the other detectors and without the need for additional personnel and planning time.



SPARES

A range of spares are available for each of our product ranges.

Testifire XTR2	
Testifire XTR2 Lithium Ion Battery Pack	TESTIFIRE-BP-001
Testifire XTR2 Charger Kit	TESTIFIRE-CHAK-001
Testifire XTR2 Charger Cradle	TESTIFIRE-CHA-001
Testifire XTR2 Wall Power Supply Unit	TESTIFIRE-WPSU-001
Testifire XTR2 Vehicle Power Supply Unit	TESTIFIRE-CPSU-001
Testifire XTR2 Generator	TESTIFIRE-GEN-1PK-001
Testifire XTR2 Membrane	TESTIFIRE-MEM-001
Testifire XTR2 Stand-off Plate	TESTIFIRE-SOP-001
Testifire XTR2 Large Detector Membrane	TESTIFIRE-MEML-001
Testifire XTR2 ASD Adaptor	TESTIFIRE-ADAP-001
Testifire XTR2 Heat Adaptor (FIKE)	TESTIFIRE-FA-001

SPARE1047-001
SPARE1048-001
SPARE1049-001
Solo 770-001
Solo 727-001

Solo 365	
Solo 365 Battery Pack	Solo370-1PACK-001
Solo 365 Battery Pack	Solo370-4PACK-001
Solo 365 Smoke Generator	Solo371-1PACK-001
Solo 365 Cup & Membrane	SPARE1058-001
Solo 365 Membrane	SPARE1059-001
Solo 365 Universal Charger/USB Cable	SPARE1060-001
Solo 330/332	
Aerosol Retaining Cup	SPARE1028-001
Silicone Membrane for Test Cup (Solo 330)	SPARE1005-001
Solo 460	
Battery Baton (3Ah)	Solo 770-001
220/240v Charger	Solo 727-001
Silicone Membrane for Test Cup	SPARE1005-001
Solo 200	
Solo 200 pair of transparent grips	SPARE1002-001
Scorpion	
Battery Cable	SCORP60-001
	SCORP8000-001

INDEX

All Purpose Solo Test Kits	31	Solo Test Kits	23,28,29,30
		Solo 461 Heat Test Kit	23
Scorpion	32,33	Urban Solo 365 Test Kit	28
Scorpion Point Tester	33	Solo Smoke & Removal Kits	29
Scorpion ASD Tester	33	Solo Smoke, Heat & CO Kits	30
Scorpion Portable Controller	33		
Scorpion Spares	36	Spares	36
SmokeSabre	31	Testifire XTR2	6,7,8,9,10,11,12,13
		Testifire XTR2	10
Solo Access Poles	11, 16, 17,18,19, 27, 28,29,30	Testifire XTR2 Kits	11
Solo 100 4-Section Telescopic	11, 16 ,19, 27, 29,30		
Solo 101 Extension Pole	11, 16,27	Testifire	14,15, 18,19,36
Solo 108 2-Section Telescopic	11, 16,27	Testifire 1000	14, 18,19,36
		Testifire 2000	14, 18,19,36
Solo Aerosols	22, 29,30		
Solo A10	22, 29,30	Testifire Test Kits	18,19
Solo A10S	22	Urban Testifire Kits	18
Solo A5	22	Testifire Test & Maintenance Kits	19
Solo C3	22		
		Testifire Spares & Accessories	14,36
Solo Head Units	11,19,21,23,26,28,29,30,36	Testifire Smoke Capsules	14
Solo 200 Removal Tool	11,19, 26, 29,30,36	Testifire CO Capsules	14
Solo 330 Dispenser	22, 29,30,36	Testifire Spares	36
Solo 332 Dispenser	22, 36		
Solo 365 Smoke Tester	21, 28,36	Urban kits	11,17, 18,28
Solo 423 Mains Heat Tester	26	Solo 613 Backpack & Poles Kit	17
Solo 424 Mains Heat Tester	26	XTR2 Urban Kit	11
Solo 461 Cordless Heat Tester	23, 30,36	Urban 365 Smoke Test Kit	28
		Urban Testifire Smoke	18
Solo Spares & Accessories		/Heat Test Kit	
Solo 365 Smoke Cartridges	21	Urban Testifire Smoke/Heat	18
Solo 372 ASD Adaptor	21	/CO Test Kit	
Solo 610 Protective Bag	11,16, 19, 27, 29,30		
5m Additional Cable	26		

BY APPLICATION

Smoke Testing	10,11,14,15,18,19,21,22,
	23,28,29,30,31,32,33
Solo 330 Dispenser	22, 29,30,36
Solo 332 Dispenser	22, 36
Solo A10	22, 29,30
Solo A5	22
Solo 365	21, 28,36
Testifire	14,15, 18,19,36
Testifire XTR2	6,7,8,9,10,11,12,13
Scorpion	32,33
SmokeSabre	31
Heat Testing	10,11,14,15,18,19,23,
	26,30,36
Solo 461	23, 30,36
Solo 423	26
Solo 424	27
Testifire	14,15, 18,19,36
Testifire XTR2	6,7,8,9,10,11,12,13
CO Testing	15,22,29,30,36
Solo 330 Dispenser	22, 29,30,36
Solo 332 Dispenser	22, 36
Solo C3	22
Testifire 2000	15
Multi-Sensor Testing	10,11,14,15,18,19,36
Testifire	14,15, 18,19,36
Testifire XTR2	,,,
ASD System Testing	21,28,29,32,33,36
Scorpion ASD	33
Solo 365	21
3010 303	21
Detector Removal	11,19,26,29,30,36
Solo 200	11,19, 26, 29,30,36
Hard-To-Access	32,33
Scorpion	32,33, 36

HISTORY TIMELINE

Detectortesters



Joint Venture in the USA

With high demand for products coming from the USA, a joint venture was entered into - the creation of SDi - developing sales for both Solo and Trutest.



test o adde range

NO CLIMB

Name Changed to 'No Climb Products'

With products now focusing on fire detector testing, the business name changed simply to 'No Climb Products'.

First European **Exports Sales**

Demand for the range of detector test equipment continued to grow - including from further afield with the first orders arriving from overseas.

Trutest

Trutest Comissioned

The first sight of the Trutest range, designed to measure sensitivity of smoke detectors.



Trutest UL Listed

The company's first UL certification arrived in 1999. supporting the growth of the product in the USA.



No Climb Lamp Changers

changing equipment led to a

new brand being introduced

Name Introduced

A growing need for lamp

Moved to Alston Works, Barnet Increased products and manufacturing

processes led to the

premises and a move

need for bigger

to Barnet.

1965 > 1968 --- 1980 --- 1986 --- 1987 --- 1989 --- 1990 --- 1994 --- 1995 --- 1999 --- 2000 --- 2001 -- 2002 -

Company Founded

Company originally founded as 'Cable Strippers'

System 6 Tester Range Launched

The company's first range of fire detector test equipment was launched under the 'System 6' brand name.



Purchased by New Owners

A change in ownership, when the Rossiter family purchased the business.



Joined the British Fire **Protection Systems** Association

Further highlighting commitment to the fire industry, the company became members of the leading UK fire trade association.



Solo Brand Launched

The launch of the famous Solo range, now the industry's most popular test solution for functional testing.



Solo 460 Launched

With increasing demand for heat detector testers, a patented cordless test solution was launched in the form of the Solo 460.





Further development of the Solo range saw the launch o the Solo smoke aerosol.





OLO

C3 Launched

bon monoxide

offering was

d to the Solo

in 2002 with

reation of the

CO aerosol -

n as Solo C3.

Awarded Queen's Award for Enterprise: International Trade

A huge honour arrived in 2003 with the company's international trading being acknowledged with a Queen's Award for Enterprise.



ISO 9001 Accreditation



Re-branded as Detectortesters

We re-branded and introduced new logos for all our products, bringing them all together under the umbrella of 'detectortesters'.

smokesabre



Smokesabre **Brand** Launched

launched as the ultimate handheld smoke detector tester. A unique design of tester which keeps detectors safe from contamination.

® scorpion

Scorpion Brand Launched

Another new product, this time a solution for hard-to -access detectors and aspirating smoke detection systems.





Awarded Queen's Award for Enterprise: Innovation (Testifire)

A second Queen's Award for Enterprise. This time for the innovation shown in our Testifire product.

Urban Kits Range Launched

The launch of compact fire detector test kits that support easy movement around cities, large sites and buildings.





Awarded Queen's Award for Enterprise: International Trade

The award recognised 6 vears continuous strong export growth.

Member of

FIA

newly formed

Launched

Welham Green

Moved to Edison House.

Further growth led to a

move to a new premises in

Welham Green, offering

increased production,

warehouse and office

Testifire UL Classified

Smokesabre UL Listed



Patron of the **Prince's Trust**

A proud moment for the company as we became a Patron of the Prince's Trust.



(a) solo a

Solo 365 Launched

Solo 365 UL



The industry's most innovative hand-held smoke aerosol was made available in a smaller, handy sized 100ml can.

Smokesabre 100ml



Solo A3 & Solo 330 UL Listed

UL certification for Solo A3 and Solo 330 was achieved, providing further support to the uptake of in the USA and beyond. support to the uptake of the product



(a) testifire

Testifire Brand Launched

A major new product in the form of Testifire. The world's first all-in-one tester for testing smoke, heat and CO.



Our Solo range celebrated its 20th year. during which time it became renowned as the industry standard for testing.



20 Years of Testing



No Climb Products Ltd

Edison House,163 Dixons Hill Road, Welham Green, Hertfordshire, AL9 7JE, United Kingdom

Tel: +44 (0) 1707 282 760 info@detectortesters.com

detectortesters.com



As our policy is one of continuous improvement, details of products described within this publication are subject to change without notice. All information provided here is believed to be correct at the time of going to press. Every effort has been made to ensure the accuracy of information which is provided in good faith but nothing contained herein is intended to incorporate any representation or warranty, either express or implied or to form the basis of any legal relations between the parties hereto, additional to or in lieu of such as may be applicable to a contract of sale or purchase.