


DUAL LITE®

EV LED  
FAMILY



# CONVERSION GUIDE





## HOW TO USE | CONVERSION GUIDE

- 1) Locate the product you wish to cross-reference.
- 2) Identify the "OLD" model on the left side
- 3) Cross the "OLD" model to the "NEW" **EV Family** product  
(Also check-out the comparative info at the top of the page)
- 4) Place your **EV Family** order today!

# EV CONVERSION GUIDE

**OLD**



## LZ Series

Sealed Lead Acid battery life of 3-5 years  
 Nickel Cadmium battery life of 5 years  
 MR16 Halogen Lamplife of 50 hours  
 Energy consumption of 14W at 120VAC

**NEW**



## EV LED Emergency Light

Nickel Metal Hydride battery life from 5-7 yr  
 Lifetime LED warranty  
 Reduced energy consumption of 1.1W at 120VAC  
 Greater Spacing  
 Remote Capacity option runs Indoor or  
 Outdoor double head remote

Catalog Number	Part Number	UPC Code	Spacing @ 6' path
LZ2	LZ2	782520836740	17'
LZ2D	LZ2D	782520836788	17'
LZ2DI	LZ2DI	782520849436	17'
LZ15	LZ15	782520852450	17'
LZ30	LZ30	782520837907	17'
LZ15I	LZ15I		17'
LZ30I	LZ30I	782520840419	17'
LZ2-B	LZ2-B	782520837280	17'
LZ15B	LZ15B		17'
LZ2DI-24K	LZ2DI-24K		17'
LZ30-10W	LZ30-10W	782520851361	29'
LZ30I-10W	LZ30I-10W		29'
LZ30-0	LZ30-0		N/A
LZ30I-0	LZ30I-0		N/A
LZ20N	LZ20N	782520837983	17'
LZ25N-12V	LZ25N-12V	782520837990	17'
LZ35-12V	LZ35-12V	782520837921	17'
LZ65	LZ65	782520837914	17'
LZ65-12V	LZ65-12V	782520837938	17'
LZ30-03L	LZ30-03L		32'
LZ30I-03L	LZ30I-03L		32'
LZ2-V	LZ2-V	782520837280	17'

Catalog Number	Part Number	UPC Code	Spacing @ 6' path	Stocked Product Description
EV2	93036776	782520865405	20'	White Emergency Unit
EV2D	93036777	782520865412	20'	White, Damp Listed
EV2DI	93036778	782520865429	20'	White, Spectron Self-Diag., Damp Listed
EV4D	93036783	782520865474	20'	White, Remote Capacity, Damp Listed
EV4D	93036783	782520865474	20'	White, Remote Capacity, Damp Listed
EV4DI	93036784	782520865481	20'	White, Remote Capacity, Spectron® Self-Diag, Damp
EV4DI	93036784	782520865481	20'	White, Remote Capacity, Spectron® Self-Diag, Damp
EV2DB	93036780	782520865443	20'	Black, Damp Listed
EV4DB	93036786	782520865504	20'	Black, Remote Capacity, Damp Listed
EV2DI-24K	93036779	782520865436	20'	White, Spectron® Self-Diag., Damp, 220-240VAC Input
EV4D-02L	93048744	782520866785	33'	White, High Lumen Output, Damp Listed
EV4DI-02L	93048745	782520866792	33'	White, High Lumen Output, Spectron® Self-Diag., Damp Listed
EV4D-02L-0	93052403	782520867058	N/A	White, Damp Listed, No-Head for remotes
EV4DI-02L-0	93052404	782520867065	N/A	White, Spectron® Self-Diag., Damp Listed, No-Head for remotes
EV4D	93036783	782520865474	20'	White, Remote Capacity, Damp Listed
EV4D	93036783	782520865474	20'	White, Remote Capacity, Damp Listed
EV4D	93036783	782520865474	20'	White, Remote Capacity, Damp Listed
EV4D	93036783	782520865474	20'	White, Remote Capacity, Damp Listed
EV4D	93036783	782520865474	20'	White, Remote Capacity, Damp Listed
EV4D-02L	93048744	782520866785	33'	White, High Lumen Output, Damp Listed
EV4DI-02L	93048745	782520866792	33'	White, High Lumen Output, Spectron® Self-Diag., Damp Listed
	No equivalent, use EZ-2-V		N/A	

# EVC CONVERSION GUIDE

**OLD**



## LT Combo

Sealed Lead Acid battery life of 3-5 years  
MR16 Halogen Lamplife of 50 hours  
Energy consumption of 5W at 120VAC



**NEW**



## **EVC** LED Combination Exit/ Emergency Light

Lithium Phosphate battery life from 5-7 years  
Lifetime LED warranty  
Reduced energy consumption of 1.7W at 120VAC  
Greater Spacing  
Remote Capacity option runs Indoor or  
Outdoor double head remote

Catalog Number	Part Number	UPC Code	Spacing @ 6' path
LTURWV11	LTURW	782520864187	17'
LTUGWV11	LTUGW	782520864194	17'
LTURWDV11	LTURWD	782520864224	17'
LTURW3V11	LTURW3	782520864217	17'
LTUGW3	LTUGW3		17'
LTURWDIV11	LTURWDI	782520864231	17'
LTUGWDI	LTUGWDI		17'
LTURW3I	LTURW3I		17'
LTURW3-0	LTURW3-0	782520849184	N/A
LTURBV11	LTURB	782520864200	17'
LTURB3	LTURB3		17'
LTURW-03L	LTURW-03L		32'

Catalog Number	Part Number	UPC Code	Spacing @ 6' path	Description
<b>EVCURW</b>	93041415	782520866372	<b>20'</b>	Red Letters, White Housing
<b>EVCUGW</b>	93041416	782520866389	<b>20'</b>	Green Letters, White Housing
<b>EVCURWD</b>	93041418	782520866396	<b>20'</b>	Red Letters, White Housing, Damp Listed
<b>EVCURWD4</b>	93041421	782520866402	<b>20'</b>	Red Letters, White Hsg, Damp, Remote Capacity
<b>EVCUGWD4</b>	93041422	782520866419	<b>20'</b>	Green Letters, White Hsg, Damp, Remote Capacity
<b>EVCURWDI</b>	93041419	782520866426	<b>20'</b>	Red Letters, White Hsg, Damp, Spectron
<b>EVCUGWDI</b>	93041420	782520866433	<b>20'</b>	Green Letters, White Hsg, Damp, Spectron
<b>EVCURWD4I</b>	93042770	782520866440	<b>20'</b>	Red Letters, White Hsg, Damp, Remote Cap, Spectron
<b>EVCURWD4-0</b>	93042771	782520866457	N/A	Red Letters, White Hsg, Damp, Remote Cap, no-heads
<b>EVCURBD</b>	93041417	782520866471	<b>20'</b>	Red Letters, Black Housing, Damp Listed
<b>EVCURBD4</b>	93041414	782520866488	<b>20'</b>	Red Letters, Black Housing, Damp Listed, Remote Cap.
<b>EVCURW</b>	93041415	782520866372	<b>20'</b>	Red Letters, White Housing

# EVE CONVERSION GUIDE

OLD



## LX Combo

Nickel Cadmium battery life of 5 years  
Energy consumption of 3.81W at 120VAC

NEW



## EVE LED Exit Sign

Lithium Phosphate battery life from 5-7 years  
Reduced energy consumption of 1.7W at 120VAC

Catalog Number	Part Number	UPC Code
LXURWV11	LXURW	782520836375
LXURWEV11	LXURWE	782520836450
LXURWEIV11	LXURWEI	782520849603
LXUGWV11	LXUGW	782520836412
LXUGWEV11	LXUGWE	782520836498
LXUGWEIV11	LXUGWEI	782520851453
LXURBV11	LXURB	782520836399
LXURBEV11	LXURBE	782520836474
LXUGBEV11	LXUGBE	782520836511
LXURW-2C	LXURW-2C	782520836535
LXUGBV11	LXUGB	782520836436
LXUGW-2C	LXUGW-2C	782520836573

Catalog Number	Part Number	UPC Code	Description
<b>EVEURW</b>	93048320	782520866662	AC Exit, red letters, white housing
<b>EVEURWE</b>	93048321	782520866679	Emergency Exit, red letters, white housing
<b>EVEURWEI</b>	93048322	782520866686	Emer. Exit with SD, red letters, white housing
<b>EVEUGW</b>	93048323	782520866730	AC Exit, green letters, white housing
<b>EVEUGWE</b>	93048324	782520866747	Emer. Exit, green letters, white housing
<b>EVEUGWEI</b>	93048325	782520866754	Emer. Exit with SD, green letters, white housing
<b>EVEURB</b>	93048326	782520866716	AC Exit, red letters, black housing
<b>EVEURBE</b>	93048327	782520866723	Emer. Exit, red letters, black housing
<b>EVEUGBE</b>	93049532	782520866761	Emer. Exit, green letters, black housing
<b>EVEURW-2C</b>	93049531	782520866709	AC Exit, red letters, white housing, 2-circuit
<b>EVEUGB</b>	EVEUGB		AC Exit, green letters, black housing
<b>EVEUGB-2C</b>	EVEUGB-2C		AC Exit, green letters, black housing, 2-circuit

# EVR & EVO CONVERSION GUIDE

**OLD**



**LZR Remote Head**

MR 16 Halogen Lamp



**OMS Series**

Outdoor Single or Double Head Remote  
Black or White Finish  
Incandescent PAR36 rated 200 hours  
Aluminum heads and univ. mounting plate

**NEW**



**EVR**  
**Indoor LED Remote**  
LED Double Head Remote  
Black or White Finish  
Powered by EV4 Light or EVCD4 Combo



**EVO**  
**Outdoor LED Remote**  
LED Outdoor Single or Double Head Remote  
Black or White Finish  
Powered by EV4 Light or EVCD4 Combo  
Die-Cast Aluminum heads and universal mounting plate

Catalog Number	Part Number	UPC Code	Spacing @ 6' path
LZRSW0605	LZRSW0605	782520858346	8'
LZRSW1205	LZRSW1205	782520858360	8'
LZRSB1205	LZRSB1205		8'
LZRDB0605	LZRDB0605		17'

Catalog Number	Part Number	UPC Code	Spacing @ 6' path	Description
<b>EVR2</b>	93036789	782520865535	<b>20'</b>	Indoor LED Remote, Double Head, White Finish
<b>EVR2</b>	93036789	782520865535	<b>20'</b>	Indoor LED Remote, Double Head, White Finish
<b>EVR2B</b>	93036790	782520865542	<b>20'</b>	Indoor LED Remote, Double Head, Black Finish
<b>EVR2B</b>	93036790	782520865542	<b>20'</b>	Indoor LED Remote, Double Head, Black Finish

Catalog Number	Part Number	UPC Code	Spacing @ 6' path
OMSSW0605	OMSSW0605	782520856472	6'
OMSDW0605	OMSDW0605	782520856731	12'
OMSDW0607	OMSDW0607	782520856748	13'
OMSDW1208	OMSDW1208	782520856823	24'
OMSDW1212	OMSDW1212	782520856830	28'
OMSSB0605	OMSSB0605	782520856601	6'
OMSSB0607	OMSSB0607	782520856618	7'
OMSDB0605	OMSDB0605	782520856861	12'
OMSDB1208	OMSDB1208	782520856953	24'
OMSDB1212	OMSDB1212	782520856960	28'

Catalog Number	Part Number	UPC Code	Spacing @ 6' path	Description
<b>EVOSW</b>	93041097	782520866228	<b>10'</b>	Outdoor LED Remote, Single Head, White Finish
<b>EVODW</b>	93041098	782520866235	<b>20'</b>	Outdoor LED Remote, Double Head, White Finish
<b>EVODW</b>	93041098	782520866235	<b>20'</b>	Outdoor LED Remote, Double Head, White Finish
<b>EVODW</b>	93041098	782520866235	<b>20'</b>	Outdoor LED Remote, Double Head, White Finish
<b>EVODW</b>	93041098	782520866235	<b>20'</b>	Outdoor LED Remote, Double Head, White Finish
<b>EVOSB</b>	93041099	782520866242	<b>10'</b>	Outdoor LED Remote, Single Head, Black Finish
<b>EVOSB</b>	93041099	782520866242	<b>10'</b>	Outdoor LED Remote, Single Head, Black Finish
<b>EVODB</b>	93041100	782520866259	<b>20'</b>	Outdoor LED Remote, Double Head, Black Finish
<b>EVODB</b>	93041100	782520866259	<b>20'</b>	Outdoor LED Remote, Double Head, Black Finish
<b>EVODB</b>	93041100	782520866259	<b>20'</b>	Outdoor LED Remote, Double Head, Black Finish



701 Millennium Blvd.  
Greenville, SC 29607  
hubbellighting.com

ALERA LIGHTING

ARCHITECTURAL AREA LIGHTING

BEACON PRODUCTS

COLUMBIA LIGHTING

COMPASS

DEVINE LIGHTING

DUAL-LITE®

HUBBELL BUILDING AUTOMATION

HUBBELL INDUSTRIAL LIGHTING

HUBBELL OUTDOOR LIGHTING

KIM LIGHTING

KURT VERSEN

PRESCOLITE

PROGRESS LIGHTING

SPAULDING LIGHTING

SPORTSLITER SOLUTIONS

STERNER

WHITEWAY

Web: [www.dual-lite.com](http://www.dual-lite.com) • Tech Support: (866)-313-3909

Copyright © Dual-Lite®, a division of Hubbell Lighting, Inc., All Rights Reserved  
Specifications subject to change without notice. • Printed in U.S.A. • 0603604

