

STRUCTURED WIRING GUIDE

On-Q
Enclosures & Connectivity



designed to be better.™

 **legrand**®

SUPERIOR INFRASTRUCTURE SOLUTIONS



As the industry leader in structured wiring, Legrand provides the proven, practical solutions preferred by installers and major home builders across the country. Our comprehensive On-Q product offering — which includes wall plates, jacks, straps, tools, modules and enclosures — simplifies installations and reduces time on site. We specialize in meeting the right specifications for any project — residential or light commercial — with solutions that exceed your needs. From single-family homes to apartments, townhomes to condominiums, Legrand has the professional answer for any project.






TABLE OF CONTENTS

| | | | |
|-------------------------------------|-------|--------------------------------------|----|
| ENCLOSURES | 4 | INSTALLATION TOOLS & CONNECTORS..... | 16 |
| DATA CONNECTIVITY..... | 6 | POWER MANAGEMENT..... | 17 |
| Keystone Inserts..... | 6-7 | VIDEO & VOICE DISTRIBUTION | 18 |
| Keystone Wall Plates | 8-9 | NETWORKING | 19 |
| Keystone Decorator Straps..... | 9 | | |
| Surface Mount Boxes | 10 | | |
| Pre-Molded Plates & Straps..... | 10-11 | | |
| Pre-Configured Plates & Straps..... | 11 | | |
| Patch Cables..... | 12 | | |
| HDMI Cables..... | 13 | | |
| Audio/Video Cables | 14 | | |
| Patch Panels..... | 15 | | |
| Low Voltage Brackets..... | 15 | | |

ENCLOSURES

METAL

- Flush and surface installation options
- Flanged covers hide drywall openings
- UL listed for fire and security alarm equipment
- Made in the USA
- Cable guard insert protects cables and equipment from dust, paint and debris between rough-in and trim out
- Includes 3 powder-coated openings for cable pass-through



| | | | | | |
|---|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| Enclosure Dimensions | 12.13" H x 12" W x 3.7" D | 14" H x 14.25" W x 3.6" D | 20" H x 14.25" W x 3.6" D | 28" H x 14.25" W x 3.6" D | 42" H x 14.25" W x 3.6" D |
| Enclosure with Screw-On Cover | EN1200 | EN1400 | EN2000 | EN2800 | EN4200 |
| Enclosure with Hinged Cover | N/A | EN1450 | EN2050 | EN2850 | EN4250 |
| Enclosure, Only | N/A | EN1480 | EN2080 | EN2880 | EN4280 |
| Screw On Cover, Only | EN1220 | EN1420 | EN2020 | EN2820 | EN4220 |
| Hinged Cover, Only | N/A | EN1460 | EN2060 | EN2860 | EN4260 |
| Enclosure Only, with Stackable Knockouts* | N/A | EN1485 | EN2085 | EN2885 | EN4285 |
| Enclosure Depth Extender** | N/A | N/A | N/A | 364450-03 | 364450-04 |

* This enclosure has five knockout locations and allows vertical alignment of two enclosures for cable pass-through.

** Extenders add 2.5" of enclosure depth.

ENCLOSURES

PLASTIC

- Knockouts include screw driver holes for easy removal
- Includes four self-tapping screws for mounting and optional hardware to lock the cover
- Multiple compatible video, voice, and data distribution modules available
- Flush and surface-mount installation options



EN0802



EN0806

| PART NO. | DESCRIPTION |
|----------|--|
| EN0800 | 8-Inch MDU Enclosure And Cover |
| EN0801 | 8-Inch MDU Enclosure Cover |
| EN0802 | 8-Inch MDU Enclosure Kit (6 phone, 4 video) |
| EN0806 | 8-Inch MDU Enclosure Bulk Pack (6) |
| TM0106 | 6-Way Telephone Board (For use with EN0800) |
| TM0404 | Combo 4-Way Phone / 4 Port Cat 5e Data Board (For use with EN0800) |
| VM0104 | 4-Way Vertical 1Ghz Splitter (For use with EN0800) |
| VM0106 | 6-Way Vertical 1Ghz Splitter (For use with EN0800) |
| VM0108 | 8-Way Vertical 1Ghz Splitter (For use with EN0800) |
| VM0204 | 4-Way Vertical 2Ghz Splitter (For use with EN0800) |
| VM0206 | 6-Way Vertical 2Ghz Splitter (For use with EN0800) |
| VM0208 | 8-Way Vertical 2Ghz Splitter (For use with EN0800) |

DATA CONNECTIVITY

KEYSTONE INSERTS



WP346A-WH



WP3473-WH



WP3475-WH



WP3476-WH



WP3425-WH



WP3450-WH



WP3451-WH



WP3458-WH



WP3460-WH



WP3560-WH



WP3479-WH



WP3480-WH



WP3481-WH



WP3482-WH

QUICK CONNECT INSERTS

| PART NO. | DESCRIPTION |
|-----------|--|
| WP346A-XX | Cat 6a Quick Connect RJ45 Keystone Insert |
| WP3473-XX | RJ25 6-Position, 6-Conductor Telephone Keystone Insert |
| | 10 COUNT BULK PACKS IN WH AND LA (WP3473-XX-10) |
| WP3475-XX | Cat 5e Quick Connect RJ45 Keystone Connector |
| | 10 COUNT BULK PACKS IN WH AND LA (WP3475-XX-10) |
| | 50 COUNT BULK PACKS IN WH, LA AND BE (WP3475-XX-50) |
| | 100 COUNT BULK PACKS IN WH (WP3475-WH-100) |
| WP3476-XX | Cat 6 Quick Connect RJ45 Keystone Connector |
| | 10 COUNT BULK PACKS IN WH, LA AND BE (WP3476-XX-10) |
| | 25 COUNT BULK PACKS IN WH (WP3476-WH-25) |

COLORS:

BE, BK, BR, GY, GN, IV, LA, OR, RE, WH, YE

NOTES:

YOU CAN EASILY TERMINATE ALL WIRES AT ONCE USING THE AC3400 PUNCH & GO TOOL.

OTHER INSERTS

| PART NO. | DESCRIPTION |
|-----------|--|
| WP3425-XX | RJ25 6P6C Keystone Connector |
| | Colors: BK, BR, IV, LA, WH |
| WP3450-XX | Cat 5e RJ45 Keystone Connector |
| | Colors: BE, BK, BR, GY, IV, LA, OR, RE, WH |
| WP3451-XX | Cat 5e RJ45 Keystone Coupler |
| | Colors: BK, WH |
| WP3458-XX | Cat 5e Keyed RJ45 Keystone Connector |
| | Colors: BK, BR, IV, LA, WH |
| WP3460-XX | Cat 6 RJ45 Keystone Connector |
| | Colors: BE, BK, BR, GY, IV, LA, OR, RE, WH |
| WP3560-XX | Snap & Go Cat 6 Keystone Connector |
| | Colors: BE, BK, BR, GY, IV, LA, OR, RE, WH |

COAX VIDEO INSERTS

| PART NO. | DESCRIPTION |
|-----------|--|
| WP3479-XX | Non-Recessed Coax Keystone F-Connector (1 GHz) |
| | 50 COUNT BULK PACK IN WH OR LA (WP3479-XX-50) |
| WP3480-XX | Recessed Gold F-Connector (3 GHz) |
| WP3481-XX | Recessed Nickle F-Connector (3 GHz) |
| | 50 COUNT BULK PACK IN WH (WP3481-WH-50) |
| WP3482-XX | Recessed Self-Terminating Keystone F-Connector (1 GHz) |

COLORS:

BK, BR, IV, LA, WH



DATA CONNECTIVITY

KEYSTONE INSERTS (CONT.)



AUDIO/VIDEO INSERTS

| PART NO. | DESCRIPTION |
|-----------|------------------------------------|
| WP3461-XX | White Keystone RCA-to-F Connector |
| WP3462-XX | Red Keystone RCA-to-F Connector |
| WP3463-XX | Green Keystone RCA-to-F Connector |
| WP3464-XX | Blue Keystone RCA-to-F Connector |
| WP3465-XX | Yellow Keystone RCA-to-F Connector |
| WP3466-XX | Purple Keystone RCA-to-F Connector |

Colors: BK, BR, IV, LA, WH

| | |
|-----------|------------------------------------|
| WP1234-XX | HDMI Keystone Coupler |
| WP3455-XX | Blank Keystone Insert |
| WP1215-XX | 3.5MM Stereo Coupler |
| WP3457-XX | Audio Keystone Binding Post (Pair) |
| WP3456-XX | Speaker Keystone Binding Post |

Colors: BK, BR, LA, WH

| | |
|----------|--|
| KSRCAYW | Keystone RCA-to-RCA (Yellow Insulator) |
| KSRCARW | Keystone RCA-to-RCA (Red Insulator) |
| KSRCABW | Keystone RCA-to-RCA (Black Insulator) |
| KSRCABEW | Keystone RCA-to-RCA (Blue Insulator) |
| KSRCAGNW | Keystone RCA-to-RCA (Green Insulator) |

USB & FIBER INSERTS

| PART NO. | DESCRIPTION |
|-----------|---------------------|
| WP1220-XX | USB 2.0 A/A Coupler |
| WP1221-XX | USB 2.0 A/B Adapter |
| WP1210-XX | MTRJ Coupler MM |
| WP1211-XX | LC Coupler MM |
| KSSCXX | SC Coupler MM |
| KSSTXX | ST Coupler MM |

COLORS: BK, BR, LA, WH



COLOR KEY:



NOTE: The following suffixes should be added to the end of all applicable part numbers. Omit color code to order brown device.

DATA CONNECTIVITY

KEYSTONE WALL PLATES



WALL PLATES


| PART NO. | DESCRIPTION |
|--|---|
| WP3401-XX | 1-Gang, 1-Port Wall Plate 10 COUNT BULK PACK IN WH OR LA (WP3401-XX-10) 25 COUNT BULK PACK IN WH OR LA (WP3401-XX-25) |
| WP3402-XX | 1-Gang, 2-Port Wall Plate 10 COUNT BULK PACK IN WH OR LA (WP3402-XX-10) 25 COUNT BULK PACK IN WH OR LA (WP3402-XX-25) |
| WP3403-XX | 1-Gang, 3-Port Wall Plate |
| WP3404-XX | 1-Gang, 4-Port Wall Plate |
| WP3406-XX | 1-Gang, 6-Port Wall Plate |
| COLORS: BK, BR, IV, LA, WH, GY, SS | |
| WP3212-XX | 2-Gang, 12-Port Wall Plate Colors: IV, LA, WH |
| DIMENSIONS: 1-GANG: 2.9375" x 4.6875" 2-GANG: 8.375" x 4.6875" | |

OVERSIZED WALL PLATES



| PART NO. | DESCRIPTION |
|---------------------------------------|--|
| WP3300-XX | 1-Gang, Blank Oversized Wall Plate |
| WP3301-XX | 1-Gang, 1-Port Oversized Wall Plate 10 COUNT BULK PACK IN WH OR LA (WP3301-XX-10) |
| WP3302-XX | 1-Gang, 2-Port Oversized Wall Plate 10 COUNT BULK PACK IN WH OR LA (WP3302-XX-10) |
| WP3303-XX | 1-Gang, 3-Port Oversized Wall Plate |
| WP3304-XX | 1-Gang, 4-Port Oversized Wall Plate |
| WP3306-XX | 1-Gang, 6-Port Oversized Wall Plate |
| COLORS: WH, LA | |
| DIMENSIONS: 1-GANG: 3.3125" x 5.0625" | |

LABELED WALL PLATES



| PART NO. | DESCRIPTION |
|---------------------------------------|------------------------------------|
| KTPDL1XX | 1-Port Keystone Labeled Wall Plate |
| KTPDL2XX | 2-Port Keystone Labeled Wall Plate |
| KTPDL3XX | 3-Port Keystone Labeled Wall Plate |
| KTPDL4XX | 4-Port Keystone Labeled Wall Plate |
| KTPDL6XX | 6-Port Keystone Labeled Wall Plate |
| COLORS: I, LA, W | |
| DIMENSIONS: 1-GANG: 2.9375" x 4.6875" | |

DATA CONNECTIVITY

KEYSTONE WALL PLATES



TP13W



TP26W




TP262W



TP263W



TP264W



TPJ13W



TPJ26W



TPJ262W



TPJ263W



TPJ264W

STANDARD DECORATOR WALL PLATES

| PART NO. | DESCRIPTION |
|----------|-----------------------------|
| TP13XXX | 1-Gang Blank Wall Plate |
| TP26XXX | 1-Gang Decorator Wall Plate |
| TP262XXX | 2-Gang Decorator Wall Plate |
| TP263XXX | 3-Gang Decorator Wall Plate |
| TP264XXX | 4-Gang Decorator Wall Plate |

| | |
|-------------|--|
| COLORS: | BK, I, LA, W, GRY (for Brown, leave blank) |
| DIMENSIONS: | 1-GANG: 2.9375" x 4.6875" 2-GANG: 4.75" x 4.6875" |
| | 3-GANG: 6.563" x 4.6875" 4-GANG: 8.375" x 4.6875" |

JUMBO DECORATOR WALL PLATES

| PART NO. | DESCRIPTION |
|-----------|-------------------------------|
| TPJ13XXX | Jumbo 1-Gang Blank Wall Plate |
| TPJ26XXX | Jumbo 1-Gang Wall Plate |
| TPJ262XXX | Jumbo 2-Gang Wall Plate |
| TPJ263XXX | Jumbo 3-Gang Wall Plate |
| TPJ264XXX | Jumbo 4-Gang Wall Plate |

| | |
|-------------|---|
| COLORS: | BK, I, LA, W, GRY (for Brown, leave blank) |
| DIMENSIONS: | 1-GANG: 3.3125" x 5.0625" 2-GANG: 5.125" x 5.0625" |
| | 3-GANG: 6.9375" x 5.0625" 4-GANG: 8.75" x 5.0625" |

KEYSTONE DECORATOR STRAPS



WP3410-WH



WP3411-WH



WP3412-WH



WP3413-WH



WP3414-WH



WP3416-WH

| PART NO. | DESCRIPTION |
|-----------|--|
| WP3410-XX | Blank Decorator Outlet Strap |
| WP3411-XX | 1-Port Decorator Outlet Strap |
| | 10 COUNT BULK PACK IN WH OR LA (WP3411-XX-10) |
| WP3412-XX | 2-Port Decorator Outlet Strap |
| WP3413-XX | 3-Port Decorator Outlet Strap |
| | 10 COUNT BULK PACK IN WH OR LA (WP3413-XX-10) |
| WP3414-XX | 4-Port Decorator Outlet Strap |
| WP3416-XX | 6-Port Decorator Outlet Strap |

| | |
|---------|------------------------|
| COLORS: | BK, BR, IV, LA, WH, GY |
|---------|------------------------|

COLOR KEY:



NOTE: The following suffixes should be added to the end of all applicable part numbers. Omit color code to order brown device.

DATA CONNECTIVITY

SURFACE MOUNT BOXES



WP3409-WH



WP3501-WH



WP3502-WH



WP3504-WH



WP3506-WH

| PART NO. | DESCRIPTION |
|-----------|-------------------------------|
| WP3409-WH | Single Gang Surface Mount Box |
| WP3501-WH | Surface Mount Box 1-Port |
| WP3502-WH | Surface Mount Box 2-Port |
| WP3504-WH | Surface Mount Box 4-Port |
| WP3506-WH | Surface Mount Box 6-Port |

COLORS: IV, LA, WH

PRE-MOLDED WALL PLATES & STRAPS



TPE1W



TPE2W



WMTE14W



SMTE14I



TPCATW



TPCATV2W



TPELTVW



26TELTW



WP2002-WH



WP3467-WH



WP9001-WH



WP9002-WH

| PART NO. | DESCRIPTION |
|-----------|---|
| TPE1XX | 2-Line Telephone Jack Wall Plate (4 Conductor Configuration) Colors: BK, BR, I, LA, W, GRY |
| TPE2XX | Dual 2-Line Telephone Jack Wall Plate (4 Conductor Configuration) Colors: BK, BR, I, LA, W |
| WMTE14W | Modular Wall Mount Telephone Jack for Hanging Phones Colors: W |
| SMTE14I | Surface Mount Modular 2-Line Telephone Jack (4 Conductor Configuration) Colors: I |
| TPCATVXX | 1 GHz Coaxial Connector & Wall Plate Colors: I, LA, W, BR, BK |
| TPCATV2XX | Dual 1 GHz Coaxial Connector Wall Plate Colors: I, LA, W, BR, BK |
| TPELTVXX | 1 GHz Coaxial Connector & 2-Line Phone Jack Wall Plate Colors: I, LA, W, BR, BK |
| 26TELTVXX | 1 GHz Coaxial Connector & 2-Line Phone Jack with 1-Piece Molded Decorator Plate Colors: I, LA, W |
| WP2002-WH | 1-Gang 6P6C RJ25 Terminating Wall Phone Plate Colors: WH |
| WP3467-XX | Keystone Wall Phone Plate Colors: WH, SS (Stainless Steel) |
| WP9001-XX | Single Gang Bullnose Wall Plate Colors: BK, WH |
| WP9002-XX | Double Gang Bullnose Wall Plate Colors: BK, WH |

DATA CONNECTIVITY

PRE-MOLDED WALL PLATES & STRAPS



| PART NO. | DESCRIPTION |
|--------------|---|
| WMTE14XX | 2-Line Wall Mount Telephone Jack for Hanging Phones (4 Conductor Configuration) Colors: I, LA, W |
| 26TE14XX | Decorator 2-Line Telephone Jack (4 Conductor Configuration) Colors: I, LA, W |
| 26TE16XX | Decorator 3-Line Telephone Jack (6 Conductor Configuration) Colors: I, W |
| 26CATVXX | Decorator 1GHz Coaxial Connector Colors: I, LA, W |
| F9004-XX | 5.1 Home Theater Strap Colors: BK, BR, IV, LA, WH |
| F9005-XX | 2-Speaker Connection Strap Colors: BK, BR, IV, LA, WH |
| F9006-XX | Single Speaker Connection Strap Colors: BK, BR, IV, LA, WH |
| F9008-XX-V1 | 5.1 Home Theater Strap with Wall Plate Colors: DM, LA, WH |
| WP9009-XX-V1 | 7.1 Home Theater Strap with Wall Plate Colors: BK, BR, IV, LA, WH |
| WP1014-WH | Cable Access Strap |
| WP1011-WH | HDMI 2-Port Strap |

PRE-CONFIGURED PLATES & STRAPS



| PART NO. | DESCRIPTION |
|-----------|---------------------------------|
| WP3210-XX | 1-Port Strap, 1RJ45 |
| WP3211-XX | 2-Port Strap Phone/TV |
| WP3220-XX | 2-Port Strap Phone/Data |
| WP3422-XX | 4-Port Strap Phone/Data, TV/AUX |

COLORS: BK, LA, WH

COLOR KEY:



NOTE: The following suffixes should be added to the end of all applicable part numbers. Omit color code to order brown device.

DATA CONNECTIVITY

PATCH CABLES



AC6A07-GY-V1



AC3607-BE-V1



AC3507-WH-V1



CAT 6A PATCH CABLES

| PART NO. | DESCRIPTION |
|--------------|----------------------------|
| AC6A07-GY-V1 | 7 Foot Cat 6a Patch Cable |
| AC6A14-GY-V1 | 14 Foot Cat 6a Patch Cable |
| AC6A25-GY-V1 | 25 Foot Cat 6a Patch Cable |
| AC6A50-GY-V1 | 50 Foot Cat 6a Patch Cable |

- 500MHZ PATCH CABLE FULLY SUPPORTS 10 GIGABIT ETHERNET SPEEDS
- UL VERIFIED TO SUPPORT THE CAT 6a PERFORMANCE PATCH CABLE SPECIFICATION
- SNAGLESS OVERMOLD PREVENTS INSERTION TAB FROM CATCHING ON OTHER CABLES
- 22 AWG STRANDED PATCH CABLE

CAT 6 PATCH CABLES

| PART NO. | DESCRIPTION |
|--------------|---------------------------|
| AC3607-BE-V1 | 7 Foot Cat 6 Patch Cable |
| AC3614-BE-V1 | 14 Foot Cat 6 Patch Cable |
| AC3625-BE-V1 | 25 Foot Cat 6 Patch Cable |
| AC3650-BE-V1 | 50 Foot Cat 6 Patch Cable |

- 250MHZ PATCH CABLE FULLY SUPPORTS 10 GIGABIT ETHERNET SPEEDS
- UL VERIFIED TO SUPPORT THE CAT 6 PERFORMANCE PATCH CABLE SPECIFICATION
- SNAGLESS OVERMOLD PREVENTS INSERTION TAB FROM CATCHING ON OTHER CABLES
- 22 AWG STRANDED PATCH CABLE

CAT 5E PATCH CABLES

| PART NO. | DESCRIPTION |
|--------------|----------------------------|
| 363201-25-V1 | 1 Foot Cat 5e Patch Cable |
| 363201-26-V1 | 2 Foot Cat 5e Patch Cable |
| AC3503-WH-V1 | 3 Foot Cat 5e Patch Cable |
| AC3507-WH-V1 | 7 Foot Cat 5e Patch Cable |
| AC3514-WH-V1 | 14 Foot Cat 5e Patch Cable |
| AC3525-WH-V1 | 25 Foot Cat 5e Patch Cable |
| AC3550-WH-V1 | 50 Foot Cat 5e Patch Cable |

- 100MHZ PATCH CABLE SUPPORTS 10 GIGABIT ETHERNET SPEEDS
- UL VERIFIED TO SUPPORT THE CAT 5e PERFORMANCE PATCH CABLE SPECIFICATION
- SNAGLESS OVERMOLD PREVENTS INSERTION TAB FROM CATCHING ON OTHER CABLES
- 24 AWG STRANDED PATCH CABLE

DATA CONNECTIVITY

HDMI CABLES



AC2M01-BK



HIGH SPEED HDMI CABLES WITH ETHERNET

| PART NO. | DESCRIPTION |
|-----------|---------------------------------|
| AC2M00-BK | 0.7 Meter HDMI cable w/Ethernet |
| AC2M01-BK | 1 Meter HDMI cable w/Ethernet |
| AC2M02-BK | 2 Meter HDMI cable w/Ethernet |
| AC2M03-BK | 3 Meter HDMI cable w/Ethernet |
| AC2M04-BK | 4 Meter HDMI cable w/Ethernet |
| AC2M05-BK | 5 Meter HDMI cable w/Ethernet |
| AC2M07-BK | 7.5 Meter HDMI cable w/Ethernet |
| AC2M10-BK | 10 Meter HDMI cable w/Ethernet |
| AC2M15-BK | 15 Meter HDMI cable w/Ethernet |
| AC2M20-BK | 20 Meter HDMI cable w/Ethernet |
| AC2A05-BK | 5 Meter HDMI cable w/ Ethernet |
| AC2A07-BK | 7 Meter HDMI cable w/ Ethernet |



AC3M01-WH-V1



HIGH SPEED HDMI WITH ETHERNET SLIMLINE CABLE

| PART NO. | DESCRIPTION |
|--------------|--|
| AC3M01-WH-V1 | 1 Meter High Speed HDMI with Ethernet Slimline Cable |
| AC3M02-WH-V1 | 2 Meter High Speed HDMI with Ethernet Slimline Cable |
| AC3M04-WH-V1 | 4 Meter High Speed HDMI with Ethernet Slimline Cable |



AC1030



AC2100




AC2101

ACCESSORIES

| PART NO. | DESCRIPTION |
|----------|--|
| AC1030 | HDBaseT HDMI Extender THE AC1030 KIT EXTENDS HDMI AND INTERNET SIGNALS UP TO 328 FEET USING CAT 5E OR CAT 6 WIRING. IT SUPPORTS 3D VIDEO AND 1080P RESOLUTION, WHILE DUAL IR TARGETS ALLOW THE SOURCE DEVICE TO RECOGNIZE REMOTE COMMANDS AT A SECONDARY LOCATION. KIT INCLUDES: TRANSMITTER AND RECEIVER UNITS, TWO IR TARGETS AND TWO POWER SUPPLIES. |
| AC2100 | HDMI Repeater CONNECTS TWO HDMI CABLES AND EXTENDS SIGNAL UP TO 20 FEET. |
| AC2101 | HDMI Hinged Coupler CONNECTS CABLES TO TIGHT CORNERS. |

DATA CONNECTIVITY

AUDIO/VIDEO CABLES



COMPOSITE

| PART NO. | DESCRIPTION |
|-----------|---------------------------------------|
| AC2006-BK | 6 Feet Composite Vid L/R Audio Cable |
| AC2012-BK | 12 Feet Composite Vid L/R Audio Cable |

UNIVERSAL

| PART NO. | DESCRIPTION |
|-----------|---|
| AC2103-BK | 3 Feet Universal 1 Subwoofer Cable |
| AC2106-BK | 6 Feet Universal 1 Subwoofer Cable |
| AC2112-BK | 12 Feet Universal 1 Subwoofer Cable |
| AC2125-BK | 25 Feet Universal 1 Subwoofer Cable |
| AC2203-BK | 3 Feet Universal 2 L/R Audio Cable |
| AC2206-BK | 6 Feet Universal 2 L/R Audio Cable |
| AC2303-BK | 3 Feet Universal 3 Component Video Cable |
| AC2306-BK | 6 Feet Universal 3 Component Video Cable |
| AC2312-BK | 12 Feet Universal 3 Component Video Cable |
| AC2325-BK | 25 Feet Universal 3 Component Video Cable |

TOSLINK

| PART NO. | DESCRIPTION |
|-----------|------------------------------------|
| AC2403-BK | 3 Feet Toslink w/Mini Audio Cable |
| AC2406-BK | 6 Feet Toslink w/Mini Audio Cable |
| AC2412-BK | 12 Feet Toslink w/Mini Audio Cable |
| AC2425-BK | 25 Feet Toslink w/Mini Audio Cable |

3.5 MM


| PART NO. | DESCRIPTION |
|-----------|---------------------------------------|
| AC2501-BK | 6 Inches Stereo 3.5 mm Y M/2F Adapter |
| AC2506-BK | 6 Feet Stereo 3.5 mm M/F Audio Cable |
| AC2512-BK | 12 Feet Stereo 3.5 mm M/F Audio Cable |
| AC2606-BK | 6 Feet Stereo 3.5 mm M/M Audio Cable |
| AC2612-BK | 12 Feet Stereo 3.5 mm M/M Audio Cable |
| AC2625-BK | 25 Feet Stereo 3.5 mm M/M Audio Cable |

RCA

| PART NO. | DESCRIPTION |
|-----------|---------------------------------------|
| AC2701-BK | 6 Inches RCA Y M/2F Adapter |
| AC2702-BK | 6 Inches RCA Y F/2M Adapter |
| AC2704-BK | RCA Coupler Pair |
| AC2706-BK | 6 Feet 3.5 mm to L/R RCA Audio Cable |
| AC2712-BK | 12 Feet 3.5 mm to L/R RCA Audio Cable |
| AC2725-BK | 25 Feet 3.5 mm to L/R RCA Audio Cable |

DATA CONNECTIVITY

CABLE TIES



| PART NO. | DESCRIPTION |
|----------|--------------------------------|
| AC4000 | 4.75 Inch, Natural, Cable Ties |
| AC4001 | 4.75 Inch, Black, Cable Ties |
| AC4002 | 7.5 Inch, Natural, Cable Ties |
| AC4003 | 7.5 Inch, Black, Cable Ties |
| AC4004 | 11 Inch, Natural, Cable Ties |
| AC4005 | 11 Inch, Black, Cable Ties |

PATCH PANELS



| PART NO. | DESCRIPTION |
|----------|--|
| 24845C5E | Category 5e 24-Port T568A/B Universal Wiring |
| 48845C5E | Category 5e 48-Port T568A/B Universal Wiring |
| 24845CC6 | Category 6 24-Port T568A/B Universal Wiring |
| 48845CC6 | Category 6 48-Port T568A/B Universal Wiring |

- 24 PORT PATCH PANEL USES 1 RACK MOUNT SPACE
- 48 PORT PATCH PANEL USES 2 RACK MOUNT SPACES
- 110 PUNCHDOWN REAR TERMINATION

| | |
|--------------|--|
| WP24RM | 24 Port Keystone Blank |
| WP48RM | 48 Port Keystone Blank |
| AC1902 | 2 U Wall Mount Rack with Extenders |
| 12845C5E89 | 12-Port T568A/B Universal Wiring |
| PS665089V | 50-Pair 66 Block, Unwired & Mounting Bracket |
| PS11050KIT4V | 50-Pair 110 Kit with Legs |

KIT INCLUDES: 110 PUNCH DOWN BLOCK WITH STAND-OFF LEGS, 10 C5 CLIPS, AND LABEL BAR.

LOW VOLTAGE BRACKETS



| PART NO. | DESCRIPTION |
|-----------|--|
| AC1009-01 | 1-Gang, LV Bracket w/Nail, New Const. |
| AC1009-02 | 2-Gang, LV Bracket, Face Mount, New Const. |
| AC1009-11 | 1-Gang, LV Bracket, Face Mount, New Const. |
| AC1010-01 | 1-Gang, LV Bracket, Retrofit |
| AC1010-02 | 2-Gang, LV Bracket, Retrofit |
| AC1010-03 | 3-Gang, LV Bracket, Retrofit |

CRAFTED WITH DURABLE HEAVY-DUTY PLASTIC, ON-Q LV BRACKETS FEATURE AN OPEN BACK AND AN INTEGRATED CABLE MANAGEMENT SYSTEM FOR CLEAN CONNECTIONS AND EASY INSTALLATION.

INSTALLATION TOOLS & CONNECTORS

TOOLS



362721-02 363292-01 363293-01 364346-01
 364406-01 364555-01 AC3400 AC3401
 AC1018 AC3007 AC4006

| PART NO. | DESCRIPTION |
|-----------|--|
| 362721-02 | RG-6 Coax Stripper |
| 363292-01 | Cat 5e Strip and Fit Tool |
| 363293-01 | 110 Punch Down Tool, Impact |
| 364346-01 | Coax Flaring and Insertion Tool |
| 364406-01 | High Performance RJ45 Modular Plug Hand Tool |
| 364555-01 | EZ RJ-45 Modular Plug Hand Tool |
| AC3400 | Punch & Go Tool IMPROVES TERMINATION SPEEDS, REDUCES COMPROMISED CONNECTIONS AND INCREASES PRODUCTIVITY OF ANY QUICK CONNECT DATA INSERT. |
| AC3401 | Punch & Go Tool Replacement Blade |
| AC1018 | Radial Taper Compression Tool (use with 364246-01 Coax F Plug) |
| AC3007 | Adjustable Compression Tool |
| AC4006 | Cable Tie Tool |

CONNECTORS



364246-01 364405-01 364554-01 AC2006
 WP3483-01 AC3001-10 AC3002-10 AC3003-10
 AC3004-10 AC3005-10 AC3006-10 AC3008-10

| PART NO. | DESCRIPTION |
|-----------|--|
| 364246-01 | 360 Conical Coax F Plug |
| 364405-01 | High Performance RJ45 Modular Plugs (25 Pack) |
| 364554-01 | EZ-RJ45 Modular Cat 5e Plug |
| AC2006 | EZ-RJ45 Modular Cat 6 Plug |
| WP3483-01 | Banana Plugs (pair) |
| AC3001-10 | Compression RG6U/Quad F Plug, 10 Pack |
| AC3002-10 | Compression RG6U/Quad 3 GHz F Jack, 10 Pack |
| AC3003-10 | Compression RG6U/Quad Shield BNC Plug, 10 Pack |
| AC3004-10 | Compression RG6U/Quad Shield RCA Plug, 10 Pack (50 Pack also available, AC3004-50) |
| AC3005-10 | Compression RG6U/Quad Shield Right Angle RCA Plug |
| AC3006-10 | Nickle F-81 1 GHz Coupler, 10 Pack (50 Pack also available, AC3006-50) |
| AC3008-10 | Compression RG6U/Quad F Plug 10 Pack (50 Pack also available, AC3008-50) |

POWER MANAGEMENT

POWER SUPPLIES



PW7760



PW7725



PW1030



PW1060



PW1120



PW1240



PW1248

| PART NO. | DESCRIPTION |
|----------|---|
| PW7760 | 12VDC, 18W Power Supply |
| PW7725 | 12VDC, 30W Power Supply |
| PW1030 | 24VDC, 30W Power Supply |
| PW1060 | 24VDC, 60W Power Supply |
| PW1120 | 24VDC, 120W Power Supply Kit |
| | KIT INCLUDES: TWO 24VDC, 60W POWER SUPPLIES (PW1060), ONE MOUNTING BRACKET (PW1006), ONE CUSTOM MOUNTING BRACKET, AND VELCRO STRIPS |
| PW1240 | 24VDC, 240W Power Supply Kit |
| | KIT INCLUDES: FOUR 24VDC, 60W POWER SUPPLIES (PW1060), TWO MOUNTING BRACKETS (PW1006), ONE CUSTOM POWER STRIP, AND VELCRO STRAPS |
| PW1248 | 48VDC, 100W Power Supply |



364569-02-V1



F7526



PW1006

ACCESSORIES

| PART NO. | DESCRIPTION |
|--------------|--|
| 364569-02-V1 | Surge Protected Duplex Power Kit |
| F7526 | Duplex Power Kit |
| | KIT INCLUDES: A SURGE PROTECTED DUPLEX OUTLET, METAL JUNCTION BOX AND A FACEPLATE KIT. |
| PW1006 | Twin Power Supply Bracket |

POWER MODULES



PW1012



PW1013



PW1020



AC1031

| PART NO. | DESCRIPTION |
|----------|--|
| PW1012 | Universal Power Distribution Module |
| PW1013 | Intuity Bridge Power Module |
| PW1020 | Digital Audio Power Distribution Module |
| AC1031 | Enclosure Power Strip Module, Half Width |

VIDEO & VOICE DISTRIBUTION

VOICE & VIDEO MODULES

COMBO MODULES

| DESCRIPTION | Basic 6x4 Combo (110 Punchdown) | 10x8 Combo with RJ31X (RJ45) | 10x8 Combo with RJ31X (110 Punchdown) | 10x8 Combo with RJ31X MoCA Optimized |
|---------------------|---|---|--|---|
| |  |  |  |  |
| PART NO. | 364400-04 | CO1045 | CO1110 | CO2110-V1 |
| Telecom Outlets | 6 | 10 | 10 | 10 |
| Video Outlets | 4 | 8 | 8 | 8 |
| Telecom Connections | 110 Punchdown | RJ45 | 110 Punchdown | 110 Punchdown |
| RJ31X Line Seizure | N | Y | Y | Y |
| Bandwidth | 1 GHz | 1 GHz | 1 GHz | 1 GHz |
| Dimensions | 5 1/8" x 6 1/2" | 5 1/8" x 6 1/2" | 5 1/8" x 6 1/2" | 5 1/8" x 6 1/2" |

VOICE MODULES

| PART NO. | DESCRIPTION |
|---------------|---|
| TM1110 | 10-Way IDC Telephone Module with RJ31X |
| TM1045 | 10-Way RJ45 Telephone Module with RJ31X |
| 1267062-01-V1 | 6-Way Basic Telecom Module with RJ31X |

VIDEO MODULES

| PART NO. | DESCRIPTION |
|----------|--|
| VM1000 | 1x4 Enhanced Passive Video Splitter/Combiner |
| VM1002 | 1x8 Enhanced Passive Video Splitter/Combiner |



TM1110



TM1045



1267062-01-V1



VM1000



VM1002

NETWORKING

WIRED NETWORKS



DA1008



DA1458



DA1054



363486-01



AC1000



AC1001



AC1012



AC1013



AC1014



AC1015



DA2400



DA2401



AC1025



DA1104



DA1101



DA2131-V1

ROUTERS & SWITCHES

| PART NO. | DESCRIPTION |
|----------|--|
| DA1008 | 8-Port Gigabit Switch |
| DA1458 | 8-Port Gigabit Switch with 4-Port PoE Injector |
| DA1054 | 4-Port Gigabit Ethernet Router/Switch |

MODULES

| PART NO. | DESCRIPTION |
|-----------|---|
| 363486-01 | 8-Port Cat 5e Network Interface Module |
| AC1000 | 6-Port Cat 5e Network Interface Module |
| AC1001 | 6-Port Network Interface Module (Unpopulated) |
| AC1012 | 6-Port Cat 5e Network Interface Module |
| AC1013 | 6-Port Cat 6 Network Interface Module |
| AC1014 | 12-Port Cat 5e Network Interface Module |
| AC1015 | 12-Port Cat 6 Network Interface Module |

POWER OVER ETHERNET

| PART NO. | DESCRIPTION |
|----------|--|
| DA2400 | 802.3af 4-Port PoE Injector |
| DA2401 | 802.3at 4-Port High Performance PoE Injector |
| AC1025 | Power Over Ethernet Mounting Plate |

WIRELESS NETWORKS

| PART NO. | DESCRIPTION |
|-----------|---|
| DA1104 | 802.11ac Low Profile Wireless Access Point |
| DA1101 | 802.11n In-Wall/Ceiling Wireless Access Point |
| DA2131-V1 | 802.11n Outdoor Wireless Access Point |

RESOURCES & SUPPORT

TECH SUPPORT

Need help on the job? Legrand's expert team of support specialists are available Monday through Friday, from 8:30 am to 6:30 pm Eastern Time, to answer your product or installation questions. The staff can be reached during these standard hours by any of the below options:

Phone: 800.223.4162, Option #3, then Option #2

Email: technical.support-hs@legrand.us

Live Chat: available through the www.legrand.us website

CUSTOMER SERVICE

Friendly and knowledgeable, our team can handle a wide variety of needs and requests – from order processing to system registration – and is available Monday through Friday, from 9 am to 6 pm Eastern Time.

Phone: 844.334.8044

Email (general inquiries): customer.support.lv@legrand.us

Email (orders): orders.lv@legrand.us

TRAINING

Knowledge is power, and Legrand offers a wealth of product, industry, and installation knowledge through our on-site and online courses.

Visit the Legrand University at <http://go.bluevolt.com/Legrand/Home/> for convenient online courses you can complete at your own pace, recorded past webinars to catch anything you may have missed, as well as a complete schedule of upcoming FREE webinars.

designed to be better™



301 Fulling Mill Road, Suite G
Middletown, PA 17057
(800) 321-2343
www.legrand.us/onq

570 Applewood Crescent
Vaughan, Ontario L4K 4B4
905.738.9195
www.legrand.ca

Follow Us

