


CATALOG NO.	DIM. "L"	DIM. "A"	DIM. "B"	DIM. "C"
HGBBD12	12.00	2.50	1.25	.62
HGBBD18	18.00	2.50	1.25	.62
HGBBD24	24.00	2.50	1.25	.62
HGBBD8	7.75	2.00	1.00	.50

NOTES:

- APPROXIMATE AMP. RATING: 190 INDOOR, 225 OUTDOOR. THIS RATING MAY VARY WITH AMBIENT CONDITIONS, ORIENTATION OF THE BRAID AND OTHER SERVICE CONDITIONS.
- UL467 LISTED.
- CSA C22-2, ND. 41 LISTED.
- SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

 Hubbell Premise Wiring HUBBELL INCORPORATED (Delaware) 14 Lord's Hill Road, Stonington, Connecticut 06378 TITLE: COPPER BRAID		PROJECT REFERENCE: 2011-041
MATERIAL: BRAID, TINNED COPPER FERRULES: BARE COPPER		DIMENSIONING AND TOLERANCE PER ANSI Y14.5M-1982. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES (MM). TOLERANCES: .X = ±.03 (.8) .XX = ±.02 (.4) .XXX = ±.010 (.25) ANGLE TOL. ±1°
DRAWN BY: C. CRIBBLE 2/29/12		DIMENSIONS ARE IN INCHES (MM). TOLERANCES: .X = ±.03 (.8) .XX = ±.02 (.4) .XXX = ±.010 (.25) ANGLE TOL. ±1°
CHECKED BY:		IN ACCEPTING OUR DRAWINGS, YOU AGREE TO HOLD US HARMLESS FROM ALL LIABILITY FOR OMISSION OR OTHER PURPOSES, YOU AGREE NOT TO DISCLOSE TO OTHERS THE INFORMATION CONTAINED HEREIN, AND TO MAINTAIN THE DESIGN'S SECRECY AND THAT YOU WILL MAKE NO USE OF SAME WITHOUT PERMISSION
APPROVED BY:		DIMENSIONS ARE IN INCHES (MM). TOLERANCES: .X = ±.03 (.8) .XX = ±.02 (.4) .XXX = ±.010 (.25) ANGLE TOL. ±1°
SIZE: D DRAWING NO.: HWS14018C		REV. 2
SCALE: 1/1 SHEET 1 OF 1		APPD BY:

REV.	ECN	DATE	DESCRIPTION	CHG. BY	APPD. BY
2	19358	10/07/13	ADDED ONE NEW CATALOG NUMBER	MMA	