## OPTIONS UP





## **FEATURES & BENEFITS**

Constant memory returns lights to previous levels after a power failure

Convenient operation - combines on/off toggle switch with separate slider for dimming control

Screw-pressure-plate backwire terminals save time, space and money



New aesthetically pleasing ergonomic design allows for easier operation

Adjustment dial allows users to adjust the bottom of the dimming range for a wide range of CFL and LED bulbs

Interchangeable face plates available in seven colors (TSDKIT\*; sold separately)









TSDCI 303P

PRESS TABS

- Preset, Single Pole and 3-Way operation.
- Compatible with CFL/LED dimmable bulbs (with the exception of 0-10V LED drivers).



LED



**CFL** 



MLV



LED



**INCANDESCENT** 



**FAN SPEED** CONTROL

## PRODUCT INFORMATION

| PART NUMBER  | DESCRIPTION                                       | COLOR   | RATINGS  |  |
|--------------|---|---|--|--|
| TSD703PTUTC  | Tru-Universal®                                    | Three interchangeable face colors; White, Light Almond, Ivory | 700W Incandescent, Halogen & ELV;<br>500VA MLV; 450W CFL/LED; 5.5A EFL |  |
| TSD703PTU*   | Single Pole/3-Way, Preset                         | White, Light Almond, Ivory, Brown, Black, Red, Gray           |  |  |
| TSDCL303PTC  | CFL/LED   | Three interchangeable face colors; White, Light Almond, Ivory | 300W CFL/LED; 700W Incandescent  |  |
| TSDCL303P*   | Single Pole/3-Way, Preset                         | White, Light Almond, Ivory, Brown, Black, Red, Gray           | & Halogen  |  |
| TSD703PTC    | Incandescent                                      | Three interchangeable face colors; White, Light Almond, Ivory | 700W Incandescent  |  |
| TSD703P*     | Single Pole/3-Way, Preset                         | White, Light Almond, Ivory, Brown, Black, Red, Gray           | /uuw incandescent  |  |
| TSD1103PTC   | Incandescent                                      | Three interchangeable face colors; White, Light Almond, Ivory | 1100W Incandescent   |  |
| TSD1103P*    | Single Pole/3-Way, Preset                         | White, Light Almond, Ivory, Brown, Black, Red, Gray           | Truuvv incandescent  |  |
| TSDLV703PTC  | Magnetic Low Voltage<br>Single Pole/3-Way, Preset | Three interchangeable face colors; White, Light Almond, Ivory | 700VA Magnatic Law Valtage   |  |
| TSDLV703P*   |   | White, Light Almond, Ivory, Brown, Black, Red, Gray           | 700VA Magnetic Low Voltage   |  |
| TSDLV1103PTC | Magnetic Low Voltage                              | Three interchangeable face colors; White, Light Almond, Ivory | 1100VA Magnatia Law Valtaga  |  |
| TSDLV1103P*  | Single Pole/3-Way, Preset                         | White, Light Almond, Ivory, Brown, Black, Red, Gray           | 1100VA Magnetic Low Voltage  |  |
| TSDFB83PTC   | Fluorescent                                       | Three interchangeable face colors; White, Light Almond, Ivory | 8A Fluorescent Dimmers   |  |
| TSDFB83P*    | Single Pole/3-Way, Preset                         | White, Light Almond, Ivory, Brown, Black, Red, Gray           | 8A Fluorescent Dimmers   |  |
| TSD4FBL3PTC  | Fluorescent                                       | Three interchangeable face colors; White, Light Almond, Ivory | 120V 10A/277V 5A LED (0-10V, 4 wire,                                   |  |
| TSD4FBL3P*   | Single Pole/3-Way, Preset                         | White, Light Almond, Ivory, Brown, Black, Red, Gray           | fluorescent dimming of drivers and ballasts)                           |  |
| TSDDH163PTC  | Fan Speed Control                                 | Three interchangeable face colors; White, Light Almond, Ivory | 1 / A Fan Chard Control  |  |
| TSDDH163P*   | Single Pole/3-Way, Preset                         | White, Light Almond, Ivory, Brown, Black, Red, Gray           | 1.6A Fan Speed Control   |  |
| TSDSSL7ATC   | SSL7A Compliant                                   | Three interchangeable face colors; White, Light Almond, Ivory | 300W CFL/LED; 700W Incandescent  |  |
| TSDSSL7A*    | Single Pole/3-Way, Preset                         | White, Light Almond, Ivory, Brown, Black, Red, Gray           | & Halogen  |  |

| PART NUMBER | DESCRIPTION                   | COLOR   |
|-------------|-------------------------------|---|
| TSDKIT*     | Interchangeable<br>Face Plate | White, Light Almond, Ivory, Brown, Black, Red, Gray |










| COLOR DESIGNATION |              |  |  |  |
|-------------------|--------------|--|--|--|
| W                 | White        |  |  |  |
| LA                | Light Almond |  |  |  |
| 1                 | lvory        |  |  |  |
| -                 | Brown        |  |  |  |
| вк                | Black        |  |  |  |
| RED               | Red          |  |  |  |
| GRY               | Gray         |  |  |  |
|                   |              |  |  |  |

TSDSSL7AP



designed to be better.



## **Electrical Wiring Systems**

60 Woodlawn Street West Hartford, CT 06110 1.877.BY.LEGRAND (295.3472) www.legrand.us

Canada 1.800.723.5175; 905.738.9195 www.legrand.ca

Costa Rica +506.298.56.04; +506.239.71.13 www.legrand.cr

