




**6205W**

**HANDS-FREE DOOR-ENTRY PHONE, WHITE. VIP**



Design-led door-entry phone for ViP system, with hands-free and electronic call. It features 5 buttons at the front, of which 2 have icons identifying their factory-set functions (lock-release and call management) and 3 are programmable buttons. The buttons have touch guides for sight-impaired users. There are 2 switches on the left-hand side of the door-entry phone: the first sets the ringtone volume or silent mode (with indicator LED) and the second sets the audio volume. Allows “Automatic lock-release on receipt of call (Doctor)”, “Automatic answer (hands-free)”, conversation privacy and floor door call management modes. Dimensions (L x H x D): 121 x 121 x 25 mm



**6205W**

**HANDS-FREE DOOR-ENTRY PHONE, WHITE. VIP**

**GENERAL DATA**

Height (inch) (in)	4.77
Width (inch) (in)	4.77
Depth (inch) (in)	0.98
Product weight (oz) (oz)	6.63
Flush-mounted	No
Wall-mounted	Yes
Audio/video system	Yes

**COMPATIBLE SYSTEMS**

ViP	Yes
-----	-----

**AUDIO FEATURES**

Type	Hands-free
Induction loop function	No
Microphone	6mm (Ø), Omnidirectional
Loudspeaker	50mm (Ø), 8 Ohm, 0.2W

**ELECTRICAL CHARACTERISTICS**

Type of power supply	PoE
Supply voltage	37÷57 VDC (ViP)
PoE power supply	Standard IEEE802.3af (class 0), Comelit PoE (56VDC)
Absorption in stand-by (W)	1.1
Stand-by absorption in kit mode (W)	1.1
Maximum absorption (W)	2.9

**HARDWARE FEATURES**

Type of buttons	Mechanical
No. of programmable buttons for additional functions	3
Clamps	GND AL CFP S+S-



**6205W**

**HANDS-FREE DOOR-ENTRY PHONE, WHITE. VIP**

**HARDWARE FEATURES**

Removable terminals	Yes
Number of inputs (n°)	2
Ethernet ports (n°)	1
Total buttons (n°)	5
LED signaling (no.) (n°)	2
Network connection	RJ45
Video encoding	H.264

**SETTINGS**

Loudspeaker volume	Yes
Ringtone volume	Yes

**NETWORK AND COMMUNICATION PROTOCOLS**

Type of LAN network	Ethernet 10/100 Mbit/s
IP address assignment	DHCP, AUTO IP, static IP
Operating system	Linux (v. )

**ENVIRONMENTAL AND COMPLIANCE FEATURES**

IP protection rating	IP30
Operating temperature (°F)	41 ÷ 104
Environmental class	I (B1)
Certifications	RoHS II - 2011/65/UE (EN IEC 63000:2018), EMC 2014/30/UE (EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011), IEC/EN 62820-1-2

**GENERAL FEATURES**

Automatic door opening on call (Doctor)	Yes
Door opener	Yes
IP assignment	AUTO IP, DHCP, STATIC
Call to group addresses	Yes



**6205W**

**HANDS-FREE DOOR-ENTRY PHONE, WHITE. VIP**

**GENERAL FEATURES**

Call to multiple addresses	Yes
CPS call	Yes
Intercom calls	Yes
Panic call	Yes
Actuator control	Yes
Floor door call function	Yes
Privacy conversation function	Yes
Key button function	Yes
Hands-free function	Yes
Silent mode (Privacy)	Yes
Redial	Yes
Automatic answer (handsfree)	Yes
Led to additional signaling (no.) (n°)	2
Acoustic signalling	Yes
Visual signalling	Yes
Vip system	Yes
Electronic bell	Yes
Customisable ringtone	Yes