VIVOTEK
A Delta Group Company

C-series AI Camera

FD9380-V2 / IB9380-V2 / IT9380-V2

NDAA Compliance | 3 YEARS WARRANTY | ONVIF | GST

The C-series AI camera captures detailed 5MP resolution at 30 fps with WDR clarity, even in challenging lighting. Powered by Smart VCA analytics and Vision Object Analytics, it ensures that users only get the alerts that matter. With an IK10 metal housing and enterprise-grade security from Trend Micro, this camera is built for reliability, inside and out.

Features

● Hardware ● Software

5MP Resolution
C-series AI Camera

H.265 Codec with Smart Stream Bandwidth saving more than 90%

WDR Pro 120dB

30M IR with Smart IR
Balanced IR lighting for clear details

Vandal-proof Certificated
IP66, IP67, IK10 metal housing

Built-in Microphone
Two-way audio

Smart VCA
Accurate detect incidents

VCA

Vision Object Analytic
Detect People and Vehicles



Deep Search
Available with supported platform

AI

Trend-Micro™ IoT Security
Defend and quarantine vulnerability protection

See More Details in 5MP Resolution with Robust Design

The camera captures object details with clear 5MP images at 30 fps. It features 120 dB WDR Pro for handling high-contrast scenes, Smart IR for optimal exposure, and up to 30 meters of IR coverage for 24/7 surveillance.



Clear details in 5MP Resolution

WDR Pro - Clear imaging under backlight



Smart IR - Balanced IR exposure

Metal Housing with IK10 Certification

IK10 metal housing safeguards the camera from vandal attacks and retains its color for a long-lasting, polished look.

Built for Everyone: Smart, Secure, and Everyday-Ready Solution

Focus on people and vehicle

Effortlessly detect and distinguish people, vehicles with Vision Object Analytics—designed to prioritize what truly matters.





Perimeter intrusion

Fence jump

Loitering in critical location

Find critical footage faster with Deep Search

Effortlessly and quickly find evidence using Deep Search.
View best shots and their paths, no need for video replays.

Core+ AI Series

Easy Operation with VORTEX

1 Camera Plug & Play
Simplify setup and monitor power with built-in PoE NVR.

2 Download VORTEX app
Get VORTEX app to create your account.

3 Scan QR code
Connect your NVR to VORTEX cloud platform.

Any Devices

Web Browser

GET IT ON Google Play
Download on the App Store
Web Browser

Flexible Expansion

Up to 128 Cameras

Up to 10 Users

Remote Maintenance

Firmware Updates

Reboot NVR

End-to-End Security, Secured Operation



Bridge-to-Cloud

1 Hardware Security

- Trend Micro™ IoT Security
- Signed Firmware
- Secure Boot

2 Connection Security

- AES-256
- TLS 1.2

User Authentication

- Multi-Factor Authentication (MFA)

Platform Compatibility

VSS | Genetec Security Center. | milestone | NxWitness VIDEO MANAGEMENT SYSTEM | ONVIF | GST

Ordering Information

Model	FD9380-HV-V2	FD9380-HTV-V2	IT9380-HV-V2	IT9380-HTV-V2	IB9380-HV-V2	IB9380-HTV-V2
ID						
Form Factor	Fixed Dome		Turret		Bullet	
Max. Frame Rate	30 fps @ 2880x1616					
Lens	2.8 mm	2.7 ~ 13.5mm	2.8mm	2.7 ~ 13.5mm	2.8mm	2.7 ~ 13.5mm
Aperture	F1.6	F1.6~F3.1	F1.6	F1.6~F3.1	F1.6	F1.6~F3.1
HFOV	111°	111.0° ~ 32.2°	111°	111.0° ~ 32.2°	111°	111.0° ~ 32.2°
Illuminators	30M IR					
Connector	Two-way audio, Digital input/output					
Certification	IP66, IP67, IK10					

Accessory

Dome / Turret

AM-21A
L-shape Bracket

AM-51G
Adapting Plate

AM-52E
Mounting Adapter

AM-71B
Waterproof Conduit Box

AM-71D
Outdover Conduit Box

Bullet

AM-312
Pole Mount Bracket

AM-412
Corner Mount Bracket



AM-523
Adapting Plate

AM-71C
Junction Box

AM-71E
Outdoor Conduit Box

AM-71F
Indoor Conduit Box

Data subject to change without notice. All right reserved.
sales@vivotek.com | www.vivotek.com
Ver. 20250521