Downloaded: May 11, 2026

Select Series PDU with RackLink, 100-240V, 4 IEC Outlets **SKU: RLNK-P416-IEC-NS**

Middle Atlantic's compact Premium+ IEC PDU with RackLink™ is a best-in-class solution for behind-the-display installations. Premium+ IEC offers robust remote monitoring/logging capabilities via IP connectivity to ensure ultimate up-time. This means that you and your customers can feel confident that all eyes are seeing the messaging as expected.

Control Concepts Supported Product
Have the confidence that our modules and plug-ins are developed and backed by Control Concepts, the premier software developer for the AV industry.

HETMA Approved
This certification recognizes these products' outstanding quality, reliability, and ability to enhance technology integration in higher education environments.

- Slim form factor is easily concealed behind displays and dvLED tile walls
- Includes mounting bracket for on-wall installation
- 4 Outlets
- 16 Amps
- Supports 208V Single Phase for Broadcast and IT applications
- 24/7/365 connectivity with the RackLink™ Remote Management System to monitor everything plugged into the PDU

- Simple system setup with advanced capabilities
  - Save programming with integrated scheduling, variable timed sequencing, ping sequencing, auto healing, thresholds, and multiple notification options.
  - Easily connect to control systems and IT systems with universal compatibility through custom drivers, SNMP v3/MIB, JSON-RPC, and 3rd party integrations.
  - Connect via Wi-Fi with a 3rd party dongle
  - Remotely update firmware without having to shut down the PDU, ensuring system uptime
- Best-in-class monitoring, logging, and data reporting for remote system management with a user-friendly interface.
  - Superior metering accuracy of total power draw down to outlet level including current, voltage, power, power factor and energy usage
  - Connect multiple environmental sensors to monitor the temperature and humidity and alert potential threats that could cause system downtime
- Industry-leading network security and support of IT protocols for demanding end users
  - SSL/TLS Certificates
  - SSH
  - HTTPS
  - Self-signed certificates
  - 802.1X authentication
  - TACACS+, RADIUS, LDAP authentication
- Built in partnership with Raritan, a leader in the intelligent power market, using their Xerus platform to deliver robust security features and intelligence
- Compliant with AVIXA Energy Management Standard to support energy efficient AV system design, monitoring and optimization.
- Comes with an IEC C20 to IEC C19, 9' power cord

Specifications

Dimensions & Measurements

AC Voltage Input	100-240 V
Amps	16 Amp
Operating Temperature	32° to 104°F (0° to 40°C)
Shipping Weight	7.06 lbs (3.2 kg)

Characteristics & Features

Available Internationally	Yes
Outlet Count	4
Output Ports	LAN
Plug Type	IEC C20
Receptacle Type	IEC C13
Surge Protection Type	None
TAA Compliant	No
UPC	656747405433

Certifications & Warranties

Certifications	• CE • cULus • FCC • UKCA
Warranty	3 years

Source: https://www.legrandav.com/products/power/intelligent_power/premium_plus_iec_pdu_with_racklink/rlnk-p416-iec-ns