CCTV

NVR/AHDVR

**NIPNVR008N06PASL**

# 8CH POE NVR, NEXT SERIES, NDAA, NO HDD

NEXT SERIE

Network video recorder (NVR) for 8 IP channels (8 PoE), NDAA compliant, max. resolution 6MP, video compression H.265S / H.265+ /H.265 /H.264, dual streaming, bandwidth 64 Mbps. Supports all DVA video analysis functions for the connected cameras. Compatible with browsers: IE/Google Chrome/Edge/Firefox/Safari. Remote control via Comelit CCTV APP and Comelit CCTV Manager software. 48 V power supply unit included. This NVR connects to Comelit servers protected by AWS services.

## AWARDS

NDAA COMPLIANT

**NIPNVR008N06PASL**

# 8CH POE NVR, NEXT SERIES, NDAA, NO HDD

| MAIN FEATURES | |
|---|---|
| Video inputs | 8 PoE (4K/6MP/5MP/4MP/3MP/1080P/960P/720P/D1/CIF) |
| Main video output | HDMI1: 3840 × 2160@30fps / 1920 × 1080 / 1280 × 1024 / 1024 × 768, VGA1: 1920 × 1080 / 1280 × 1024 / 1024 × 768, HDMI and VGA output the same video source. |
| Video compression | H.265S / H.265+ / H.265 / H.264 |
| Decoding live | 1 x 8MP / 4 x 1080P |
| Decoding playback | |
| Playback / recording frame rate | 30fps@6MP |
| Additional Hard Disks (SATA) | 1 (10TB max) |

| SOFTWARE/FIRMWARE SPECIFICATIONS | |
|---|---|
| Recording methods | Automatic, manual, programmed, event |
| | HDMI 1 : 9 |
| Maximum number of channels being played simultaneously | 1@6MP, 4@Full HD |
| Audio compression | G711A/U |
| Protocols supported | DDNS, DHCP, HTTP, HTTPS, IPv4, IPv6, NTP, PPPoE, RTCP, RTP, RTSP, SMTP, TCP/IP, UDP, UPnP, IGMP, P2P, SNMP, IEEE 802.1x, ONVIF (Profile-S), ONVIF (Profile-G), ONVIF (Profile-M), ONVIF (Profile-T) |
| IP assignment | DHCP, manual |
| Max bandwidth (Mbps) | 64 |
| Remote control via browser | Edge, Firefox, Chrome, Safari |
| Remote control by software | Comelit CCTV Manager |
| Remote control by mobile | APP Comelit CCTV |
| Users connected at the same time | 32 |
| Main functions | Video analysis (only with dedicated cameras), Alarm system function, Two way audio |

| FUNCTIONS | |
|---|---|
| Motion detection | Yes |

The technical specifications are subject to change without prior notice.

**NIPNVR008N06PASL**

# 8CH POE NVR, NEXT SERIES, NDAA, NO HDD

| FUNCTIONS | |
|---|---|
| System log | Yes |

| HARDWARE SPECIFICATIONS | |
|---|---|
| Type of connections/ports | 1xEthernet 10/100 Mbit/s, 2xUSB 2.0, 8 x Ethernet PoE 10/100 Mbit/s |
| Fanless | Yes |

| GENERAL DATA | |
|---|---|
| Machine absorption (no HDD) (W) | 5 |
| Maximum absorption per POE port (W) | 30 |
| POE total power (W) | 72 |
| Maximum distance in long range mode (CAT5e/CAT6) (m) | 150 |
| Power supply voltage (VDC) | 48 |
| Height (mm) | 42 |
| Width (mm) | 255 |
| Depth (mm) | 222 |
| Product weight (g) | 1.1 |
| Type of finishing materials | Metallic |
| Product color | Black |
| Operating temperature (°C) | -10 ÷ 50 |
| Operating humidity (RH max) (%) | 25 ÷ 90 |
| Supplied accessories | Power supply, Mouse |

The technical specifications are subject to change without prior notice.