

Product data sheet

Specifications



Galaxy VS Maintenance Bypass Cabinet, UL, Single-Unit 50-75kW 208V, 100-150kW 480V

GVSBPUSU150G

Overview

Presentation	Maintenance bypass cabinet for complete isolation of the UPS during service operations.
--------------	---

Main

Product or Component Type	Cabinet
Range of Product	Galaxy VS
Range Compatibility	Galaxy VS

Physical

Color	White
Height	58.5 in (148.5 cm)
Width	12.5 in (31.8 cm)
Depth	33.5 in (85 cm)
Product Weight	264.6 lb(US) (120 kg)

Environmental

Ambient Air Temperature for Operation	32...104 °F (0...40 °C)
Relative Humidity	0...95 % non-condensing
Ambient Air Temperature for Storage	-13...131 °F (-25...55 °C)
Storage Relative Humidity	0...95 % non-condensing

Ordering and shipping details

GTIN	731304342564
------	--------------

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	65.4 in (166 cm)
Package 1 Width	39.0 in (99 cm)
Package 1 Length	25.0 in (63.5 cm)
Package weight(Lbs)	297.6 lb(US) (135 kg)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

SCIP Number

7547f066-9302-46d9-96e9-461928dd6901

EU RoHS Directive

[Compliant By Exemption](#)

REACH Regulation

[Reference contains Substances of Very High Concern above the threshold](#)



Energy efficiency

Optimized Energy Efficiency

Energy efficient product

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Circularity Profile

[End of Life Information](#)

Take-back

No

Image of product / Alternate images

Alternative



