

Product data sheet

Specifications



Galaxy VS Classic Battery Cabinet, UL, Type 5, Seismic Tested

GVSCBT5ST

Overview

Presentation	Battery cabinet, 39.37" wide, that includes batteries and battery breaker. The cabinet is seismic compliant.
--------------	--

Main

Product or Component Type	Battery cabinet
Range Compatibility	Galaxy VS
battery type	VRLA
Range of Product	Galaxy VS

Batteries & Runtime

Device mounting	Enclosed battery cabinet
-----------------	--------------------------

Physical

Height	58.5 in (148.5 cm)
Width	39.4 in (100 cm)
Depth	33.07 in (84 cm)
Product Weight	3474.5 lb(US) (1576 kg)

Environmental

Ambient Air Temperature for Operation	32...104 °F (0...40 °C)
Ambient Air Temperature for Storage	5...104 °F (-15...40 °C)

Ordering and shipping details

GTIN	731304407355
------	--------------

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	66.5 in (168.8 cm)
Package 1 Width	39.3 in (99.8 cm)
Package 1 Length	54.02 in (137.2 cm)
Package weight(Lbs)	3575.9 lb(US) (1622 kg)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

SCIP Number

7547f066-9302-46d9-96e9-461928dd6901

EU RoHS Directive

[Compliant By Exemption](#)

REACH Regulation

[Reference contains Substances of Very High Concern above the threshold](#)



Energy efficiency

Optimized Energy Efficiency

Energy efficient product

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Circularity Profile

[End of Life Information](#)

Take-back

No

WEEE Label

 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Image of product / Alternate images

Alternative

