

Specifications



Eaton ELSPKWC

Eaton Eluxa high fidelity speaker, ceiling, white, FIRE, clear lens, 25/70V, indoor

General specifications

PRODUCT NAME	Eaton Eluxa high fidelity speaker
CATALOG NUMBER	ELSPKWC
UPC	786697009631
PRODUCT HEIGHT	6.25 in
PRODUCT DIAMETER	1.5 in
PRODUCT WEIGHT	1.48 lb
COMPLIANCES	Not Applicable
PRODUCT TYPE	High fidelity speaker



Powering Business Worldwide

Product specifications

MOUNTING METHOD	Ceiling
HOUSING COLOR	White
INDOOR/OUTDOOR	Indoor
HOUSING MATERIAL	Plastic
LETTERING	FIRE
VOLTAGE	70 V 25 V
OPERATING TEMPERATURE	32°F to 122°F (0°C to 50°C)
COMPLIANCE AND STANDARDS	UL ULC

Resources

BROCHURES	Eluxa family brochure
	Eluxa product cross reference
CERTIFICATION REPORTS	Eluxa indoor speaker devices CSFM listing Eluxa FM Certificate of Conformity
DRAWINGS	Eluxa speaker wall drawing Eluxa speaker ceiling drawing
INSTALLATION INSTRUCTIONS	Installation instructions eluxa horn strobe clear and amber lens ceiling mount
SELLING POLICY AND T&CS	Eluxa UL listing
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - ELSPKWC
TECHNICAL DATA SHEETS	Eluxa high fidelity speaker and speaker strobe data sheet (TD450158EN) wheelock-mounting-accessories-data-sheet

Speaker specifications

FREQUENCY RANGE - MIN	300 Hz
FREQUENCY RANGE - MAX	8000 Hz
SOUND LEVEL (DBA)	75/79/82/85/87
TAPS (SELECTABLE)	1/8, 1/4, 1/2, 1, 2

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2026 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

