

MEGApix[®] Ai[™]

Next-generation video analytics



Edge-based Ai engine with real-time object classification for intelligent video solutions



Next-generation video analytics

What are video analytics on the edge?

License-free intelligence video analytics are included with the cameras, offering customizable detection zones and event-based alarms, reducing false alarms and increasing overall efficiency at no extra cost.



Lightning Fast Analytics

Processing power is as close to the source as possible. Valuable insights done in a fraction of a second will reduce the burden on the operators to sift through data, speeding up response time, increasing overall efficiency.



Reduce Network and Storage Burden

Deploying edge-side analytics means that video is analyzed in high-quality and only the most relevant information is sent across the network, reducing the burden on bandwidth and storage.

Easy Setup (No Manual Calibration)

Choose what to detect and where with a user-friendly and straightforward UI, set up multiple scenarios specific to your monitoring needs without complex calibration.




Future-Proof Solution

A DW Ai analytics provides scalability and optimization of resources across a system. New analytics can be added to your site, making your system future-proof without infrastructure expansion.




Object Classification


DW's Ai software processes video streams to detect and classify every object appearing in the detection zone. Our AI-based engine performs object detection, automatically classifying the objects in the scene: people, cyclists, cars, buses and vans, trucks, motorcycles, bicycles and bags.



Trucks



Cars



Humans


Optimized Performance at the Edge

MEGApix Ai's analytics engine is designed for the edge, working on the camera side to substantially reduce bandwidth consumption and accelerate response times with overall improved performance.




Ambarella Chip with CVflow®

Ambarella's chips combine image processing, real-time 30fps up to 4K video and CVflow architecture to provide the deep neural network (DNN) processing required for the next generation of intelligent IP cameras.



Logical Rules

MEGApix Ai cameras combine multiple zones and virtual tripwires to create elaborate, multiple trigger point rules for a greater event detection level.



DW Ai solutions include all the Intelligent Video Analytics and advanced Video Content Analysis detection capabilities of the Ai engine. In addition, Ai cameras empower users with objects and people detection, classification and tracking with color filters.



Detection zones
Create up to 40 detection zones for specific alarm conditions.



Tamper
Detect camera tampering triggers an alarm.



Metadata
Export event information, tracked objects, bounding box, history and attributes.



Appear
Start tracking people or objects in the detection zone without crossing into the zone.



Disappear
Stop tracking people or objects in the detection zone without crossing out of the zone.



Stopped
Detect people or objects stopped in the detection zone for a set duration.



Enter
Detect people or objects crossing the detection zone's border from outside the zone.



Exit
Detect people or objects crossing the detection zone's border from inside the zone.



Counting
Provide a real-time count of targets in a detection zone



Counting line
Calculate the number of people or objects crossing the detection line.



Intrusion
Detect people or objects crossing into the detection zone.



Direction
Start tracking people or objects in the detection zone without crossing into the zone.



Line crossing
Detect people or objects crossing the detection line.




Tailgating
Detect a person or object crossing the detection line within a set period from the previous person or objects.



Dwell
Detect people or objects crossing into a detection zone and remaining past the set dwell time.



Logic rules
Combine multiple rules to create specific conditions for events.



Reduce False Alarms

MEGApix Ai accurately classify objects and people, distinguishing them from environmental items such as spiders, shaking shadows and moving lights. The result is a reduction in false alarm rates, saving storage and enabling more efficient monitoring.

High-Quality Image

DW's cameras offer superb video resolution, forensic details and clear image in any lighting environment.



Star-Light Plus

Provide crisp, clear B/W and color images in near complete darkness.



True WDR

Deliver clear images in a wider range of lighting.



Smart IR

Clear B/W image without loss of detail of white spots.



Simultaneous Streams

Manage traffic and bandwidth on your network with multi-stream configurations.



Compliance and Compatibility

DW products are compatible with 3rd party solutions for a truly customizable solution.



5 Year Warranty

All DW cameras come with an unbeatable 5-year warranty.


All-in-One Deterrent Solution

The cameras come with white light LEDs, flashing alarm lights and built-in speaker and microphone, making the camera a complete deterrent solution.




QR Code Reader Plugin

QR code reader detects and registers codes in the FoV with green LED visual verification.



ALPR IP Cameras

DW's Automatic License Plate Recognition (ALPR) IP camera can detect and extract numbers and letters in license plates, as well as the vehicle's make, model and color, at up to 45mph at 95% accuracy, converting the pixels to usable digital data.



Ultra-wide single-sensor views

The ultra-wide view single-sensor bullet IP camera offers wide-area situational awareness and edge-to-edge image clarity without pixel loss, suitable for narrow corridor installations, with clear images as close as 19.5-23.5 inches from the camera.

Discrete Mount with Wide-Angle Coverage

Mount the camera directly on the wall or ceiling without additional mounts for a 124° ultra-wide-angle view, capturing more area in a single frame and no blind spots.



Dual-Sensor Dome Camera

DW's dual-sensor IP camera provides two sensors that can be positioned and configured independently, allowing flexible, multi-directional video surveillance that is ideal for monitoring hallways, train stations and other narrow view environments.



Hardware Built to Last

The DWC-XSBJ bullet and DWC-XSDJ dome cameras come with a junction box and converter plate included for an out-of-the-box solution that is easy to install and has everything you need in weather and vandal-resistant housing.



Next Generation IR Technology

DW's new dome design places the IR LEDs separately from the lens and dome. The result is a clear B/W image in any lighting and weather conditions, with no IR reflection on the dome or IR hot spots.



DW's new IR design delivers clear B/W images with no IR reflection



IR reflection and smudges cause image distortion

NDAA/TAA Compliant

DW products sold and distributed worldwide are designed and developed in the U.S.A. and Korea, with manufacturing in Korea, Vietnam and Taiwan.

Most DW products qualify for GSA Schedule Contracts and other government opportunities because they are TAA and NDAA compliant.



NDAA/TAA
COMPLIANT PRODUCT



Trade
Agreements
Act FAR 52.225-5



PTZ Camera with Auto Tracking

DWC-XPZA is powered by AI-based auto tracking, which locks onto identified people or vehicles in a detection zone, even in low-light conditions and complex environments.




Extensive Zoom and Coverage

With a 40x optical zoom and 16x digital zoom, the camera can capture distant objects with clarity. The 360° endless panning and high-speed pan and tilt functions allow comprehensive coverage of large areas without blind spots.



Ultra Low-Profile Vandal Dome Cameras

The DWC-XSDA and DWC-XSDH hardware packs all the power and capabilities of DW's Ai™ into a small, discrete vandal housing. The camera, small enough to fit in the palm of your hand, is a great addition to any application that is looking for maximum surveillance power in a discrete installation.



Models and specifications*:

	SKU		Housing	Image sensor	Focal length	Illumination	Audio	Alarm/Sensors	Specialty AI
30MP	DWC-XMDF32H		4-in-one multi-sensor panoramic camera	4x 1/1.8" 8.48MP Star-Light Plus™ sensor	4x 9.0mm fixed lenses	---	1 input/1 output	1 input/1 output	---
20MP	DWC-XMDS20Mi		4-in-1 multi-sensor flex dome	4x 1/2.8" 5.69MP Star-Light Plus™ sensor	4x 2.8-8.0mm vari-focal lenses	100ft IR range	1 input/1 output	1 input/1 output	---
12MP	DWC-XFFA12Ai		Fisheye	1/2.3" 12.93MP Star-Light Plus™ sensor	1.5mm fisheye lens	70ft IR range	1 microphone built-in/1 output	1 input/1 output	---
3MP	DWC-XPZA03Mi		PTZ	3MP 1/1.8" Star-Light Plus™ sensor, 60fps	6.5-260mm vari-focal lens	1184ft IR range	1 input/1 output	4x sensor input / 2x alarm output / 1x RS485 port	Object tracking
4K	DWC-XPZA08Mi		High-speed PTZ dome	4K 1/1.8" Star-Light Plus™ sensor, 30fps	6.5-260mm vari-focal lens	1184ft IR range	1 input/1 output	4x sensor input / 2x alarm output / 1x RS485 port	Object tracking
	DWC-XSBA08Mi		Bullet	4K 1/2.8" Star-Light Plus™ sensor, 30fps	2.7-13.5mm vari-focal lens	140ft IR range	1 input/1 output	1 input/1 output	---
	DWC-XSBC08Bi		Bullet	4K 1/1.8" Star-Light Plus™ sensor, 30fps	2.3mm fixed lens	100ft IR range	1 input/1 output	1 input/1 output	---
	DWC-XSBF08LiF		Bullet	4K 1/2.8" Star-Light Plus™ sensor, 30fps	6-22mm vari-focal lens	130ft IR range	1 line in, 1 microphone built-in/1 out, 1 speaker built-in	1 input/1 output	---
	DWC-XSBJ08Mi		Bullet	4K 1/2.8" Star-Light Plus™ sensor, 30fps	2.7-13.5mm vari-focal lens	110ft IR range	1 line input, 1 microphone built-in/1 output	1 input/1 output	---
	DWC-XSDE08Mi		Vandal Dome	4K 1/2.8" Star-Light Plus™ sensor, 30fps	2.7-13.5mm vari-focal lens	100ft IR range	1 microphone built-in/1 output	1 input/1 output	---
	DWC-XSDJ08Mi		Vandal Dome	4K 1/2.8" Star-Light Plus™ sensor, 30fps	2.7-13.5mm vari-focal lens	110ft IR range	1 line input, 1 microphone built-in/1 output	1 input/1 output	---
	DWC-XSTD08MF		Turret	4K 1/1.8" Star-Light Plus™ sensor, 30fps	3.6-10mm vari-focal lens	90ft range white light	1 microphone built-in/1 speaker built-in	1 input/1 output	---
	DWC-XSWA08Bi		Wall Mounted Camera	4K 1/1.8" Star-Light Plus™ sensor, 30fps	2.3mm fixed lens	100ft IR range	1 line input, 1 microphone built-in/1 output	1 input/1 output	---
10MP	DWC-PDS10Wi28A		Dual-sensor dome	2x 1/2.8" 5MP Star-Light Plus™ sensors, 30fps	2x 2.8mm fixed lenses	60ft IR range	1 microphone built-in/1 output	1 input/1 output	---
	DWC-XDBJ10Mi		Dual-sensor bullet	2x 1/2.8" 5.17M Star-Light Plus™ sensors	2x 2.7-13.5mm vari-focal lenses	110ft IR range	1 line in, 1 microphone built-in/1 out, 1 speaker built-in	1 input/1 output	---

	SKU		Housing	Image sensor	Focal length	Illumination	Audio	Alarm/Sensors	Specialty AI
5MP	DWC-XFFA05Ai		Fisheye	1/2.8" 5.17MP Star-Light Plus™ sensor	1.19mm fisheye lens	70ft IR range	1 line input/1 Line output	1 input/1 output	---
	DWC-XSBA05LiP		Bullet	5MP 1/2.8" Star-Light Plus™ sensor, 30fps	6-50mm vari-focal lens	130ft IR range	1 line input/1 Line output	1 input/1 output	Captures and reads vehicle license plates, make, model and color (ALPR).
	DWC-XSBE05Li		Bullet	5MP 1/2.8" Star-Light Plus™ sensor, 30fps	5 -50mm vari-focal lens	120ft IR range	1 line input/1 Line output	1 input/1 output	---
	DWC-XSBE05Mi		Bullet	5MP 1/2.8" Star-Light Plus™ sensor, 30fps	2.7-13.5mm vari-focal lens	120ft IR range	1 line input/1 Line output	1 input/1 output	---
	DWC-XSCD05Bi		Corner Mount	5MP 1/2.8" Star-Light Plus™ sensor, 30fps	2.26mm fixed lens	100ft IR range	1 input/1 output	1 input/1 output	---
	DWC-XSDA08Bi		Vandal Dome	5MP 1/2.8" Star-Light Plus™ sensor, 30fps	2.8mm fixed lens	90ft IR range	1 input/1 output	1 input/1 output	---
	DWC-XSDH05Mi		Vandal Dome	5MP 1/2.8" Star-Light Plus™ sensor, 30fps	2.7-13.5mm vari-focal lens	100ft IR range	1 microphone built-in/1 line output	1 input/1 output	---
	DWC-XSTD05MF		Turret	5MP 1/2.8" Star-Light Plus™ sensor, 30fps	2.7-12mm vari-focal lens	90ft range white light	1 microphone built-in/1 speaker built-in	1 input/1 output	---
	DWC-XSTD05MFQ		Turret	5MP 1/2.8" Star-Light Plus™ sensor, 30fps	2.7-12mm vari-focal lens	90ft range white light	1 microphone built-in/1 speaker built-in	1 input/1 output	Detects QR codes and registers the code's text.
	DWC-XSTD05Mi		Turret	5MP 1/2.8" Star-Light Plus™ sensor, 30fps	2.7-13.5mm vari-focal lens	100ft IR range	1 microphone built-in/1 line output	1 input/1 output	---
	DWC-XSTD05Bi		Turret	5MP 1/2.8" Star-Light Plus™ sensor, 30fps	2.8mm fixed lens	100ft IR range	1 microphone built-in/1 line output	1 input/1 output	---

Upgrade your Surveillance System into an **Active Deterrent Solution** with **SiteWatch Perimeter Protection.**

SiteWatch™
Perimeter Protection by DW®

DW is Built for Users

Digital Watchdog products are built with the user at the center, delivering intuitive, reliable, and high-performance solutions that simplify security management. From plug-and-play camera systems to powerful video management software, every product is designed to streamline installation, operation, and maintenance.

With features like AI-based object detection, remote access through DW Cloud™, and seamless integration across platforms, DW empowers users—from installers to end-users—with the tools they need to monitor, protect, and respond efficiently. Whether securing a small business or a large enterprise, Digital Watchdog puts usability and peace of mind first.



Contact us:



California Office
16220 Bloomfield Avenue
Cerritos, California USA 90703
Hours: 8:00am – 5:00pm PST.



Florida Office
5436 West Crenshaw Street
Tampa, Florida USA 33634
Hours: 8:30am – 5:30pm EST.

Phone (Toll-Free).....1.866.446.3595

Fax.....1.813.888.9262

Customer Service (U.S.).....1.866.446.3595

Customer Service (International).....1.813.888.9555

Customer Service (French).....1.514.360.1309

Sales Email.....sales@digital-watchdog.com

Tech Support Email.....technicalsupport@digital-watchdog.com



866.446.3595

sales@digital-watchdog.com

www.digital-watchdog.com

Built for Users.™

