



FEEL SECURE



DOOR ENTRY SYSTEMS

SteelTouch: where Design, Technology, and Security come together.

Our latest entrance panel range, combining cutting-edge technology with refined design and robust security. Designed to integrate seamlessly into any environment — from individual homes and apartment blocks to offices and mixed-use developments — SteelTouch delivers outstanding performance, an intuitive user experience, and the flexibility to suit any architectural style.

SINCE 1956, COMELIT HAS BEEN DEDICATED TO TURNING OUR VISION OF TOTAL SECURITY INTO A REALITY.

For nearly 70 years, we have been **recognized internationally** as a leader in door entry systems, celebrated for the quality, innovation, reliability, and ease of installation of our products.

Over time, we have expanded our expertise to encompass a **full range of security solutions**, including access control, fire safety systems, video surveillance, home automation and intruder alarms.

Our growth has been strengthened by strategic acquisitions, which, alongside our **research and development** centers in Rovetta, Bergamo, Tunis, and Paris, have established specialised hubs of expertise. These include PAC in the UK, Teletek Electronics in Bulgaria, Blueprint in Italy, and, most recently, Ingenium in Spain.

Today, our global footprint extends far beyond our Rovetta headquarters, **with 9 international subsidiaries, 8 research centres, over 1,000 employees, and a presence in more than 90 countries.** This robust structure enables us to deliver greater value to our partners and end-users alike, fulfilling our commitment to creating a safer world every day.

“The history of Comelit
is shaped by the trust
and confidence of those
who have chosen us
for their projects and
achievements.”

SINCE **1956**

10
BRANCHES



90
COUNTRIES

1000
EMPLOYEES


8
R&D
CENTERS



SteelTouch: The Evolution of the Entrance


SteelTouch transforms the entrance experience, combining **contemporary design** with **intelligent functionality**. Its sleek stainless steel finish and responsive touch display bring a new level of **sophistication** to any reception point.

Available with **5" or 8" displays**, the SteelTouch range integrates seamlessly with both **Simplebus** and **IP (ViP) systems**, offering maximum flexibility across all types of installations — from individual homes and apartment blocks to offices and mixed-use developments.





Wide-Angle camera

The integrated wide-angle camera offers an **expansive 160° field of view**, giving you complete visibility at the entrance. High-resolution imaging, combined with a **twilight sensor**, ensures clear, sharp visuals in all lighting conditions — enhancing security and awareness, even in low light.




Advanced Digital Microphone

The **high-performance** digital microphone delivers crisp, **clear audio** without background noise. Purpose-built for outdoor use, it ensures reliable communication even in noisy or acoustically challenging environments.




Touch Screen Interface

Available in 5- or 8-inch versions, the touchscreen interface is both intuitive and **feature-rich**. Users can search by name, use the numeric keypad, insert customised logos, and display a personalised welcome screen — all designed to deliver a simple, streamlined user experience.




Directory

SteelTouch makes it easy to find users by swiping through the directory, just like on a smartphone. This intuitive approach is ideal for installations where you want all names displayed in alphabetical order.




Direct Call

For added privacy or security, names can be replaced with flat numbers. The interface includes a numeric keypad, allowing users to dial a specific number directly to initiate a call.



Search

The on-screen QWERTY keyboard can be accessed anytime using the magnifying glass icon. In Address Book mode, simply type a name — or part of one — to instantly display matching contacts.



Opening with code

Authorised residents or visitors can be assigned unique numeric codes. Entering the code directly on the screen unlocks the door or gate securely, with no need for a physical key or credential.



Durable by Design

Crafted from **0,1-inch thick AISI 316 stainless steel**, SteelTouch is built to withstand even the harshest environments. With high resistance to **impact** (IK08) and **weather** (IP65), it's ideal for outdoor use in both residential and commercial settings. Precision engineering and quality materials ensure lasting performance, combining durability, reliability, and a refined aesthetic that stands the test of time.



Twilight Sensor

SteelTouch features a built-in twilight sensor that automatically adjusts screen **brightness and camera lighting based on ambient conditions**. As daylight fades, the system optimises backlighting to maintain sharp images and clear visibility—without causing glare or leaving dark spots. This not only improves the user experience but also boosts energy efficiency by activating only when necessary.



Smart, Secure Access

Equipped with an **RFID reader** compatible with leading standards (MIFARE Classic and Desfire), SteelTouch offers quick, secure, and contactless access—ideal for modern residential setups. Credentials replace traditional keys, simplifying access control. Thanks to Wiegand output support, SteelTouch can **integrate with Comelit PAC control panels or third-party systems**, making it suitable for even the most complex installations.



A Perfect Fit for Any Setting

With clean lines, high-quality finishes, and a contemporary design, SteelTouch **suits a wide range of environments** — individual homes and apartment blocks to offices and mixed-use development entrances. It blends seamlessly with any exterior and is fully compatible with existing accessories, making it easy to retrofit and an ideal choice for upgrading older systems.

SteelTouch

Remote Name Management

Managing names has never been easier. With the MyComelit app, you can add or update names directly from your smartphone* — quickly and intuitively. It's a flexible and convenient feature, ideal for dynamic settings like apartment buildings, residences, offices, or shared spaces.



*FEATURE CURRENTLY AVAILABLE FOR THE 5" VERSION.
FOR THE 8" VERSION, INTEGRATION IS PLANNED FOR 2026.

Choose the Right Monitor for Your System



People

Available in both handset and handsfree versions, PEOPLE features a clean, minimalist design combined with exceptional durability — making it an ideal choice for a wide range of environments. Quick to configure via NFC, it's simple and reliable.



People Wi-Fi

PEOPLE Wi-Fi brings together smart technology, convenience, and sustainability. With built-in Wi-Fi, it enables you to manage calls remotely and securely, giving you full visibility and interaction with visitors directly from your smartphone.



7Top

7TOP offers the ease of a 7-inch touch interface in a robust, modern design. Perfect for any setting, it lets you manage entrances, view notifications, and stay in control — all with a few simple taps.




Article	IX1090	IX2090	IX8090	IX8090S	IX3453	IX3454	IX3454S
System	SB1 2 Wires	SB2 2 Wires	ViP (IP)	ViP (IP)	SB1 2 Wires	ViP (IP)	ViP (IP)
Display	5" LCD Touch	5" LCD Touch	5" LCD Touch	5" LCD Touch	8" TFT Touch	8" TFT Touch	8" TFT Touch
Camera Angle (HxV)	120° x 90°	120° x 90°	160° x 90°	160° x 90°	120° x 90°	160° x 90°	160° x 90°
Twilight sensor	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Microphone	MEMS, omnidirectional	MEMS, omnidirectional	MEMS, omnidirectional	MEMS, omnidirectional	MEMS, omnidirectional	MEMS, omnidirectional	MEMS, omnidirectional
Audio technologies	Full-Duplex	Full-Duplex	Echo cancellation, noise reduction	Echo cancellation, noise reduction	Full-Duplex	Echo cancellation, noise reduction	Echo cancellation, noise reduction
Access control	RFID, code, Wiegand	RFID, code, Wiegand	RFID, code, Wiegand	RFID, code, Wiegand	RFID, code, Wiegand	RFID, code, Wiegand	RFID, code, Wiegand
Power supply	33VDC external	33VDC (from bus)	PoE (IEEE 802.3af)	PoE (IEEE 802.3af)	33VDC external	PoE (IEEE 802.3af)	PoE (IEEE 802.3af)
Protection	IP65 / IK08	IP65 / IK08	IP65 / IK08	IP65 / IK08	IP65 / IK08	IP65 / IK08	IP65 / IK08
Assembly	Flush-mounted (included) or wall-mounted with accessory that can be purchased separately	Flush-mounted (included) or wall-mounted with accessory that can be purchased separately	Embedding (included)	Wall-mounted (included)	Flush-mounted (included) or wall-mounted with accessory that can be purchased separately	Embedding (included)	Wall-mounted (included)
Programming	ViP Manager	ViP Manager	ViP Manager	ViP Manager	ViP Manager	ViP Manager	ViP Manager
Dimensions WxHxD (in)	5,91 x 14,53 x 2,2	5,91 x 14,53 x 2,2	5,91 x 14,53 x 2,2	5,91 x 14,53 x 2,2	7,17 x 13,46 x 2,32	7,17 x 13,46 x 2,32	7,17 x 13,46 x 2,32
Complete data sheet							

Easy installation and total compatibility

SteelTouch comes pre-assembled and wired, **ready for installation**. it is compatible with previous series accessories (3one6 for the 8" version and Switch for the 5" version), simplifying upgrades and retrofits. Programming is done via ViP Manager software or USB port, with backup on microSD, offering flexibility and speed of operation even on site.

PICTURE	ART.	DESCRIPTION	VERSION
	IX9151B	FLUSH-MOUNTED BOX FOR STEELTOUCH 5" Dimensions (W x H x D): 4,88 x 13,51 x 2,2.	5"
	IX9161B	SURFACE-MOUNTED HOUSING W/ RAINSHIELD FOR STEELTOUCH 5" Dimensions (W x H x D): 6,1 x 14,72 x 3,29.	5"
	IX9161A	SURFACE-MOUNTED HOUSING W/ RAINSHIELD + ACCESSORY FOR STEELTOUCH 5" Dimensions (W x H x D): 6,1 x 19,82 x 3,56.	5"
	IX9171B	SURFACE-MOUNTED HOUSING (WITHOUT RAINSHIELD) FOR STEELTOUCH 5" Dimensions (W x H x D): 6,1 x 14,72 x 2,52.	5"
	IX9100	BLANK FRONT PLATE FOR STEELTOUCH 5" Dimensions (W x H x D): 5,91 x 5,1 x 0,1.	5"
	IX9102	SIMPLEKEY FACILITY FRONT PLATE FOR STEELTOUCH 5" Dimensions (W x H x D): 5,91 x 5,1 x 0,1.	5"
	IX9104U	MAGNETIC INDUCTION FRONT PLATE FOR STEELTOUCH 5" Dimensions (W x H x D): 5,91 x 5,1 x 0,1.	5"
	IX9156	FLUSH-MOUNTED BOX FOR ACCESSORY Dimensions (W x H x D): 4,35 x 4,88 x 2,17.	5"
	3460/6	FLUSH-MOUNTED BOX FOR STEELTOUCH 8" Dimensions (W x H x D): 6,46 x 12,72 x 2,2.	8"
	3462/6	SURFACE-MOUNTED HOUSING FOR STEELTOUCH 8" Dimensions (W x H x D): 7,09 x 13,39 x 2,2.	8"
	3458	ACCESS CONTROL MODULE FOR STEELTOUCH 8" Dimensions (W x H x D): 7,17 x 3,46 x 2,2.	8"





12612 Clark St Santa Fe Springs,
CA 90670 USA
Tel. (626) 930-0388 Toll Free (888) 692-9739
info@comelitusa.com

