

## QUADCAB® HQC Series Wall-Mount Cabinets

### Built to Last, for Light to Heavy-Duty Use

The QUADCAB® HQC series of wall-mount, swing-out cabinets are built with solid Hubbell quality and the innovations users need most. All the essential features of the Light Duty (HLQ) and Super Duty (HSQ) cabinet series have been brought to the HQC line to create exceptional value.

HQC cabinets are easy to install and have a 300 lb. load capacity for all-purpose use.



#### Features

- Adjustable depth mounting rails with threaded #12-24 holes
- 300 lb. load capacity for multiple device installation
- Reversible cabinet, for left- or right-hand door swing
- Fan knockouts, for easy installation of optional fans
- Rectangular knockout, to retrofit pre-installed cable
- Installed grounding jumpers to bond all cabinet sections
- Smoked plexiglass door standard
- Front door and center sections keyed alike
- Rear panel mounting holes spaced for 16" on center studs
- Base panel with "belt loops", to mount an assortment of Hubbell bracket kits
- 32" deep versions support deep active equipment & fiber enclosures such as the FCR-X
- Removable rear door to simplify installation
- 

#### Applications

- Retail spaces & small offices
- Commercial areas
- General use
- Telecom rooms with limited space
- IDF in large facilities

# Ordering Information

## HQC Quadcab® Series

Includes: cabinet, (1) pair 19" mounting rails, (2) CH751 locks and keys, installed bonding conductors, powder-coated, black



| Product Number | Description                            | Color | Rack Positions | Height "A" (in.) | Depth "B" (in.) | Overall Height Dim "C" | Dim "D" | Dim "E" |
|----------------|----------------------------------------|-------|----------------|------------------|-----------------|------------------------|---------|---------|
| HQC2424        | HQC, 24H x 24D, tinted plexiglass door | Black | 12             | 24.12            | 24.33           | 25.12                  | 17.77   | N/A     |
| HQC3624        | HQC, 36H x 24D, tinted plexiglass door | Black | 19             | 36.37            | 24.33           | 37.37                  | 29.52   | N/A     |
| HQC4824        | HQC, 48H x 24D, tinted plexiglass door | Black | 26             | 48.62            | 24.33           | 49.62                  | 41.77   | 19.20   |
| HQC2432        | HQC, 24H x 32D, tinted plexiglass door | Black | 12             | 24.12            | 32.33           | 25.12                  | 17.77   | N/A     |
| HQC3632        | HQC, 36H x 32D, tinted plexiglass door | Black | 19             | 36.37            | 32.33           | 37.37                  | 29.52   | N/A     |
| HQC4832        | HQC, 48H x 32D, tinted plexiglass door | Black | 26             | 48.62            | 32.33           | 49.62                  | 41.77   | 19.20   |




## Specifications

|                   |                                                                                                                                                                                      |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Description       | Wall-mount, swing-out cabinet with a lockable smoked plexiglass front door for secure, visible access to mounted equipment.                                                          |
| Use               | Designed for indoor environments.                                                                                                                                                    |
| Heights           | Available in multiple standard sizes; including 24", 36" and 48".                                                                                                                    |
| Rack Units        | Available in 12, 19, and 26 rack units.                                                                                                                                              |
| Depths            | Available in 24" and new 32" deep version for accommodating larger equipment.                                                                                                        |
| Load Capacity     | 300 lbs, supporting a range of equipment types both light and heavy-duty.                                                                                                            |
| Cable Access      | Features multiple knockouts and a large rectangular knockout for retrofit cable installations.<br>Fan knockouts provided for optional fan installation, enhancing equipment cooling. |
| Equipment Support | Adjustable mounting rails with #12-24 threaded holes.<br>Rear panel mounting holes spaced for 16" on center studs, facilitating easy wall mounting.                                  |
| Material          | Cabinet body and door constructed from durable materials with a smoked plexiglass door standard.<br>Installed grounding jumpers to bond all cabinet sections securely.               |
| Construction      | Robust design with reversible cabinet features for left or right-hand door swing.                                                                                                    |
| Finish            | Available in standard industrial finishes; in color black.                                                                                                                           |
| Certifications    | UL 2416 listed, EIA-310-E compliant, and grounding provisions per TIA-607, ensuring compliance with industry standards.                                                              |
| Security          | Front door and center sections keyed alike for enhanced security.                                                                                                                    |


# Dimensions



Front View  
(front door not shown)



Top View



Back View

# Accessories



## HQC Caster Kits

| Catalog Number        | Description                                |
|-----------------------|--------------------------------------------|
| <a href="#">HQCCK</a> | HQC Caster Kit with 5 stem wheels and nuts |




## HQC Fan Kit

| Catalog Number        | Description                                |
|-----------------------|--------------------------------------------|
| <a href="#">HQCCK</a> | HQC Fan Kit, one (1), 75 CFM Fan, hardware |



## HQC Fan Filter Kit

| Catalog Number          | Description                                            |
|-------------------------|--------------------------------------------------------|
| <a href="#">HQCFF</a>   | HQC Fan Filter Kit w/Filter Housing, Fan Guard, Filter |
| <a href="#">HQCFFR5</a> | HQC Fan Filter Replacement Kit (5 filters/pk)          |



## Vertical Cable Management Bars

| Catalog Number            | Description                        |
|---------------------------|------------------------------------|
| <a href="#">HQCVCMB24</a> | Vertical Cable Management BAR, 24" |
| <a href="#">HQCVCMB36</a> | Vertical Cable Management BAR, 36" |
| <a href="#">HQCVCMB48</a> | Vertical Cable Management BAR, 48" |



## 20 Amp AC Power Kit

| Catalog Number       | Description                                             |
|----------------------|---------------------------------------------------------|
| <a href="#">REKP</a> | 20 Amp AC Power Kit w/Receptacle, Box, Flexible Conduit |



## Grounding Kit

| Catalog Number        | Description                           |
|-----------------------|---------------------------------------|
| <a href="#">REKGB</a> | Grounding Kit with Busbar and Jumpers |



## Fiber Optic Bracket

| Catalog Number        | Description                                 |
|-----------------------|---------------------------------------------|
| <a href="#">REKFP</a> | Fiber Optic Bracket for one FSP or Cassette |



## Rear Rail Kits

| Catalog Number            | Description                                |
|---------------------------|--------------------------------------------|
| <a href="#">HWK6M6</a>    | Rear Rail Kit with two rails, 24" x M6     |
| <a href="#">HWK9M6</a>    | Rear Rail Kit with two rails, 36" x M6     |
| <a href="#">HWK12M6</a>   | Rear Rail Kit with two rails, 48" x M6     |
| <a href="#">HWK241224</a> | Rear Rail Kit with two rails, 24" x #12-24 |
| <a href="#">HWK361224</a> | Rear Rail Kit with two rails, 36" x #12-24 |
| <a href="#">HWK481224</a> | Rear Rail Kit with two rails, 48" x #12-24 |