Product data sheet

Specifications



Performance, Vertical Cable Manager for 2 & 4 Post Racks, 84"H x 10"W, Double-Sided with Doors

AR8645

Product availability: Stock - Normally stocked in distribution facility

Overview

Presentation	This 10” wide, high capacity vertical cable manager for 2 and 4 Post open frame racks features a double-sided cable channel with multiple internal cable tie-off locations and smooth plastic fingers at 1U increments for organized patching applications.

Main

Product or Component Type	Cable organizer
Number of rack unit	0U
Provided equipment	Doors Installation guide Mounting Hardware 3 x Midspan brackets

Complementary

Mounting Mode	Not rack-mountable
Color	Black
Height	84.02 in (2134 mm)
Width	10.0 in (253 mm)
Depth	26.0 in (660 mm)
Net Weight	75.0 lb(US) (34 kg)

Environmental

Product Certifications	UL Listed

Ordering and shipping details

Category	80230-IG SEBA TO SEUSA
Discount Schedule	BMS1
GTIN	731304291596
Returnability	No
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	16.0 in (40.6 cm)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Width	90.04 in (228.7 cm)
Package 1 Length	32.5 in (82.6 cm)
Package weight(Lbs)	95.02 lb(US) (43.1 kg)

Contractual warranty

Warranty (in months)	24

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**151 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**144 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**4 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**0 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**3 kg CO2 eq.**
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
EU RoHS Directive	Compliant
REACh Regulation	Free of Substances of Very High Concern above the threshold

Use Again

Repack and remanufacture

Recyclability potential, in %	**95**
Circularity Profile	**No need of specific recycling operations**
Take-back	**No**
WEEE Label	**The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.**

Image of product / Alternate images

Alternative







