

MODEL #

T3Z2812AIO-5MP



FENNEC SERIES OCTAVUE

HD ANALOG **TURRET CAMERA**



5MP
RESOLUTION



5MP
2616(H)×1964(V)

2.7-13.5 mm



IR Up to 35M

Power 12V 0.5A

Introducing the TURRET **T3Z2812AIO-5MP** analog security camera, your ultimate surveillance solution. With its impressive 5MP resolution and versatile 2.7-13.5mm lens, every detail is captured with clarity. Experience enhanced night vision with infrared capabilities of up to 35 meters, ensuring round-the-clock protection. Invest in peace of mind with this cutting-edge security camera that blends advanced technology with reliability, providing unparalleled security for your property or business.



IP66 Waterproof & Dustproof

TVI-CVI-AHD-960H



VIDEO

Imaging Device	1/2.8"
Total Pixels	2704×2104
Effective Pixels	5MP 2616(H)×1964(V)
Scanning System	Progressive Scan CMOS
Min Illumination	Color 0.02 lux @ F1.6 (AGC on); B/W 0 lux (IR on)
Video Output	BNC
Resolution	Main Stream 5MP@20fps 4AHD/4CVI/4TVI
Focal Length (mm)	2.7–13.5 mm
Aperture	F1.8–F3.3
Field of View	H 110.6–32.6° / V 57.3–18.3° / D 134.1–37.4°
Min. Object Distance	0.8 m (W) / 1 m (T)
Lens Type	Motorized

LAWS AND REGULATIONS

Safety	CE LVD
EMC	CE EMC, FCC
ROHS	RoHS2.0


OPERATIONAL

Viewable Length	Up to 35m
OSD Languages	English
Day Night Mode	Ext / Color / B/W
Backlight Compensation (BLC)	Off / User BLC
Wide Dynamic Range (WDR)	WDR 120 dB
3D Noise Reduction	3D DNR
Gain Control	Auto
White Balance	ATW
Shutter Speed	Auto
Flip Mirror	Mirror
Remote Control	ACP (AHD Coax Protocol)
Transmission Distance	MAX 300M (Cable : 5C 2V)

GENERAL

Operating Temp / Humidity	-30°C to +55°C / ≤ 90% RH
IP Rating	IP66
Input Voltage	DC12V
Power Consumption	≤2W (IR off) / ≤6.5W (IR on)
Color/Material	White/Metal
Dimensions	Ø135.56×127.04 mm
Weight	850 g

DIMENSIONS



COMPATIBLE ACCESSORIES


CEILING MOUNT SOLUTION



CMB6-G
CEILING MOUNT

EB3BASE3-G
PENDANT

CORNER MOUNT SOLUTION



COMB6
CORNER MOUNT BRACKET

POLE MOUNT SOLUTION



PMB6
POLE MOUNT BRACKET

WALL MOUNT SOLUTION



WMB5
WALLMOUNT BRACKET

WMB6
WALLMOUNT BRACKET

EB3BASE3-G
PENDANT

JUNCTION BOX



EB3BASE3
JUNCTION BOX

SECURITY.INNOVATION.RELIABILITY.

POWERED BY G.S.D GROUP INC.

At G.S.D Group, we design and deliver innovative, reliable, and high-performance security solutions that protect people, businesses, and critical infrastructure. From intelligent surveillance and access control to enterprise software and AI-powered technologies, we provide complete security ecosystems built for today's challenges and tomorrow's opportunities.

STAY CONNECTED



 CONTACT US



 YOUTUBE



 LINKEDIN



 NEWSLETTER

COMPLIANCE



CE MARKING



FCC CERTIFICATE



RoHS COMPLIANT



NDAA COMPLIANT

CONNECTION & INTERFACES



8525.89.30.00

HS CODE



628308721719

UPC CODE

DOWNLOAD OUR APP: OV CONNECT



WWW.GSDGROUPINC.COM



A CANADIAN ENTERPRISE