Comparison.







Category	Feature	Smart Thermostat Lite	Smart Thermostat Enhanced	Smart Thermostat Premium
Savings	Annual savings	Up to 23%*	Up to 26%*	Up to 26%*
	eco+ features	✓	✓	✓
Control	Control through iOS & Android apps and Apple Watch	✓	✓	✓
	Works with all major smart home systems	✓	✓	✓
	Dual-Band Wi-Fi		√	✓
HVAC System Compatibility	Multi-speed fan support	✓	√	✓
	Compatibility of 24V heating and cooling systems	~95%	~90%	~95%
	HVAC accessory support	1-wire acc.	1-wire acc.	Dual accessory support
	Ventilators supported	HRV, ERV, Standard	HRV, ERV, Standard	HRV, ERV, Standard
Design	Usable display size	2500sq mm	5000sq mm	5000sq mm
	Display resolution	240x320	540x540	540x540
	Premium industrial design			Metal base
Audio	Alexa & Siri built-in			✓
	Spotify Connect and Bluetooth streaming			✓
Sensors	SmartSensor included			✓
	Occupancy built-in to thermostat		✓	✓
	Indoor Air Quality Monitor			
Warranty	5-year Pro warranty	✓	✓	✓

*Compared to a hold of 72°F/22°C.

Smart Thermostat LITE	Terminal	Conventional	Heat pump	2-Pipe	4-Pipe	PTAC		
Smart mermostat en e	RC		Cooling 24V Transformer	Single 24V Transformer	Single 24V Transformer	Single 24V Transformer		
SKU: EB-STATE7P-01		Cooling 24V Transformer		<u> </u>				
	RH	Heating 24V Transformer	Heating 24V Transformer	Not used	Not used	Not used		
	С	Common	Common	Common	Common	Common		
	Y1	Stage-1 cool	Stage-1 comp	Valve	Cool valve	Stage-1 cool		
	W1	Stage-1 heat	Stage-1 aux heat	Aux heat	Heat valve	Stage-1 heat		
	Y2/G2	Stage-2 cool	Stage-2 comp	Med (G2) fan	Med (G2) fan	Med (G2) fan		
	W2/G3	Stage-2 heat	Stage-2 aux heat	High (G3) fan	High (G3) fan	High (G3) fan		
	G/PEK	Low fan or PEK module	Low fan or PEK module	Low (G1) fan	Low (G1) fan	Low (G1) fan		
	OB/S1	Not used	Reversing valve	S1-Pipe sensor	Not used	Reversing valve		
	ACC/S2	1-wire accessory	1-wire accessory	S2-Pipe Sensor	1-wire accessory	1-wire accessory		
	Powered accessories require an add-in isolation relay.							
Smart Thermostat ENHANCED	Terminal	Conventional	Heat pump	2-Pipe	4-Pipe	PTAC		
	R	Single 24V Transformer	Single 24V Transformer	Single 24V Transformer	Single 24V Transformer	Single 24V Transformer		
	С	Common	Common	Common	Common	Common		
	Y1	Stage-1 cool	Stage-1 comp	Valve	Cool valve	Stage-1 cool		
	W1	Stage-1 heat	Stage-1 aux heat	Aux heat	Heat valve	Stage-1 heat		
	Y2/G2	Stage-2 cool	Stage-2 comp	Med (G2) fan	Med (G2) fan	Med (G2) fan		
	W2/OB	Stage-2 heat	Reversing valve	Not used	Not used	Reversing valve		
	PEK+/G3/ ACC	PEK module or 1-wire accessory	PEK module or 1-wire accessory	High (G3) fan	High (G3) fan	High (G3) fan		
CA SKU: EB-STATE6LPC-01 U.S. SKU: EB-STATE6LP-01	G	Low fan	Low fan	Low (G1) fan	Low (G1) fan	Low (G1) fan		
	No dual-transformer support. No support for FCU pipe sensors. Heat pump configuration supports dual fuel/hybrid system with 1-stage aux heat. Powered accessories require an add-in isolation relay.					require an add-in isolation relay.		
Smart Thermostat PREMIUM	Terminal	Conventional	Heat pump	2-Pipe	4-Pipe	PTAC		
9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	RC	Cooling 24V Transformer	Cooling 24V Transformer	Single 24V Transformer	Single 24V Transformer	Single 24V Transformer		
	RH/S1	Heating 24V Transformer	Heating 24V Transformer	S1-Pipe sensor	Not used	Not used		
	С	Common	Common	Common	Common	Common		
	Y1	Stage-1 cool	Stage-1 comp	Valve	Cool valve	Stage-1 cool		
	W1	Stage-1 heat	Stage-1 aux heat	Aux heat	Heat valve	Stage-1 heat		
	Y2/G2	Stage-2 cool	Stage-2 comp	Med (G2) fan	Med (G2) fan	Med (G2) fan		
	W2/G3	Stage-2 heat	Stage-2 aux heat	High (G3) fan	High (G3) fan	High (G3) fan		
	PEK+/S2/ 2nd accessory	PEK module or 2nd accessory	PEK module or 2nd accessory	S2-Pipe sensor	2nd accessory	PEK module or 2nd accessory		
	G	Low fan	Low fan	Low (G1) fan	Low (G1) fan	Low (G1) fan		
	ОВ	Not used	Reversing valve	Not used	Not used	Reversing valve		
CA SKU: EB-STATE6PC-01 U.S. SKU: EB-STATE6P-01	ACC+	1-wire or 2-wire accessory	1-wire or 2-wire accessory	1-wire or 2-wire accessory	1-wire or 2-wire accessory	1-wire or 2-wire accessory		
	ACC-	2-wire accessory	2-wire accessory	2-wire accessory	2-wire accessory	2-wire accessory		

ecobee for Pro















© 2024 ecobee Technologies ULC. All rights reserved. ecobee and the ecobee logo are trademarks of Generac Power Systems, Inc., registered in the U.S. and other countries. Designed in Canada. Specific ecobee smart thermostats may have integration limitations. You can easily and securely control accessories that are compatible with Apple Home™ such as thermostats, and more with the Home app and Siri® on your iPhone®, iPad®, Apple Watch®, HomePod®, HomePod mini®, or Mac using Apple HomeKit® technology. To control this Siri-enabled accessory, the latest version of iOS or iPadOS is recommended. Accessing Siri on this accessory requires iOS 15 or iPadOS 15 or later and the HomePod or HomePod mini with software version 15 or later. Apple, Apple Home, Apple Watch, HomePod, HomePod mini, iPad, and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries and regions.

Google is a trademark of Google LLC. Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates. The Wi-Fi CERTIFIED™ logo is a certification mark of Wi-Fi Alliance®.

ecobee for Pro

Smart Thermostat LITE



Simple design. Serious savings. Trusted by Pros.

- Pro Channel exclusive.
- Control from anywhere.
- (\$† Energy savings.
- 1-wire accessory support.

Smart Thermostat ENHANCED



Live comfortably and save automatically.

- (\$† Learns and automates to save energy.
- Larger screen and improved UI.
- 8 1-wire accessory support.
- Built-in radar occupancy sensor.
- Dual-band Wi-Fi.
- Includes PEK in the box.

Smart Thermostat PREMIUM



Saving energy is just the beginning.

- ⁷² Includes all Lite and Enhanced features.
- Premium design.
- AQ built-in.
- Smart speaker built-in.
- Included SmartSensor.
- & Dual accessory support.
- Includes PEK in the box.