

Fire Alarm System Quick Quote Form



Dealer Name: _____ Contact Name: _____
Account Number: _____ Email: _____
Phone Number: _____ Job Name or Reference: _____

General System Information

1. Is there a particular manufacturer that is preferred or required for a spec? _____
2. Conventional or Addressable? _____
3. Single family residential or commercial? _____
4. How many floors or zones does the building have? _____
5. How many remote annunciators? _____
6. Class "A" or Class "B" circuits? _____
7. Cell and/or Internet monitoring? _____

Initiation Device Circuits (IDC) If Conventional (SLC) If Addressable

1. Smoke Detectors
 - a. Smoke detector _____
 - b. Combination smoke/heat detector _____
 - c. Combination smoke/carbon monoxide detector _____
 - d. Smoke detector with auxiliary relay _____
 - e. # of standard sounder bases _____
 - f. # of low frequency sounder bases _____
2. Heat Detectors
 - a. 135° fixed temperature _____
 - b. 135° fixed temperature and rate of rise _____
 - c. 194° fixed temperature _____
 - d. 194° fixed temperature and rate of rise _____
3. Carbon Monoxide Detectors
 - a. Standard room detector _____
 - b. Parking garage detector _____

4. Duct Smoke Detectors

- a. Duct mounted smoke detector supplied by alarm dealer _____ W/P (Y/N) _____
- b. Duct mounted smoke detector supplied by others and monitored by system _____
- c. Remote test station and indicator _____

5. Beam Smoke Detectors

- a. Beam smoke detector _____
- b. Remote test station and indicator _____
- c. Beam distance from point to point _____

6. Manual Pull stations

- a. Single action _____
- b. Dual action _____
- c. Stopper covers or wire guards _____

7. Initiation Circuits

- a. Number of alarm circuits _____
- b. Number of sprinkler supervisory circuits _____
- c. Number of water flow circuits _____

Notification Appliance Circuits (NAC)

1. Combination horn/strobe

- a. Combination horn/strobe wall mount _____
- b. Combination horn/strobe ceiling mount _____
- c. Combination horn/strobe weather proof _____

2. Strobe

- a. Strobe wall mount _____
- b. Strobe ceiling mount _____
- c. Strobe weather proof _____

3. Horn and sounder

- a. Horn _____
- b. Mini Horn _____
- c. Low frequency combination sounder/strobe _____
- d. Low frequency sounder _____

Control Circuits

1. Relay controlled devices
 - a. Magnetic door holder release _____
 - b. Door lock release _____
 - c. Air handler unit shutdown _____
 - d. Elevator recall number of elevator banks _____
 - e. Elevator shunt trip number of elevator banks _____

Wire and Cable

1. Fire alarm cable (FPL, FPLR, FPLP)
 - a. Cable type (FPL, FPLR, FPLP) _____
 - b. # of feet 18/2 _____
 - c. # of feet 18/4 _____
 - d. # of feet 16/2 _____
 - e. # of feet 16/4 _____
 - f. # of feet 14/2 _____
 - g. # of feet 14/4 _____
 - h. # of feet 12/2 _____
2. Fire alarm direct burial cable
 - a. # of feet 18/2 _____
 - b. # of feet 18/4 _____
 - c. # of feet 16/2 _____
 - d. # of feet 16/4 _____
 - e. # of feet 14/2 _____
 - f. # of feet 14/4 _____
3. Other cable _____

Notes: