

# EMERGENCY SOLUTIONS

IP INTERCOM SOLUTIONS  
FOR EMERGENCY RESPONSE

UNCOMPROMISED SECURITY



# EMERGENCY SOLUTIONS

## IP INTERCOM SOLUTIONS FOR EMERGENCY RESPONSE

In critical situations, every second matters. The IX | IXG Series provides instant, reliable emergency communication between those in need of assistance and security personnel. Our solutions deliver everyday security and emergency support, whether in parking garages, campuses, or public spaces.



# EMPOWER SAFETY WITH AIPHONE'S EMERGENCY COMMUNICATION



## OPEN STANDARDS



### SIP CALLING

Place or transfer calls to security operations centers or emergency services with SIP.



### INTEGRATION

Integrate third-party IP cameras and video management systems with ONVIF™.



### ADA COMPLIANT

Easily identifiable and accessible with bright LED lighting, red call button, and prominent braille signage.



### WEATHER & VANDAL RESISTANT

Withstands harsh weather conditions and high traffic areas with its durable stainless-steel design.

## INSTALLATION & MONITORING MADE EASY



### FLEXIBLE INSTALLATION OPTIONS

Delivers reliable power with hard-wired or solar powered set-ups for any application and environment.



### DEVICE CHECK

Verify status of emergency station camera, speakers, call button, relay inputs, and outputs to ensure consistent performance.

## SEAMLESS INTEGRATION WITH LEADING SYSTEMS

**Genetec™**

**LENEL S2**

**milestone**



**ALERTUS®**

**tyco**

Software House


Aiphone's emergency solutions easily integrate with industry leaders like Genetec, Lenel S2, Milestone, Tyco Software House, Alertus, and more. These integrations ensure efficient management of intercoms, video surveillance, access control, and alarm systems, enhancing overall security.

Our intercoms are SIP and ONVIF compliant, allowing seamless interoperability with leading providers of IP cameras, video management systems, and access controls. This open architecture empowers you to build a customized security ecosystem that evolves alongside your needs.



## CREATE A COMPREHENSIVE SECURITY ECOSYSTEM

Secure your premises with the IX | IXG Series IP Video Intercom System.  
One solution for security communication, emergency response and access control.




# EMERGENCY INTERCOMS




IX-DVF-2RA

- HD Camera
- ADA compliant raised lettering and Braille signage
- Buttons for standard & emergency calls
- PoE pass through
- 2 contact outputs; 6 trigger inputs
- IK08 / IP65
- 11-11/16" H x 7" W




IX-DVF-RA

- HD Camera
- ADA compliant raised lettering and Braille signage
- Single call button for standard & emergency calls
- PoE pass through
- 2 contact outputs; 6 trigger inputs
- IK08 / IP65
- 11-11/16" H x 7" W



IX-SSA-2RA

- ADA compliant raised lettering and Braille signage
- Buttons for standard & emergency calls
- PoE pass through
- 2 contact outputs; 6 trigger inputs
- IK08 / IP65
- 11-11/16" H x 7" W



IX-SSA-RA

- ADA compliant raised lettering and Braille signage
- Single call button for standard & emergency calls
- PoE pass through
- 2 contact outputs; 6 trigger inputs
- IK08 / IP65
- 11-11/16" H x 7" W

# ANSWERING STATIONS



IX-MV7-HB  
IX-MV7-HW

Touchscreen answering stations with handset

- 7" touchscreen
- 8 customizable speed dial buttons
- 2 contact outputs, 4 trigger inputs
- Audio and video recording
- Wall or desk mounted



IX-MV7-B  
IX-MV7-W

Touchscreen answering stations

- 7" touchscreen
- 8 customizable speed dial buttons
- 2 contact outputs, 4 trigger inputs
- Audio and video recording
- Wall or desk mounted



IXG MOBILE APP

- Video calling and answering
- Door release & relay control
- Intuitive user interface



IX-SOFT

Answering Station Software

- Complete answering station features
- 50 highly customizable speed dials
- Record custom message pages
- Interactive map
- Line Supervision and Device Check



IX-RS-B  
IX-RS-W

IX-MV7-HW-JP

# EMERGENCY & ASSISTANCE TOWERS & WALL BOXES




WB-CE  
WB-CA

- 12-Gauge stainless steel
- ADA Compliant 4" depth
- Each box includes a UL Listed electrical box for installing an AC outlet, and a bracket to install a power supply internally
- 27" H x 10-13/16" W x 4" D



WB-HE  
WB-HA

- 12-Gauge stainless steel
- ADA Compliant 4" depth
- Each box includes a UL Listed electrical box for installing an AC outlet, and a bracket to install a power supply internally
- 27" H x 10-13/16" W x 4" D





TW-SA  
TW-SE

TW-TA  
TW-TE

- UL-514-A listed electrical box included at the base
- ADA compliant intercom mounting height
- Beacon/Strobe is always lit; flashes during emergency call-in
- LED for station illumination in station over-hang
- 73" H x 8" W x 8" D



TW-TA-ARM  
TW-TE-ARM

- Camera arm with universal pipe threading
- UL-514-A listed electrical box included at the base
- ADA compliant intercom mounting height
- Strobe is always lit; flashes during emergency call-in
- LED for station illumination in station over-hang
- 174" H x 8" W x 15-3/4" D



TWS-Z4

Sets also available for Zones 1 and 2

- Aluminum tower with 5052 aircraft grade aluminum electrical enclosure
- Solar panel and batteries for power
- Ubiquiti wireless point to point for network connectivity
- 26-1/4" H x 58-1/3" W x 1-3/8" D



# ACCESSORIES



## TW-MKL

### L-Bolt Mounting Kit

- Designed to securely mount Aiphone towers into a concrete base
- Includes mounting template to transfer onto plywood for easy installation
- Sold separately for pre-installation convenience



## TW-SPL

### Door Station Adaptor Plate for Towers

- Adapts standard sized IX sub stations to tower
- For use with non-emergency station when strobe activation is not needed



## MB-RF1

### Retrofit Mounting Box

- An interface box for mounting Aiphone's IX emergency stations onto an existing Code Blue® or Talk-A-Phone® tower/wall box



## PS-POE

### PoE Splitter

The PS-POE is a PoE splitter that provides a 24V DC output to power the strobe light in Aiphone's wall boxes and towers.

- Powers strobe without use of a separate power supply
- Compact design is discrete and easy to install
- Easily secured to mounting studs on back of IX Series 2 stations or 1-gang box



## IXW-MAA

### Multi-Purpose Adaptor

- PoE
- Ten Form C relay outputs
- 24V AC/DC 500mA relay contact rating
- Mountable to a 170mm DIN rail or directly to a wall

## TECHNOLOGY PARTNERS

AVAYA

AVIGILON™

BOSCH

CISCO

DW  
DIGITAL WATCHDOG

Genetec™

Hanwha  
Techwin America

i-PRO

LENEL-S2

milestone

Mitel

tyco | Software House

## CHOSEN BY THOUSANDS OF ORGANIZATIONS

BANK OF AMERICA

Coca-Cola

Domino's

FedEx

THE  
HOME  
DEPOT

Jack  
in the box

KAISER PERMANENTE®


KIA

macy's

MARRIOTT

salesforce


STARBUCKS COFFEE



## GET YOUR EMERGENCY INTERCOM GUIDE

Emergency communication systems serve as lifelines in critical situations. Our guide can help you learn what features to consider and how to choose the best intercom solution to fit your security needs.

Get your guide at [aiphone.com](http://aiphone.com)



 **AIPHONE**

UNCOMPROMISED SECURITY

DRIVEN BY HUMAN CONNECTION

[aiphone.com](http://aiphone.com)