

# GOVERNMENT BUYING GUIDE

TOP TAA PRODUCTS

C2G.

CHIEF

CONNECTRAC.

DA-LITE.

LUXUL.

MIDDLE  
ATLANTIC.

VADDIO.

WIREMOLD

\*TAA  
COMPLIANT

## WHAT ARE TAA COMPLIANT PRODUCTS?

TAA compliant products are those that are manufactured or “substantially transformed” in the United States or in a TAA designated country with which the U.S. maintains a trade agreement and regards as a reliable or acceptable procurement source.

Legrand | AV’s TAA compliant products are approved to be used in United States government projects and facilities.


C2G .....	4
Chief .....	8
Da-Lite .....	12
Luxul .....	14
Middle Atlantic.....	12
Vaddio.....	16
Connectrac / Wiremold .....	22
Additional Resources .....	24



# TAA COMPLIANT SOLUTIONS BY LEGRAND | AV

When it comes to technology solutions for the federal government, there’s no room for error - which is why Legrand | AV’s strong warranties and extreme reliability have made them a trusted partner for years. As the most comprehensive AV partner for common applications such as mission critical command and control centers, secure conference rooms and digital signage communication, Legrand | AV allows for one-stop shopping with a wide range of TAA compliant products meeting the strictest government requirements.

This guide will take you through Legrand | AV’s top TAA compliant products. You read that right, **every single product shown in this guide holds the TAA certification.**



# TAA COMPLIANT COUNTRIES

The TAA designated country list is sourced from the Federal Acquisition Regulation (FAR) and is current as of February 2026.

- |                              |                     |                              |
|------------------------------|---------------------|------------------------------|
| Afghanistan                  | France              | Niger                        |
| Angola                       | Gambia              | North Macedonia              |
| Antigua & Barbuda            | Germany             | Norway                       |
| Armenia                      | Greece              | Oman                         |
| Aruba                        | Grenada             | Panama                       |
| Australia                    | Guatemala           | Peru                         |
| Austria                      | Guinea              | Poland                       |
| Bahamas                      | Guinea-Bissau       | Portugal                     |
| Bahrain                      | Guyana              | Romania                      |
| Bangladesh                   | Haiti               | Rwanda                       |
| Barbados                     | Honduras            | Saba                         |
| Belgium                      | Hong Kong           | Samoa                        |
| Belize                       | Hungary             | Sao Tome & Principe          |
| Benin                        | Iceland             | Senegal                      |
| Bhutan                       | Ireland             | Sierra Leone                 |
| Bonaire                      | Israel              | Singapore                    |
| British Virgin Islands       | Italy               | Sint Eustatius               |
| Bulgaria                     | Jamaica             | Sint Maarten                 |
| Burkina Faso                 | Japan               | Slovakia                     |
| Burundi                      | Kiribati            | Slovenia                     |
| Cambodia                     | Korea (Republic of) | Solomon Islands              |
| Canada                       | Laos                | Somalia                      |
| Central African Republic     | Latvia              | South Sudan                  |
| Chad                         | Lesotho             | Spain                        |
| Chile                        | Liberia             | St. Kitts & Nevis            |
| Colombia                     | Liechtenstein       | St. Lucia                    |
| Comoros                      | Lithuania           | St. Vincent & the Grenadines |
| Costa Rica                   | Luxembourg          | Sweden                       |
| Croatia                      | Madagascar          | Switzerland                  |
| Curacao                      | Malawi              | Taiwan                       |
| Cyprus                       | Mali                | Tanzania                     |
| Czech Republic               | Malta               | Timor-Leste                  |
| Democratic Republic of Congo | Mauritania          | Togo                         |
| Denmark                      | Mexico              | Trinidad & Tobago            |
| Djibouti                     | Moldova             | Tuvalu                       |
| Dominica                     | Montenegro          | Uganda                       |
| Dominican Republic           | Montserrat          | Ukraine                      |
| El Salvador                  | Morocco             | United Kingdom               |
| Equatorial Guinea            | Mozambique          | Vanuatu                      |
| Eritrea                      | Nepal               | Yemen                        |
| Estonia                      | Netherlands         | Zambia                       |
| Ethiopia                     | New Zealand         |                              |
| Finland                      | Nicaragua           |                              |

# SIMPLIFIED CONNECTIVITY

Investing in the right cabling is critical in ensuring that the network operates smoothly, reliably and securely while also providing the speed and scalability needed to keep up with changing demands.

By using premium components and the latest technologies to keep pace with the fast-moving changes in technology, C2G is built to scale. Backed by a lifetime warranty on all cables, users can feel confident with C2G in their next mission critical build.



**Inventory Finder**

## CONNECTIVITY

### HDMI® Cables

C2G PN	Product Title	COO
C2G50109	3ft (0.9m) C2G Plus Series TAA Premium High Speed HDMI® Cable with Ethernet	TW
C2G50110	6ft (1.8m) C2G Plus Series TAA Premium High Speed HDMI® Cable with Ethernet	TW
C2G50111	10ft (3m) C2G Plus Series TAA Premium High Speed HDMI® Cable with Ethernet	TW



New TAA Plus Series Premium High Speed HDMI Cables available in 3ft, 6ft and 10ft lengths.

### DisplayPort™ Cables

C2G PN	Product Title	COO
C2G50112	3ft TAA-Compliant DisplayPort™ Cable with Latches-8K 60Hz	TW
C2G50113	6ft TAA-Compliant DisplayPort™ Cable with Latches-8K 60Hz	TW
C2G50114	10ft TAA-Compliant DisplayPort™ Cable with Latches-8K 60Hz	TW



Experience flawless, high-res visuals with the rock-solid reliability of this DisplayPort 1.4 cable.

### USB Cables

C2G PN	Product Title	COO
C2G68000	3ft (0.9m) TAA-Compliant USB 2.0 A/B Cable	TW
C2G68001	6ft (1.8m) TAA-Compliant USB 2.0 A/B Cable	TW
C2G68002	10ft (3.1m) TAA-Compliant USB 2.0 A/B Cable	TW
C2G68003	15ft (4.6m) TAA-Compliant USB 2.0 A/B Cable	TW
C2G68011	3ft (0.9m) TAA-Compliant USB 2.0 A Male to A Female Extension Cable	TW
C2G68012	6ft (1.8m) TAA-Compliant USB 2.0 A Male to A Female Extension Cable	TW
C2G68013	10ft (3.1m) TAA-Compliant USB 2.0 A Male to A Female Extension Cable	TW



Use these USB cables for keyboards, mice, modems, printers. Delivers high speed data transfer up to 480 Mbps.

### Speakers

C2G PN	Product Title	COO
41508	2x2 Drop in Ceiling Speaker - 8Ω - Plenum Rated	US
41509	2x2 Drop in Ceiling Speaker - 70V - Plenum Rated	US



Compact ceiling speaker designed for standard 2x2 drop ceilings, ideal for classrooms, offices, or commercial AV.

**Audio Accessories**

C2G PN	Product Title	COO
40881	25/70V 50W Audio Amplifier - Plenum Rated	TW
40880	8 Ohm 50W Audio Amplifier - Plenum Rated	TW

This amplifier reduces noise in commercial environments, goes into standby mode to save power, and is designed for installation in plenum air spaces.



40881

**Power Accessories**

C2G PN	Product Title	COO
03130	6ft 18 AWG Universal Power Cord (NEMA 5-15P to IEC320C13)	TW
03134	10ft 18 AWG Universal Power Cord (NEMA 5-15P to IEC320C13)	TW
09482	15ft 18 AWG Universal Power Cord (NEMA 5-15P to IEC320C13)	TW

This universal power cord is compatible with most PCs, monitors, scanners, printers, and other devices. Designed for durability and longevity, its heavy-duty 18 AWG cable features a fully molded construction.



03130

**AV Extension**

C2G PN	Product Title	COO
C2G54266	Superbooster® 1-Port USB over Cat6a Box to Box Extender Kit - USB 3.2 Gen1 (5Gbps)	TW
C2G54267	Superbooster® 1-Port USB over Cat6a Wall Plate to Box Extender Kit - USB 3.2 Gen1 (5Gbps)	TW
C2G54268	Superbooster® 1-Port USB over Cat6a Wall Plate to Wall Plate Extender Kit - USB 3.2 Gen1 (5Gbps)	TW
C2G54269	Superbooster® 1-Port USB over Cat6a Wall Plate to 4-Port USB-Box Extender Kit - USB 3.2 Gen1 (5Gbps)	TW
C2G54262	Superbooster® 2x4 USB Over Cat6a Extender Switch - USB 3.2 Gen1 (5Gbps)	TW

This 4K camera extender transmits USB 3.2 signals up to 328ft (100m) with a plug-and-play setup. It's been pre-tested with solid-state drives and leading PTZ cameras to ensure compatibility and reliable performance.



C2G54269

**Docking Stations**

C2G PN	Product Title	HDMI	DisplayPort	USB-A	USB-C	Ethernet	3.5mm Jack	SD Card Reader	Max Resolution	Power Delivery	COO
C2G54535	USB-C® Triple Display Dock	3x	2x	5x	2x	1x	1x	—	—	85W USB-C®	TW
C2G54487*	USB-C® Dual Display Dock	2x	—	5x	1x	1x	1x	—	4K @ 30 hz	60W USB-C®	TW
C2G54488	USB-C® Dual Display Dock	2x	—	5x	1x	1x	1x	—	4K @ 30 hz	60W USB-C®	TW
C2G54537	Thunderbolt™ 4 USB-C Dock	—	—	4x	4x	1x	1x	1x	4K	135W USB-C	TW

\*Includes 100-240V, 1.5A power supply adapter.

The USB-C® Dual Display Docking Station is ideal for those extra connectivity demands at the desk or on the go.



C2G54487



C2G's newly expanded TAA Compliant Category Cable Offering features lengths from 6in to 100ft and up to nine different colors across multiple lines to make color coding between secure and non-secure networks a breeze.

**Cat6 Snagless Unshielded (UTP) Network Cables TAA**




	Blue	Black	White	Yellow	Green	Orange	Pink	Purple
6in	C2G43443	C2G43464	C2G43569	C2G43506	C2G43485	C2G43527	C2G43590	C2G43548
1ft	C2G43444	C2G43465	C2G43570	C2G43507	C2G43486	C2G43528	C2G43591	C2G43549
2ft	C2G43445	C2G43466	C2G43571	C2G43508	C2G43487	C2G43529	C2G43592	C2G43550
3ft	C2G43446	C2G43467	C2G43572	C2G43509	C2G43488	C2G43530	C2G43593	C2G43551
4ft	C2G43447	C2G43468	C2G43573	C2G43510	C2G43489	C2G43531	C2G43594	C2G43552
5ft	C2G43448	C2G43469	C2G43574	C2G43511	C2G43490	C2G43532	C2G43595	C2G43553
6ft	C2G43449	C2G43470	C2G43575	C2G43512	C2G43491	C2G43533	C2G43596	C2G43554
7ft	C2G43450	C2G43471	C2G43576	C2G43513	C2G43492	C2G43534	C2G43597	C2G43555
8ft	C2G43451	C2G43472	C2G43577	C2G43514	C2G43493	C2G43535	C2G43598	C2G43556
9ft	C2G43452	C2G43473	C2G43578	C2G43515	C2G43494	C2G43536	C2G43599	C2G43557
10ft	C2G43453	C2G43474	C2G43579	C2G43516	C2G43495	C2G43537	C2G43600	C2G43558
12ft	C2G43454	C2G43475	C2G43580	C2G43517	C2G43496	C2G43538	C2G43601	C2G43559
14ft	C2G43455	C2G43476	C2G43581	C2G43518	C2G43497	C2G43539	C2G43602	C2G43560
15ft	C2G43456	C2G43477	C2G43582	C2G43519	C2G43498	C2G43540	C2G43603	C2G43561
20ft	C2G43457	C2G43478	C2G43583	C2G43520	C2G43499	C2G43541	C2G43604	C2G43562
25ft	C2G43458	C2G43479	C2G43584	C2G43521	C2G43500	C2G43542	C2G43605	C2G43563
30ft	C2G43459	C2G43480	C2G43585	C2G43522	C2G43501	C2G43543	C2G43606	C2G43564
35ft	C2G43460	C2G43481	C2G43586	C2G43523	C2G43502	C2G43544	C2G43607	C2G43565
50ft	C2G43461	C2G43482	C2G43587	C2G43524	C2G43503	C2G43545	C2G43608	C2G43566
75ft	C2G43462	C2G43483	C2G43588	C2G43525	C2G43504	C2G43546	C2G43609	C2G43567
100ft	C2G43463	C2G43484	C2G43589	C2G43526	C2G43505	C2G43547	C2G43610	C2G43568

**Cat6 Shielded (STP) Network Cables TAA**



	Grey	Blue	White	Red	Yellow	Green
6in	C2G43707	C2G43721	C2G43777	C2G43749	C2G43763	C2G43735
1ft	C2G43708	C2G43722	C2G43778	C2G43750	C2G43764	C2G43736
2ft	C2G43709	C2G43723	C2G43779	C2G43751	C2G43765	C2G43737
3ft	C2G43710	C2G43724	C2G43780	C2G43752	C2G43766	C2G43738
4ft	C2G43711	C2G43725	C2G43781	C2G43753	C2G43767	C2G43739
5ft	C2G43712	C2G43726	C2G43782	C2G43754	C2G43768	C2G43740
6ft	C2G43713	C2G43727	C2G43783	C2G43755	C2G43769	C2G43741
7ft	C2G43714	C2G43728	C2G43784	C2G43756	C2G43770	C2G43742
10ft	C2G43715	C2G43729	C2G43785	C2G43757	C2G43771	C2G43743
12ft	C2G43716	C2G43730	C2G43786	C2G43758	C2G43772	C2G43744
14ft	C2G43717	C2G43731	C2G43787	C2G43759	C2G43773	C2G43745
15ft	C2G43718	C2G43732	C2G43788	C2G43760	C2G43774	C2G43746
20ft	C2G43719	C2G43733	C2G43789	C2G43761	C2G43775	C2G43747
25ft	C2G43720	C2G43734	C2G43790	C2G43762	C2G43776	C2G43748

**Cat6a Snagless Shielded (STP) Network Cables TAA**



	Grey	Blue	Black	White	Red	Yellow	Green	Orange	Purple
6in	C2G43791	C2G43812	C2G43833	C2G43959	C2G43875	C2G43896	C2G43854	C2G43917	C2G43938
1ft	C2G43792	C2G43813	C2G43834	C2G43960	C2G43876	C2G43897	C2G43855	C2G43918	C2G43939
2ft	C2G43793	C2G43814	C2G43835	C2G43961	C2G43877	C2G43898	C2G43856	C2G43919	C2G43940
3ft	C2G43794	C2G43815	C2G43836	C2G43962	C2G43878	C2G43899	C2G43857	C2G43920	C2G43941
4ft	C2G43795	C2G43816	C2G43837	C2G43963	C2G43879	C2G43900	C2G43858	C2G43921	C2G43942
5ft	C2G43796	C2G43817	C2G43838	C2G43964	C2G43880	C2G43901	C2G43859	C2G43922	C2G43943
6ft	C2G43797	C2G43818	C2G43839	C2G43965	C2G43881	C2G43902	C2G43860	C2G43923	C2G43944
7ft	C2G43798	C2G43819	C2G43840	C2G43966	C2G43882	C2G43903	C2G43861	C2G43924	C2G43945
8ft	C2G43799	C2G43820	C2G43841	C2G43967	C2G43883	C2G43904	C2G43862	C2G43925	C2G43946
9ft	C2G43800	C2G43821	C2G43842	C2G43968	C2G43884	C2G43905	C2G43863	C2G43926	C2G43947
10ft	C2G43801	C2G43822	C2G43843	C2G43969	C2G43885	C2G43906	C2G43864	C2G43927	C2G43948
12ft	C2G43802	C2G43823	C2G43844	C2G43970	C2G43886	C2G43907	C2G43865	C2G43928	C2G43949
14ft	C2G43803	C2G43824	C2G43845	C2G43971	C2G43887	C2G43908	C2G43866	C2G43929	C2G43950
15ft	C2G43804	C2G43825	C2G43846	C2G43972	C2G43888	C2G43909	C2G43867	C2G43930	C2G43951
20ft	C2G43805	C2G43826	C2G43847	C2G43973	C2G43889	C2G43910	C2G43868	C2G43931	C2G43952
25ft	C2G43806	C2G43827	C2G43848	C2G43974	C2G43890	C2G43911	C2G43869	C2G43932	C2G43953
30ft	C2G43807	C2G43828	C2G43849	C2G43975	C2G43891	C2G43912	C2G43870	C2G43933	C2G43954
35ft	C2G43808	C2G43829	C2G43850	C2G43976	C2G43892	C2G43913	C2G43871	C2G43934	C2G43955
50ft	C2G43809	C2G43830	C2G43851	C2G43977	C2G43893	C2G43914	C2G43872	C2G43935	C2G43956
75ft	C2G43810	C2G43831	C2G43852	C2G43978	C2G43894	C2G43915	C2G43873	C2G43936	C2G43957
100ft	C2G43811	C2G43832	C2G43853	C2G43979	C2G43895	C2G43916	C2G43874	C2G43937	C2G43958

# INSTALLER INSPIRED

TAA compliant mounting solutions are an important component of the federal government's procurement policies due to strict security measures. Chief offers a complete line of TAA compliant solutions that are manufactured in countries that have been vetted for security concerns by the US government.

With numerous product awards and patented designs, Chief provides innovative features and is recognized for delivering quality products for secure installs.



MountFinder



# MOUNTS

## Projector Mounts

Chief PN	Product Title	Weight Capacity	COO
RPA302	RPA Custom Projector Mount	50 lbs	US
WP21US	Ultra Short Throw and Universal Projector Mount Kit (24 Inch)	25 lbs	US
RPAO-G	RPA Universal Ceiling Projector Mount	50 lbs	US

The Ultra Short Throw & Universal Projector Mount Kit mounts to wood studs, steel studs and concrete. Aesthetic covers for a clean finish.



WP21US

## Projection Mount Ceiling Storage Boxes

Chief PN	Product Title	Weight Capacity	COO
CMS491	1' x 2' Above Suspended Ceiling Storage Box	100 lbs	US
CMS491C	1' x 2' Above Suspended Ceiling Storage Box with Column Drop	100 lbs	US
CMS492	2' x 2' Above Suspended Ceiling Storage Box	100 lbs	US
CMS492C	2' x 2' Above Suspended Ceiling Storage Box with Column Drop	100 lbs	US

The CMS492C drop carriage door improves accessibility and serviceability providing full access to equipment.



CMS492C

## Carts

Chief PN	Product Title	Screen Size	Weight Capacity	COO
PFCUB-G	Large Flat Panel Mobile AV Cart	42" - 86"	200 lbs	US

The PFCUB-G mounts in either portrait or landscape offering optimal flexibility.



PFCUB-G

## Workstation Mounts

Chief PN	Product Title	Color	No. of Displays	Weight Capacity per Display	COO
K1D220S-G	Kontour™ K1D Dynamic Desk Clamp Mount	Silver/Black	2	25 lbs	US
K1D120B-G	Kontour™ K1D Dynamic Desk Clamp Mount	Silver/Black	1	25 lbs	US
K1C220S-G	Kontour™ K1C Dynamic Column Mount	Silver/Black	2	25 lbs	US

With best-in-class weight capacity, Kontour™ mounts can handle even the most robust monitors making specification simple.



K1D220S-G

## Wall Mounts

Chief PN	Product Title	Type	Screen Size	Weight Capacity	COO
LSM1U-G	Fusion® Large Micro-Adjustable Mount	Fixed	42" - 86"	200 lbs	US
XTM1U-G	Fusion® Extra-Large Micro-Adjustable Mount	Tilt	55" - 100"	250 lbs	US
LTM1U-G	Fusion® Large Micro-Adjustable Mount	Tilt	42" - 86"	200 lbs	US
PNRUB-G	Large Flat Panel Mount	Swing	42" - 86"	200 lbs	US




XTM1U-G

Fusion Tilt Wall Mounts are a low-profile solution designed for fast installation, cable management, security and flexible adjustment.

## Wall Mount Accessories

Chief PN	Product Title	Compatible with TAA Compliant Fusion Mounts	COO
FCASTC	Fusion Storage Cabinet	LSM1U-G, XTM1U-G, LTM1U-G	US



FCASTC

Compatible with Fusion Wall Mounts, the Fusion Storage Cabinet is an aesthetic front-serviceable AV storage solution – ideal when installing small devices behind the display is not an option.

## In-Wall Mounts

Chief PN	Product Title	Type	Screen Size	Weight Capacity	COO
FPIWMS	Tempo Flat Panel In-Wall Mount System - All-in-One Mounting System	Tilt	65"+	250 lbs	US
FPIWMKIT1	Tempo Flat Panel In-Wall Boxes and Stud Tabs Kit - Pre-Drywall Kit	—	—	—	US
FPIWMKIT2	Tempo™ Flat Panel In-Wall Flange-Mount-Storage Kit - Install and Commission Kit	—	—	—	US
FPIWSBX	Tempo™ In-Wall AV Storage Box - 14" x 23"	—	—	20 lbs	US
FPIWMA100	Camera Shelf for Tempo™ Flat Panel In-Wall Mount System	—	—	10 lbs	US
FPIWMA101	Video-Sound Bar Mount for Tempo™ Fla Wall Mount System	—	—	20 lbs	US



FPIWMS

Tempo™ Flat Panel In-Wall Mount System may be ordered as an all-in-one system or as separate kits for different phases of the construction process.

## In-Wall Storage Boxes

Chief PN	Product Title	COO
PAC525F-G	Proximity® In-Wall Storage Box - 9" x 14.25" x 3.9"	US
PAC526F-G	Proximity® Large In-Wall Storage Box - 14.25" x 14.25" x 3.9"	US



PAC526F

Proximity storage solutions provide in-wall storage for devices – where and when you need it.

## Freestanding Multi-Display Video Wall Mounts, Carts & Stands

Chief PN	Product Title	No. of Displays	Weight Capacity per Display	COO
XBM1U	Fusion® Extra-Large Single Bolt-Down, Landscape	1	250 lbs	US
LBM2x2U	Fusion® 2 x 2 Micro-Adjustable Large Bolt-Down Video Wall	4	250 lbs	US
LBM3x3U	Fusion® 3 x 3 Micro-Adjustable Large Bolt-Down Freestanding Video Wall	9	250 lbs	US
LVM2x2U	Fusion® 2 x 2 Micro-Adjustable Large Freestanding Video Wall Cart	4	250 lbs	US
LVM3x3U	Fusion® 3 x 3 Micro-Adjustable Large Freestanding Video Wall	9	250 lbs	US

## Direct View LED Wall Mounts & Accessories

Chief PN	Product Title	No. of Panels	Typical Panel Size	Weight Capacity (per column)	COO
DVM27U2	TiLED dvLED Universal Wall Mount 2 High Starter	2	27" dvLED panels	250 lbs	US
DVM27U3	TiLED dvLED Universal Wall Mount 3 High Starter	3	27" dvLED panels	250 lbs	US
DVM27U4	TiLED dvLED Universal Wall Mount 4 High Starter	4	27" dvLED panels	250 lbs	US
DVM27U2E	TiLED dvLED Universal Wall Mount 2 High Extender	2	27" dvLED panels	250 lbs	US
DVM27U3E	TiLED dvLED Universal Wall Mount 3 High Extender	3	27" dvLED panels	250 lbs	US
DVM27U4E	TiLED dvLED Universal Wall Mount 4 High Extender	4	27" dvLED panels	250 lbs	US
DVM0500U2	TiLED dvLED Universal Wall Mount 500mm 2 High Starter	2	500 x 500mm	250 lbs	US
DVM0500U3	TiLED dvLED Universal Wall Mount 500mm 3 High Starter	3	500 x 500mm	250 lbs	US
DVM0250U1E	TiLED dvLED Universal Wall Mount 250mm 1 High Extender	1	250 x 1000mm	250 lbs	US
DVM0270U1E	TiLED dvLED Universal Wall Mount 270mm 1 High Extender	1	270 x 960mm	250 lbs	US
DVM0270U1E	TiLED dvLED Universal Wall Mount 500mm 2 High Extender	2	500 x 500mm	250 lbs	US
DVM0500U3E	TiLED dvLED Universal Wall Mount 500mm 2 High Extender	3	500 x 500mm	250 lbs	US
DVM0540U2	TiLED dvLED Universal Wall Mount 540mm 2 High Starter	2	540 x 960mm	250 lbs	US
DVM0540U3	TiLED dvLED Universal Wall Mount 540mm 2 High Starter	3	540 x 960mm	250 lbs	US
DVM0540U2E	TiLED dvLED Universal Wall Mount 540mm 2 High Starter	2	540 x 960mm	250 lbs	US
DVM0540U3E	TiLED dvLED Universal Wall Mount 540mm 3 High Extender	3	540 x 960mm	250 lbs	US
DVA700	TiLED Installation Spacer Tool	—	—	—	US

## Ceiling Mounts

Chief PN	Product Title	Weight Capacity Per Display	1.5" NPT	Pin Connection	COO
XCB1U	Extra-Large Fusion® Single Pole Flat Mount	200 lbs	Yes	Yes	US
LCM1U-G	Large Fusion® Flat Panel Ceiling Mount	125 lbs	Yes	Yes	US
XCM7000	Extra-Large Fusion® Dual Pole Mount	300 lbs	Yes	No	US

## Ceiling Accessories

Chief PN	Product Title	COO
CPA262	Pin Connection CPA to Male NPT Adapter Accessory	US
CPA120	Pin Connection Column 120" (304.8 cm)	US
CMA360	I-Beam Clamp (Adapts to 1.5" NPT Column)	US




XBM1U

The Fusion® Bolt-Down Freestanding Solution makes it possible to install extra large displays in prominent locations.



TiLED UNIVERSAL

TiLED dvLED Universal Wall Mounts are brand agnostic and work with 90% of interlocking dvLED panels from leading manufacturers.



XCB1U

Fusion® Flat Panel Ceiling Mounts are installer inspired and offer perfect display positioning and flexible adjustments for extra-large flat panel screens.

# SCREENS

## FOR YOUR IMAGE

Having coined the term “the silver screen,” Da-Lite has been the leading producer of high-quality commercial projection screens globally for 100 years.

Made in Warsaw, Indiana, Da-Lite’s proprietary screen technologies are specified for the most demanding installations from military training simulators to boardrooms and classrooms.



**Screen Surface Selection Calculator**

**Da-Lite Screen Designer**

### What is SightLine Cable Drop?

SightLine, Da-Lite’s thin cable drop feature, elegantly suspends the screen surface and eliminates black drop – the black border above the projection screen. Specifying drop distance upon ordering is a thing of the past. Now, vertical placement of the screen can be variable as the cables accommodate a range of drop distances up to 16’ between the ceiling and the top of the screen – making ordering a snap.



Myriad Conceal is a tensioned and non-tensioned ceiling recessed electric screen in 16:9 HDTV, 16:10 and 21:9 Ultrawide Wide formats with SightLine Cable drop or traditional black drop.

### Ceiling Recessed: Myriad Conceal with SightLine

Formats Available	Sizes	COO
HDTV (16:9)	193", 202" and 220" diagonal	US
Wide (16:10)	198", 208" and 226" diagonal	US



Myriad Reveal is a tensioned and non-tensioned wall and ceiling mounted electric screen in 16:9 HDTV and 16:10 Wide formats with SightLine Cable drop or traditional black drop.

### Wall & Ceiling Mounted: Myriad Reveal with SightLine

Formats Available	Sizes	COO
HDTV (16:9)	193", 202" and 220" diagonal	US
Wide (16:10)	198", 208" and 226" diagonal	US

Need a part number? Choose a screen surface on the website!



The UTB Contour has an ultra thin bezel frame and low profile. Designed to look like a large flat panel, the UTB Contour can more than double the size of the largest flat panel televisions available.

### Fixed Frame Screens

Da-Lite PN	Product Title	Format	Most Popular Size	Surface	COO
23681	UTB Contour	HDTV (16:9)	119" diagonal	HD Progressive 1.0	US

## Popular Manual Screens

Da-Lite PN	Product Title	Format	Screen Size	Surface	COO
79884	Model C with CSR	HDTV (16:9)	119" diagonal	Matte White	US
34730	Model C with CSR	Wide (16:10)	113" diagonal	Matte White	US

## Popular Portable Screens

Da-Lite PN	Product Title	Format	Screen Size	Surface	COO
88609	Fast-Fold® Deluxe Screen System	HDTV (16:9)	158" diagonal	HD Rental	US
88693	Fast-Fold® Deluxe Screen System	HDTV (16:9)	158" diagonal	HD Progressive ReView 0.9	US

## Popular Accessories

Da-Lite PN	Product Title	Type of Accessory	COO
42067	Project-O-Stand	Cart	US
77755	A-Frame Easel	Easel	US

## Screen Surfaces

Type	COO
HD Progressive ReView 0.9	US
HD Progressive 1.0	US
HD Progressive 1.0 Perf	US
HD Progressive 1.1 Contrast	US
HD Progressive 1.3	US
Parallax® Stratos 1.0	US
High Contrast Matte White	US
Da-Mat®	US
HD Rental	US
Matte White	US
Da-Tex®	US

HD Progressive 1.0 is a front projection screen surface designed for high resolution up to 16K. Recommended for laser projectors with ultra-short, short, and standard throw lenses, its pure white appearance provides brilliant image color and is available in sizes up to 16' high seamless.



HD Progressive 1.0

HD Progressive ReView 0.9 is a rear projection screen surface designed for high resolution up to 16K. Recommended for laser projectors with ultra-short, short, and standard throw lenses, its light gray appearance enhances image color and contrast and is available in sizes up to 16' high seamless.



HD Progressive ReView 0.9 - Rear Projection Screen Surface

## SIMPLY CONNECTED

Luxul is the leading innovator of simple-to-deploy professional-grade IP networking solutions, designed to meet the stringent security standards required by federal organizations.

The Luxul family offers a complete line of solutions that simplify network design and deployment—resulting in a scalable network that is both powerful and easy to install.



**Customer Assurance  
Program**



## SWITCHES

### Switches with US Power Cord

Luxul PN	Product Title	COO
SW-505-8P-R	8 PoE+   2 RJ45   2 SFP Ports - Gigabit L2/L3 Managed Switch	TW
SW-505-8P-F	8 PoE+   2 RJ45   2 SFP Ports - Gigabit L2/L3 Managed Switch	TW
SW-505-16P-F	16 PoE+   2 Combo RJ45/SFP Ports - Gigabit L2/L3 Managed Switch	TW
SW-615-24P-R	24 PoE+   4 (10G) SFP+ Ports - Gigabit L2/L3 Managed Switch	TW
SW-505-24P-R	24 PoE+   2 Combo RJ45/SFP Ports - Gigabit L2/L3 Managed Switch	TW
SW-505-24P-F	24 PoE+   2 Combo RJ45/SFP Ports - Gigabit L2/L3 Managed Switch	TW
SW-515-48P-F	48 PoE+   4 SFP Ports - Gigabit L2/L3 Managed Switch	TW
SW-615-48P-F	48 PoE+   4 (10G) SFP+ Ports - Gigabit L2/L3 Managed Switch	TW

### Switch Accessories

Luxul PN	Product Title	Maximum Transmission Distance	COO
1G-MM-DX-LC	1GB Multimode Fiber Duplex SFP Module 850nm VCSEL	550m Over OM2 Fiber	TW
10G-MM-DX-LC	10GB Multimode Fiber Duplex SFP+ Module 850nm VCSEL	300m Over OM3 Fiber	TW

### Wireless Network

Luxul PN	Product Title	COO
AP-3064	Wi-Fi 6 AX3600 4x4 Indoor Access Point	TW

Luxul's SW-505-16P-R is an 18-port Gigabit switch that easily functions on its own or provides cost effective expandability via its two Gigabit SFP uplink ports to other Luxul switches.



SW-505-16P-R

The 10G-MM-DX-LC operates at an 850nm wavelength in Duplex (DX) mode to provide 10 Gigabit connectivity at distances up to 300 meters when using OM3 Multi-Mode (MM) fiber optic cable.



10G-MM-DX-LC

## WHAT GREAT SYSTEMS ARE BUILT ON™

Having been in the AV industry for over 40 years, Middle Atlantic has gained a reputation for durable, high-quality products. With the ability to add as many security features as needed, Middle Atlantic is ideal for any military training room, control room, or boardroom.



**Inventory Finder**

**Rackshelf Finder**

**LundHalsey Design**

**My Console**



## RACKS & TECHNICAL FURNITURE

### Wall

MAP PN	Product Title	Rack Units	Depth	Height	Colors Available	COO
VWM-4-5-42K-PW	VWM Series Vertical Wall Mount Rack	9 RU	12"	42"	Putty	US
DWR-24-26	DWR Series Pivoting Wall Rack	24 RU	26"	49.1"	Black	US
VPM-4	VPM Series Vertical Panel Mount Rack	4 RU	6"	7"	Black	MX

### Slide Out

MAP PN	Product Title	Rack Units	Depth	Weight Capacity	COO
SRSR-4-12	SRSR Series Slide Out Rotating Rail System Rack	12 RU	19.1"	250 lbs	US
SRSR-X-20	SRSR Series Slide Out Rotating Rail System Rack	20 RU	23.1"	200 lbs	US

### Floor Standing

MAP PN	Product Title	Rack Units	Depth	Rear Door Included	COO
MRK-4436	MRK Series 22" Wide AV Rack	44 RU	36"	Yes	US
MRK-4436	MRK Series 22" Wide AV Rack	44 RU	36"	No	US
MRK-4442	MRK Series 22" Wide AV Rack	44 RU	42"	No	US
MRK-4431	MRK Series 22" Wide AV Rack	44 RU	31"	Yes	US
BGR-4532	BGR Series 23" Wide AV Rack	45 RU	32"	Yes	US
BGR-4538	BGR Series 23" Wide AV Rack	45 RU	38"	Yes	US

### Cable Management

MAP PN	Product Title	Style	Offset	Offset Angle	COO
LBP-1R4	Lace Bar 4 Inch Offset - 10 Pieces	Round	4"	49	TW
LBP-4A	Lace Bar 4 Inch Offset - 10 Pieces	L-Shaped	4"	90	TW

The DWR series center section swing is reversible, and can be both key-locked and padlocked.



DWR-24-26

The rugged, space-saving innovative design with a high seismic load rating make the BGR series a favorite of installing contractors.



BGR-4538

# RACKS & TECHNICAL FURNITURE

# MIDDLE ATLANTIC®

## Popular Command & Control Consoles

MAP PN	Product Title	Width	Turret Worksurface	Adjustable Height	COO
LH-XTCMHS	LundHalsey x-Type Command & Control Console	63"	Yes	Yes	GB
LH-VLCMS	LundHalsey Visionline 24/7 Command & Control Console	63"	—	No	GB
LH-VLCLHS	LundHalsey Visionline 24/7 Command & Control Console	83"	—	Yes	GB

Additional sizes and configurations available. See [www.legrandav.com](http://www.legrandav.com) for more details.



LH-XTCMHS

LundHalsey Command & Control room consoles come in fixed height or electric height adjustable for sit/stand applications with 3 widths (small, medium and large) each supported by a robust frame providing perfect cable management, integration for active equipment and class leading industrial design.

## Pre-Configured Lecterns

Series	Widths	Worksurface Style	COO
Forum Lectern	42", 60" and 72"	Full Turret, Half Turret or Flat	US
L5 Series	23", 33" and 43"	Turret or Flat	US

Configure the Forum Lectern and L5 Lectern on [www.legrandav.com](http://www.legrandav.com), and the Forum Lectern is available for customization like replacing the acoustic felt panels with wood panels, contact the Legrand AV Federal Government Solutions Team. We are here to support you!



The L5 Series Lectern offers stylish designs and finishing options and is built around the rack you trust. The offering boasts optional drawers for storage and/or housing a document camera with desired side placement flexibility or choice of a flip up shelf for extra surface space.

## C5 Series Credenza

MAP PN	Number of Bays	Popular Woodkit Color	Depth	COO
C5-FF27-3 + Woodkit + Vent	3	Biltmore Cherry	27"	MX
C5-FF27-2 + Woodkit + Vent	2	Biltmore Cherry	27"	MX
C5-FF31-3 + Woodkit + Vent	3	Biltmore Cherry	31"	MX

Configure the C5 on [www.legrandav.com](http://www.legrandav.com). For custom sizes, like 4 and 5 Bay, contact the Legrand AV Federal Government Solutions Team. We are here to support you!



C5-FF27-3

The C5 Credenzas series allows for specific security settings per bay making it easy to separate equipment based on classification needs.

## Forum Collaboration Suite Tables

Table Shape	# of People	Table Height	Table Base Color	Table Top Color	COO
59" Angle	Fits 3-5 People	30" Seated	Black and Charcoal Gray or White and Silver Gray	Wilsonart Asian Night or Wilsonart Designer White	US
90" Angle	Fits 5-7 People				
Arc	Fits Up to 3				
Arc	Fits Up to 7				
Rectangle	Fits Up to 2				

## Forum Collaboration Display Stand and Shroud

Display Stand Style	Number of Displays	Number of Bays	Finish	COO
Free-Standing or Floor-To-Wall-Mounted	1, 1 (21:9 Ultra-Wide), 2	2 or 3	Dark or Light	US

## Network PDUs

MAP PN	Product Title	Volts AC	Amps	Outlet Count	Receptacle Type	COO
LP-41210	Legrand Horizontal Rackmount Metered PDU	120 VAC	20 Amp	8	NEMA 5-20R	TW
LP-61200	Legrand Vertical ZeroU Switched PDU	120 VAC	20 Amp	24	NEMA 5-20R	TW
LP-61110	Legrand Horizontal Rackmount Switched PDU	120 VAC	15 Amp	8	NEMA 5-20R	TW
LP-62300	Legrand Vertical ZeroU Switched PDU	208 VAC	30 Amp	24	IEC C13 & C19	TW

## Accessories

MAP PN	Product Title	Style	COO
RM-KB-LCD17KVMHD	High Definition Rackmount Consoles with KVM	8 Port KVM	TW
RM-KB-LCD17HD	High Definition Rackmount Console	Single Console	TW
LH-VLAKT	Visionline Kontrol Touch Desktop Power Unit	—	GB
LH-VLACCL	Visionline/x-Type Worksurface Corner LED Light Kit	—	GB

The Forum™ Collaboration Suite Display Stands and Tables are designed to achieve meeting equity in collaborative hybrid environments.




The LundHalsey Visionline Console has a factory installed corner LED option for visual status control and can easily signal security clearance levels within a room with different codes (code red, code blue).



LH-VLCMS

Network Metered PDUs enable line level power metering in real time, allowing remote monitoring of the load level, custom notifications, and user-specified conditions.



LP-41210

High definition rackmount consoles are designed for the needs of the AV system, with a 100% digital platform that maintains complete digital signal integrity.



RM-KB-LCD17KVMHD

## CAMERAS

### RoboSHOT Elite Series - 12x Optical Zoom

Vaddio PN	Product Title	Extension System	Colors Available	COO
999-99600-000 999-99600-000W	RoboSHOT 12E HDBT	—	Black/ White	US
999-99600-200 999-99600-200W	RoboSHOT 12E HDBT OneLINK Bridge System	OneLINK Bridge	Black/ White	US
999-99200-000 999-99200-000W	RoboSHOT 12E USB HD PTZ Camera	—	Black/ White	US
999-99605-000B 999-99605-000W	RoboSHOT 4K 12E HDBT	—	Black/ White	US
999-99605-200B 999-99605-200W	RoboSHOT 4K 12E HDBT OneLINK HDMI System	OneLINK HDMI	Black/ White	US
999-99605-300B 999-99605-300W	RoboSHOT 4K 12E HDBT OneLINK Bridge System	OneLINK Bridge	Black/ White	US



999-99605-000W

The RoboSHOT 12E cameras are recommended for small to medium spaces such as conference rooms and training rooms that require a wide angle of view.

### RoboSHOT Elite Series - 30x Optical Zoom

Vaddio PN	Product Title	Extension System	Colors Available	COO
999-99630-100 999-99630-100W	RoboSHOT 30E HDBT OneLINK HDMI PTZ Camera System	OneLINK HDMI	Black/ White	US
999-99630-200 999-99630-200W	RoboSHOT 30E HDBT OneLINK Bridge PTZ Camera System	OneLINK Bridge	Black/ White	US
999-99635-000B 999-99635-000W	RoboSHOT 4K 30E HDBT	OneLINK Bridge	Black/ White	US
999-99635-200B 999-99635-200W	RoboSHOT 4K 30E HDBT OneLINK HDMI System	OneLINK Bridge	Black/ White	US
999-99635-300B 999-99635-300W	RoboSHOT 4K 30E HDBT OneLINK Bridge System	OneLINK Bridge	Black/ White	US



999-99630-200

The RoboSHOT 30E series is ideal for larger spaces such as large government chambers and features 30x Zoom including IntelliZoom™ Image processing ensuring a high-resolution video call every time.

## THE ART OF EASY

Vaddio offers a range of high-quality video conferencing solutions that can help federal agencies to connect with people across the globe.

Offering encrypted video and audio transmission, as well as secure user authentication, Vaddio keeps security top of mind.

## Cameras Certified for Microsoft Teams

Vaddio PN	Product Title	Colors Available	COO
999-21182-000 999-21182-000W	IntelliSHOT-M ePTZ Camera	Black/White	US
999-21132-000 999-21132-000W	RoboSHOT 30E-M PTZ Camera	Black/White	US

## Specialty Cameras

Vaddio PN	Product Title	Extension System	Special Feature	Colors Available	COO
999-99680-300	DocCAM 4K HDBT OneLINK Bridge System	OneLINK Bridge	Ceiling recessed document camera	White	US
999-99800-200	RoboFLIP HDBT OneLINK Bridge System	OneLINK Bridge	Ceiling recessed PTZ camera that can be fully hidden.	White	US
999-21100-000 999-21100-000W	IntelliSHOT Auto-Tracking Camera	—	Intelligent tracking camera with built-in microphones.	Black/White	US

## Conference Room System Kits

Vaddio PN	Product Title	Speaker	Microphone	Color	COO
999-99950-300 999-99950-300W	ConferenceSHOT AV HD	ConferenceSHOT AV Speaker	1 x Table Microphone	Black/White	US
999-99950-400 99-99950-400W	ConferenceSHOT AV HD	ConferenceSHOT AV Speaker	2 x Table Microphone	Black/White	US
999-99950-100 999-99950-100W	ConferenceSHOT AV HD	ConferenceSHOT AV Speaker	1 x Ceiling Microphone	Black/White	US
999-99950-200 999-99950-200W	ConferenceSHOT AV HD	ConferenceSHOT AV Speaker	2 x Ceiling Microphone	Black/White	US

## AV to USB Bridges & Encoders

Vaddio PN	Product Title	Color	COO
999-8260-000	AV Bridge Nano	Black	US
999-8240-000	AV Bridge Mini Audio/Video Encoder	Black	US
999-8250-000	AV Bridge 2x1	Black	US

The ConferenceSHOT AV HD Conference Room System has an easy plug-and-play functionality with all major UCC soft clients such as government certified Microsoft Teams, Google Meet, and Zoom.



999-99950-100

AV Bridge Nano is a portable video capture and streaming device that effortlessly converts HDMI sources into plug-and-play USB or IP connections. Its compact size makes it the perfect on-the-go solution for high-quality conferencing and streaming.



999-8260-000

# INNOVATIVE CABLE MANAGEMENT FOR THE MODERN WORLD

Individually, Wiremold and Connectrac are forces to be reckoned with, but having them both under the Legrand | AV umbrella allows the user to ensure a durable and secure cable run.

Wiremold's products are designed to withstand heavy usage and harsh environmental conditions while Connectrac offers flexibility by providing power and data connections in areas where traditional wiring or cabling may be difficult or impossible to install.

# WIREMOLD. CONNECTRAC.

## RACEWAYS AND CORD COVERS

### On Floor Raceway

Wiremold PN	Product Title	Colors Available	COO
OFRBC-4	Overfloor Raceway Base and Cover (4')	Black	US
OFRBC-8	Overfloor Raceway Base and Cover (8')	Black	US
OFR48-2	Overfloor Raceway Two Gang Box	Black	MX
OFR48-4	Overfloor Raceway Four Gang Box	Black	MX
OFR10IW	Overfloor Raceway In-Wall Entrance End Fitting	Black	MX
OFR10A	Overfloor Raceway Entrance End Fitting	Black	MX
OFR89-2400	Overfloor Raceway 2400 Raceway Transition	Black	US
OFR48-2MRTC	Overfloor Raceway Transition Box	Black	US
OFR11	Overfloor Raceway Flat Elbow	Black	US
OFR89-4000	Overfloor Raceway 4000 Raceway Transition	Black	US
OFR6	Overfloor Raceway Seam Clip	Black	MX
OFR47-D	Overfloor Raceway Duplex Device Plate	Black	MX
OFR47-R	Overfloor Raceway Decorator Device Plate	Black	MX
OFR47-2A	Overfloor Raceway Communications Device Plate	Black	MX
Connectrac PN	Product Title	Colors Available	COO
XPO6K-SV	6ft Express On Floor Kit	Silver	US
XPO3E-SV	3' Express On-Floor Extender	Silver	US


### Under Carpet Tile Raceway

Connectrac PN	Product Title	Colors Available	COO
XPU6K	Express Kit 6' Under Carpet Tile	Silver	US
XPU3E	3' Express Under Carpet Extender Kit	Silver	US



OFRBC-8

Wiremold's Overfloor Raceway Base and Cover installs over existing floor coverings and is both tamper-resistance and installer-friendly.




CT.XP-06-25.1c

Conveniently managing both power and data cables, the Connectrac Express Kit works best under carpet tile for both retrofit and new construction applications.

### Nonmetallic Perimeter (Wall) Raceway and Accessories

Wiremold PN	Product Title	Minimum Order Quantity	Unit of Measure	Colors Available	COO
2900	Uniduct® One-Piece Latching Raceway - 6' channel	120	FT	White/Fog White/Ivory	US
2900L8	Uniduct® One-Piece Latching Raceway - 8' channel	160	FT	White/Fog White/Ivory	US
2915	Uniduct® One-Piece Latching Raceway Tee Fitting	1	EA	White/Fog White/Ivory	US
2917	Uniduct® One-Piece Latching Raceway Internal Elbow	1	EA	White/Fog White/Ivory	US
2918	Uniduct® One-Piece Latching Raceway External Elbow	1	EA	White/Fog White/Ivory	US
2911	Uniduct® One-Piece Latching Raceway Flat Elbow	1	EA	White/Fog White/Ivory	US
2910B	Uniduct® One-Piece Latching Raceway Blank End Fitting	2	EA	White/Fog White/Ivory	US

This Uniduct® One-Piece Latching Raceway Fitting has a co-extruded design and a smooth plastic finish with adhesive backing.



2900

### Steel Perimeter (Wall) Raceway and Accessories

Wiremold PN	Product Title	Minimum Order Quantity	Unit of Measure	Colors Available	COO
2400BC	2400 Series Single-Channel Raceway Base and Cover	50	FT	Fog White/Ivory	US
4000B-10	4000 Series Multi-Channel Raceway Base	50	FT	Ivory/Gray	US
4000C	4000 Series Multi-Channel Raceway Cover	50	FT	Ivory/Gray	US
4000D	4000 Series Multi-Channel Raceway Divider	50	FT	Ivory/Gray	US

The Evolution™ Four Gang Wall Box is designed to fit and be concealed behind 42" or larger flat screen displays.



EFSB4

### Storage - Gang Wall Boxes

Wiremold PN	Product Title	COO
EFSB2	Evolution™ Two Gang Wall Box	US
EFSB4	Evolution™ Four Gang Wall Box	US

## ADDITIONAL RESOURCES

Legrand | AV understands the necessity of reliable AV systems. There's a lot on the line - public safety & security, emergency situations and military installations, just to name a few.

Check out these additional resources to learn all that Legrand | AV can do for you.



## SOLUTIONS

Looking to learn more? Legrand | AV's government solutions page has all the information you need, including equipment recommendations, case studies, articles, diagrams, and more.



Click Here

## Legrand | AV's Fed Gov Solutions Leadership Team



**Kristin Dacey**

Director, Strategic Accounts - Fed Gov  
[kristin.dacey@legrand.com](mailto:kristin.dacey@legrand.com)



**Brandon Ivey**

Strategic Accounts Manager - Fed Gov (DOD)  
[brandon.ivey@legrand.com](mailto:brandon.ivey@legrand.com)



**Alan Jacobson**

Strategic Accounts Manager - Fed Gov  
(Civilian Agencies)  
[alan.jacobson@legrand.com](mailto:alan.jacobson@legrand.com)



**Tarah Allen**

Strategic Accounts Manager - Fed Gov (DOD)  
[tarah.allen@legrand.com](mailto:tarah.allen@legrand.com)